



safety glazing certification council

January 1, 1998

certified products directory
safety glazing material used in buildings

"American National Standard for Safety Glazing Materials used in Buildings - Safety Performance Specifications and Methods of Test: ANSI Z97.1-1984"

Copies of ANSI Z97.1-1984 may be obtained from:

American National Standards Institute
11 W 42nd St #13th Fl
New York NY 10036-8002

"Consumer Products Safety Commission Safety Standard for Architectural Glazing Materials - at Title 16, Part 1201 of the Code of Federal Regulations: 16 CFR 1201"

Copies of 16 CFR 1201 may be obtained from:

Consumer Products Safety Commission
5401 Westbard Avenue
Bethesda MD 20016

TABLE OF CONTENTS	PAGE
ANSI Z97.1-1984	Inside Front Cover
CPSC 16 CFR 1201	Inside Front Cover
Meetings of the Certification Committee	4
Roster.	4
Program Concept	9
Procedural Guide	11
Certification Guidelines and Interpretations	16
SGCC Label Requirements.	27
CPSC Act Labeling Requirements.	28
Classified Tempered Glass Patterns	29
Certified Products (Numerical Sequence)	30
Certified Products (Alphabetically By Plant)	34
Certified Products (By Product Type).	41
Licensees and Their Typical Labels	55
SGCC Directory Order Blank	65
SGCC Approved Laboratories	Inside Back Cover

MEETINGS OF THE CERTIFICATION COMMITTEE

The Certification Committee of the Safety Glazing Certification Council meets one each six months. Minutes of these meetings may be obtained by writing to the Administrative Manager of the Safety Glazing Certification Council (SGCC).

* * * * *

Certification in this directory is current as of the date of issue; however, products may be certified or have certification removed from time to time. For the most current information, please contact the Administrative Manager of SGCC.

Any questions, comments, or requests for copies of this directory should be directed to the Administrative Manager of the Safety Glazing Certification Council:

* * * * *

ADMINISTRATION

Administrator:	Intertek Testing Services NA Inc. 3933 US Route 11 PO Box 2040 Cortland, NY 13045-0950 Telephone: 607-753-6711 Telefax: 607-756-9894
Administrative Staff:	Heather L. Almeida

ROSTER

SGCC BOARD OF DIRECTORS

REPRESENTING PUBLIC INTEREST

Mr. Mario J. Cellarosi
14709 Plainfield Lane
Germantown, MD 20874
Telephone: 301-869-0428
Telefax: 301-869-0428

Dr. George L. Graf, Jr.
242 Longwood Dr.
Wilmington DE 19810
Telephone: 302-475-3723
Telefax: 302-475-3723

Mr. William Nugent
Wiss, Janney, Elstner Associates, Inc.
330 Pfingsten Rd
Northbrook IL 60062-2095
Telephone: 847-272-7400
Telefax: 847-291-9599

Dr. Richard A. Behr, P.E.
Dept of Arch. Eng. / Penn State
104 Engineering Unit A
State College, PA 16802-1416
Telephone: 814-865-6394
Telefax: 814-863-4789

REPRESENTING INDUSTRY

Mr. Al Hunsicker
Warp Bros - Flex-O-Glass Inc
1100 N Cicero Ave
Chicago IL 60651
Telephone: 773-261-5200

Mr Robert A. Moss
Gemtron Vincennes
2000 Chestnut St.
PO Box 317
Vincennes IN 47591
Telephone: 812-882-2680
Telefax: 812-882-7679

Mr. William Knutsen
Viracon Inc.
800 Park Dr.
PO Box 248
Owatonna MN 55060
Telephone: 507-444-3127

Mr. Mark Cody
AFG Industries
PO Box 929
Kingsport TN 37662
Telephone: 423-229-7222
Telefax: 423-229-7156

Mr. Carl Carmen
Consolidated Glass Co.
1150 N Cedar St.
New Castle PA 16103
Telephone: 412-658-4541
Telefax: 412-654-0002

Mr. John G. Jablonski
Guardian Industries/Fab.
2300 Harmon Road
Auburn Hills MI 48326
Telephone: 248-340-2236
Telefax: 248-340-2239

Honorary Non-Voting Lifetime Member

Mr. Norman Nitschke
Glasstech. Inc.
Ampoint Industrial Park
995 Fourth Street
Perrysburg OH 43551
Telephone: 419-661-9500

SGCC OFFICERS

President
First Vice President
Secretary
Treasurer

Robert Moss
Mario Cellarosi
William J. Nugent
Richard Behr

LEGAL COUNSEL

William M. Hannay, Esq.
Schiff Hardin & Waite
7200 Sears Tower
Chicago IL 60606
Telephone: 312-258-5617
Telefax: 312-258-5600

FINANCIAL AUDITORS

David Bowles
Kane, Bowles & Moore
209 Second Street
Liverpool NY 13088
Telephone: 315-451-6167
Telefax: 315-451-6093

SGCC CERTIFICATION COMMITTEE

Mark Cody - Chairman

Licensee	Primary Member	First Alternate	Second Alternate
ACI Distribution	Mike Grossman	Rick Dashley	
AFGD; Canada	Mark Cody	Thomas Mewbourne	
AFG Industries Inc.	Mark Cody	Thomas Mewbourne	
All Team Glass & Mirror Ltd			
American Flat Glass Dist.	Mark Cody		
Anthony's Mfg Inc.			
Arch Aluminum & Glass L.C.	Leon Silverstein	Dan M. Haney	John Haws
Architectural Safety Glass	George Sutorka		
Ardco, Inc.	Andrew G. Menke		
AFGD; Div of AFG Inds Ltd	Bill Bowmeester	Gord Kilday	Joel Harmer
Cardinal CG	Robert Spindler		
Cardinal IG	Robert Spindler	Oak Moser	
Cardinal TG	Robert Spindler		
Colonial Mirror & Glass Corp	A. Alex Weiner	George Weiner	
Commercial Insulating Glass	Jeff Winsler		
Consolidated Glass Corp.	Carl Carmen	Louis Merryman	
Contour Inds Inc.	Scott Stidham	Pat Murphy	
Coraglass Inc.	Patrick Conner		
D & S Tempered Glass			
D & W, Incorporated			
Downey Glass Company	Richard Wright	Luis O. Soto	Robert Mastrapa
Edge Seal Technologies	Mark Hutchinson		
EFCO Corp			
Flex-O-Glass, Inc.	Harold G. Warp	Alfred R. Hunsicker	
Floral Glass & Mirror, Inc.	Charles Kaplaneck	Paul Bieber	
Four Seasons Solar Prod.	Brian Fabian	Mark Nahvi	George Andra
Free State Glass Industries	Conrad Miller		
Gardner Mirror Corporation	Tim Hall		

SGCC CERTIFICATION COMMITTEE

Licensee	Primary Member	First Alternate	Second Alternate
Gemtron -Sweetwater	Robert A Moss	Jack Francis	Freida Watson
Glass Distr. Of America	Keith Kirkley		
Glass Factory, Inc., The			
Globe-Amerada Glass Co.	Cheri Kellman	Walt Myers	
Guardian Fabrication, Inc.	John G. Jablonski	Mark J. Steffanina	Henry A. Gorry
Guardian Industries Corp	John G. Jablonski	Mark J. Steffanina	Henry A. Gorry
Guardian Inds Canada Corp	John G. Jablonski	Mark J. Steffanina	Henry A. Gorry
Hoffer's Inc.	Barb Striegel	Tom Beese	Kevin Schulz
Interpane Glass Co.	John Neunlist	Tony Lee	Jimmy Williams
J.E. Berkowitz			
Laminated Glass Corp.	Mike Lerner		
Marvin Windows	James Krahn	Doug Steinbring	
Midwest Air Technologies			
Milgard Tempering Inc.	W. F. Hart	Tom Sugano	
Mirror Factory, Inc.	Marlan Carlson	Tom Carlson	Lance Smith
Nashville Tempered Glass			
North American Glass	Richard Wright	Bob Berleth	Shelly Mascola
Northwestern Inds Inc.	Tim McQuade	James Levingston	Darrell Adrich
Patio Enclosures			
Perilstein Distributing Corp.			
PPG Industries Inc.	Charles Richeson	Bob Fiedor	Bradley Boone
Prelco Inc.			
SAFTI / Div of O'Keefe's	M. Scott Foote	William O'Keefe	Stacy Westhoff
Shaw Glass Company Inc.	Frederic P Shaw	Troy Johnson	Walter Gilpatrick
Sovis SA	Richard Paschel		
Sterling Plumbing Group	Fred Bruce		
Summitt Window & Patio Door	Lee Dunlop	Steve Jones	
Sunbelt Glass Inc.	Mike Kelley		
Swift Glass Company	Daniel J. Burke	Anthony Speciale	Wayne Brown
Taylor Products, Inc.			

SGCC CERTIFICATION COMMITTEE

Licensee	Primary Member	First Alternate	Second Alternate
Tempered Glass, Inc.	Douglas Sampsel	Joel Wrenn	
Tempglass Group Inc.	Richard Wright	Tim Kachmarik	William Coddington
TRACO (Three Rivers Alum)	Robert P. Randall	William Deuschle	John Kalakos
U S Precision Glass	Perry Gregorcy	Daniel Hill	Michael Carnes
Vegla Vereinigte	Scott Foote		
Viracon, Inc.	Bill Knutsen	Russ Huffer	Rick Voelker
Virginia Glass Prod. Corp.	Robert L. Brown	Benjamin D. Beeler	A. Paul Stillman
Vitrierie April			
Westshore Glass Corp.	Bill Bellis	Todd Elozory	Tucker Kruse

Member by virtue of being a director

Public Interest	Mario Cellarosi
Public Interest	George L Graf, Jr
Public Interest	Richard A. Behr
Glasstech, Inc.	Norman Nitschke
Wiss,Janney,Elstner Assoc.	Bill Nugent

Member from those without certified products

Dupont Company	John W. Turnbull
----------------	------------------

PROGRAM CONCEPT

The Safety Glazing Certification Council (SGCC) is a non-profit corporation, established in 1971 by manufacturers of safety glazing products, building code officials, and others concerned with public safety.

SGCC maintains a program which provides for the certification of safety glazing materials found to be in compliance with one or both of the following specifications:

American National Standard for Safety Glazing Materials used in Buildings - Safety Performance Specifications and Methods of Test: ANSI Z97.1-1984

Consumer Product Safety Commission Safety Standard for Architectural Glazing Materials - codified at Title 16, Part 1201 of the Code of Federal Regulations: 16 CFR 1201

These specifications subject safety glazing materials, used in buildings and architectural products, to practical tests designed to reduce or eliminate unreasonable risk of death and injury when safety glazing material is broken by human contact.

The specification(s), to which a safety glazing material is certified by SGCC, is at the direction of the licensee.

SGCC responsibilities are threefold: to conduct an independent routine sampling and testing program; to approve and register the form of a Licensee's label; and to withdraw the Licensee's authority to use that label if certified products do not meet specification(s).

Management and control of SGCC is vested in a board of directors, half representing industry and half representing the public interest. To prevent industry dominance of SGCC actions, the public interest directors are empowered to veto any action of the board regardless of the number of directors present at a meeting.

The certification program uses approved testing laboratories under the supervision of a qualified administrator, retained by and responsible to SGCC, who is unaffiliated with any Licensee of safety glazing materials.

The Licensee of a product listed in this directory has certified that the labeled material complies with the applicable specification(s). Compliance of a certified product with the applicable specification(s) is checked periodically by an approved testing laboratory under the supervision of SGCC.

All manufacturers of safety glazing products are eligible and encouraged to apply for SGCC certification. Products may also be licensed by non-manufacturers. (See "Who can become a licensee.") However, products are not certified until a test to the applicable specification(s), conducted at an approved testing laboratory, indicates compliance, the SGCC certification invoice is paid, and SGCC License Agreements are properly executed.

Once certified by SGCC, a product is assigned an exclusive certification number to identify it and the plant at which it is made. After which, to insure continued adherence to the specification(s), SGCC independently selects, at least twice in each year, samples during unannounced visits to the manufacturing plant or randomly from the market place to be tested to the applicable specification(s). Consequent to a test result showing compliance with the applicable specification(s) SGCC authorizes the continued use of the certification number and the product listing in this directory.

This directory is divided into four basic listings: the first is by numerical sequence of certified product numbers listing the Licensee holding that number; the second is of manufacturing Licensees listed alphabetically by plants and the approved products manufactured at those plants; the third is by non-manufacturing Licensee's and their approved products; the fourth is by product type listing all Licensees and locations approved for each product type. There is also an alphabetical listing, by manufacturers, illustrating a label typical of the Licensee. The table of contents lists various procedural and administrative information, as well as information as to where officers and directors may be located.

Upon request, information from SGCC concerning a statement of procedures, or copies of minutes, are available to manufacturers, public interest groups, and individuals.

PROCEDURAL GUIDE

FOREWORD

The acceptance, of a certified safety glazing material, comes from the conviction such certification assures a high level of safety and quality; and that the integrity of the identifying mark or certification label is reliably maintained by a competent certifying agency.

Both ANSI Z97.1-1984 and 16 CFR 1201 provide sound technical basis for a high level of safety. With the addition of independent administration, plus periodic routine sampling and product evaluation a program of product certification is maintained which provides an independent third-party certification and testing program. The Certification Program described herein is predicated upon the concept of independent and impartial administration of the certification procedures which are incorporated in the SGCC license agreement.

The SGCC License Agreement is the governing document for the operation of the Certification Program. The Procedural Guide, which is not an extension of this document, is for information and guidance; and serves to describe administrative procedures; and to insure the uniform and equitable operation of the Certification Program.

GENERAL INFORMATION

THE CERTIFICATION CONCEPT

The SGCC Certification Program is based on the conviction no standard of safety or quality is good without the continuous adherence of the licensees' certified products to that standard.

To buyers, specifiers, code officials and users, the SGCC certification label offers the Licensee's assurance his safety glazing material has been produced in conformance to ANSI Z97.1-1984 and/or 16 CFR 1201.

Federal law, many state statutes, municipal ordinances and building codes require glazing materials, installed in certain defined locations, comply with ANSI Z97.1-1984 and/or 16 CFR 1201.

WHO CAN BECOME A LICENSEE?

Any manufacturer of safety glazing materials or any party contracting for the manufacture of safety glazing materials is eligible, on a voluntary basis, to become a Licensee.

WHO CONDUCTS THE PROGRAM?

The Safety Glazing Certification Council, a non-profit corporation, is the sponsor of the Certification Program. SGCC supervises the Certification Program under which its administrator periodically checks and reports compliance of the products having the SGCC certification label with the requirements of ANSI Z97.1-1984 and/or 16 CFR 1201.

ADMINISTRATION

Intertek Testing Services (ITS), is the independent Administrator of the Certification Program. ITS maintains the SGCC office of certification and conducts the routine day-to-day business. All transactions are done in the name of SGCC.

HOW CAN YOU BECOME A LICENSEE?

The following must be accomplished before SGCC can certify an item of safety glazing material:

- a) The applicant signs two copies of the SGCC License Agreement (including notarization of the Affidavit, Appendix A) and sends these to SGCC. SGCC will countersign all copies and return one to the applicant. Non-manufacturing applicants must include the location and appropriate signatures of their manufacturer for each location.
- b) The applicant directs an SGCC approved testing laboratory, of its own choosing, to send SGCC one copy of a valid test report indicating the 'initial' or 'prototype' samples submitted for testing are in full and complete compliance with ANSI Z97.1 and/or 16 CFR 1201.
- c) The applicant sends to SGCC the six-month certification fee for each item which is to be certified. This fee must be submitted within 6 months of completion of item b). Failure to do so will result in the need to resubmit item b). (Revised 10/22/93)

Having received all of the above items, SGCC sends to the licensee the notice of product certification which includes an SGCC certification number. This number must be incorporated into the permanent label affixed to each piece of certified safety glazing material. The certified item will be listed in the next edition of the Certified Products Directory.

HOW THE CERTIFICATION PROGRAM WORKS

Safety glazing materials must meet or exceed the applicable specification(s) before they can be certified by SGCC.

SGCC recognized approved testing laboratories conduct all tests. All laboratories, whose test reports are utilized by the Certification Program, shall be approved by the SGCC Certification Committee. Initial or prototype tests are performed at an approved testing laboratory selected by the licensee. Routine evaluation samples are tested by an approved testing laboratory selected, with the concurrence of the administrator, by the licensee.

ADMINISTRATOR AUTHORIZES CERTIFICATION

As sole judge of compliance with the applicable specification(s), the administrator authorizes a product which has been approved to be listed in the Certified Products Directory.

Licensees label safety glazing material, with the assigned SGCC number, within the limits of the product size tested. If 34 by 76 inches is the size of the initial or prototype test sample, certification is extended to all sizes and the permanent label contains the letter U, designating unlimited size. The letter L, contained within the permanent label, denotes certification is limited to the width and length of the initial or prototype test sample.

PRODUCTS LISTED IN CERTIFIED PRODUCTS DIRECTORY

Approved products are listed in a Certified Products Directory, published every six months, which is sent to door, sash and building products manufacturers, glazing contractors, home builders, architects, regulatory agencies and code-making groups, etc. Directory listings contain the licensee's name, product description and examples of a label typical of that permanently affixed by a licensee to each piece of safety glazing material certified by SGCC.

The administrator selects, at least twice in each year, to be tested to the applicable specification(s), during unannounced visits, samples of certified safety glazing material at the manufacturing plant or from the market place.

COMPLIANCE SAFEGUARDS**HOW IS COMPLIANCE ASSURED**

Any certified product determined, in the course of routine sampling and evaluation, not in compliance with the applicable specification(s), is subject to the removal of certification. The licensee is given 30-days in which to demonstrate, to the satisfaction of the Administrator, compliance and, if not, certification is automatically withdrawn at the end of the 30-day period.

CHALLENGING A CERTIFIED PRODUCT

Complaints of non-compliance, from any source, will be investigated promptly by SGCC upon receipt of a written complaint and surety deposit. A minimum surety deposit of \$1,000 will be required for each complaint of non-compliance. The surety deposit will be assessed at the rate of \$350 per man day plus the reasonable cost of travel and the maintenance entailed in resolving such incidents. Refunds of part or all of the surety deposit will be made when applicable. All costs involved will be paid from the complainant's surety deposit, unless the investigation proves non-compliance, in which case all costs will be borne by the licensee found to be in non-compliance.

WITHDRAWAL OF CERTIFIED PRODUCT

Any product which has been certified by SGCC may be voluntarily withdrawn from the Certification Program by a licensee at any time.

COSTS**WHAT DOES THE PROGRAM COST?**

The licensee pays, in advance, all projected fees for future routine evaluations to SGCC on a six-month basis. A licensee is invoiced for each certified item separately listed in the Certified Products Directory.

The certification period is from January 1 - June 30 or July 1 - December 31. The Licensee's initial invoice will be determined by the payment schedule as is listed below: All subsequent invoices will be for a full certification period.

<u>DATE</u>	<u>ADMINISTRATIVE/CONTINGENCY FEE</u>	<u>TEST FEE</u>
January 1 - March 31	100%	None
April 1 - June 30	50%	None
July 1 - September 30	100%	None
October 1 - December 31	50%	None

No testing is necessary during the initial 6-month period if prototype testing took place within 30 days of initial certification. Normal inspection may take place during this initial period, however.

Initial certification during the first 3 months of the initial 6-month period will require a selection in the first 3 months of the following 6 month certification period.

CERTIFICATION PROGRAM DOCUMENTS AND AGREEMENTS**LICENSE AGREEMENT**

This agreement, incorporating independent program administration and routine periodic independent sampling and evaluation, governs the relationship between SGCC and the licensee.

Future amendments or revisions to the License Agreement will be recommended by the SGCC Certification Committee and enacted by the SGCC Board of Directors.

EFFECTIVE DATE, DURATION AND TERMINATION

The License Agreement, effective from the date of its execution, has a validity of six months (adjustable to a January 1 to June 30 or a July 1 to December 31 basis) and, unless revoked by SGCC for causes set forth in the document, is automatically renewed for successive additional periods of six months, unless either party gives notice at least 60 days prior to the date of expiration that cancellation is requested.

Upon its proper execution and acceptance by SGCC, the pre-issued certification number bond informs a licensee of the certification number of an item to be certified in the future. If the licensee marks production with the certification number, prior to actual certification, the bond is forfeited to SGCC.

Upon its proper execution and acceptance by SGCC, the test release bond permits the continuation of certification of an item when production facilities are shut down. If the licensee does not notify SGCC, within one week of the resumption of production, the bond is forfeited to SGCC.

ADMINISTRATIVE SERVICE AGREEMENT

This agreement, entered into by SGCC and ITS; governs the relationship between SGCC and ITS, the independent administrator. In general, it provides that the Administrator

- a) samples certified products routinely;
- b) has the right to witness any and all testing required by the program;
- c) reviews all test reports in order to determine compliance of the certified product with the applicable specification(s);
- d) inspects and approves all in-plant and test laboratory test facilities for use in this Certification Program (test laboratories are approved by the SGCC Certification Committee);
- e) publishes and mails the SGCC Certified Products Directory on or about January 1 and July 1 of each year;
- f) handles all routine clerical duties of SGCC with respect to certification matters;
- g) acts as SGCC treasurer, invoices licensees, maintains a bank account and disburses funds (fiscal reports are made to the SGCC Certification Committee);
- h) furnishes all testing except for initial or prototype tests;
- i) attends all scheduled meetings of the SGCC Certification Committee and;
- j) in all of its actions, acts in the name of SGCC.

CERTIFIED PRODUCTS DIRECTORY

This directory contains a listing of the certified safety glazing materials of each licensee.

CERTIFICATION LABEL

The certification label, containing a number that refers to the listing in the Certified Products Directory, is permanently affixed to each piece of certified safety glazing material by the licensee. The listing, in the directory, provides a complete product description including licensees name, location, etc.

PROGRAM RESPONSIBILITY

The SGCC Board of Directors has overall responsibility for the well being and acceptance of the Certification Program by industry, building officials and the public. It also bears corporate legal responsibility.

The SGCC Certification Committee has the responsibility for the general procedure and policy pertaining to the conduct of the Certification Program. As a part thereof, it:

- a) establishes certification "guidelines;"
- b) determines, where a question is raised by a licensee or the Administrator, the applicability of the specification(s) in specific situations.
- c) approves testing laboratories;
- d) determines which specifications are to be designated effective for the purposes of product certification and the date or dates on which they' become effective;
- e) recommends to the SGCC Board of Directors changes to be made in the license agreement.

COMMUNICATIONS

In all matters concerning the administration and implementation of the SGCC certification program, correspondence may be directed to any of the following:

Mr. Robert A. Moss
SGCC President
c/o Gemtron Vincennes
PO Box 317
Vincennes, IN 47594
Telephone: 812-882-2680

Mr. Mark B. Cody, Chairman
SGCC Certification Committee
c/o AFG Industries
PO Box 929
Kingsport, TN 37662
Telephone: 615-229-7222

Ms. Heather Almeida
Administrative Staff
Intertek Testing Services NA Inc.
3933 US Route 11
PO Box 2040
Cortland, NY 13045-0950
Telephone: 607-753-6711

CERTIFICATION GUIDELINES AND INTERPRETATIONS

For guidance in certifying safety glazing materials, the SGCC Certification Committee has adopted the following:

GENERAL**G.1**

Participation in the Certification Program will be on a January 1 to June 30 and July 1 to December 31 basis.

G.2

Tests for initial compliance of safety glazing materials to ANSI Z97.1-1984 and/or 16 CFR 1201 will be accepted from any testing laboratory approved by the SGCC Certification Committee.

G.3 (ANSI ONLY)

Paragraph (1) Section 5.1.3 of ANSI Z97.1-1984 is intended to apply to laminated, wired and organic coated glass only. Paragraph (2) is intended to apply to tempered glass only. Paragraph (3) is intended to apply to plastics only. Paragraph (4) is intended to apply to any safety glazing material.

G. 4

For insulating glass units to be considered safety glazing material, each light in the construction must be of safety glazing material.

G.5

The SGCC item number, when used as part of a permanent label, designates the name of the licensee (participant) and also the location of the manufacturing plant.

G.6

- a) All test specimens, except prototype samples, must be marked with the correct SGCC permanent label prior to testing in order to be considered a valid sample. It is the responsibility of the licensee to ensure the specimens being represented to the Administrator's representative are properly labeled. The administrator shall construe the absence of a correct permanent label as a failure to comply with the specifications. In such case of noncompliance, Sections a, c, and e of G.1 shall be followed. (Revised 3/16/90)
- b) The laboratory shall verify that the label has the correct SGCC number, designation of the applicable specification(s) and CPSC categories, nominal thickness, and certified size designation (U or L).
- c) The testing laboratory is to advise the administrator of any specimen to which the correct SGCC permanent label is not affixed. The testing laboratory will be instructed by the administrator not to test but hold the sample.
- d) The administrator will inform the licensee of the situation and direct (by letter) the testing laboratory to commence testing no later than 30 days hence. Until that time the testing laboratory is instructed to make these specimens available to the licensee at their convenience (the specimens are to remain at the testing laboratory) in order that the licensee may point out or show them that in fact the SGCC permanent label is correct or agree that in fact the correct SGCC permanent label is not present. In cases of any dispute between the licensee and the testing laboratory the decision of the administrator shall be final. The licensee shall not mark specimens after receipt at the testing laboratory.

(ANSI ONLY)

- e) As of July 1, 1985 the SGCC permanent label must contain ANSI Z97.1-1984 in order to be considered a correct permanent label for purposes of Guideline G.6.

G.7 (ANSI ONLY)

Safety glazing materials for which certification is requested for indoor use only shall be subjected to the provisions of section 5.1 (impact tests) and 5.4 (aging tests) of ANSI Z97.1-1984 irrespective of the composition or construction of the glazing material. Like products and materials produced in the same manner as samples submitted for test shall be legibly and permanently marked in one corner with the words "Indoor Use Only" and the SGCC identification number.

G.8 (ANSI ONLY)

After initial compliance with a sample size as stated in Paragraph 4.3, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided by Paragraph 4.3, ANSI Z97.1-1984 are exposed to selection for testing.

G.8 (CPSC ONLY)

After initial compliance with a sample size as stated in Table 1, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided in the standard 16 CFR 1201 are exposed to selection for testing.

G. 9

Specimen sizes up to 34 inches by 76 inches shall be valid samples when independently obtained by the administrator for purposes of routine evaluation.

G.10

In cases where the administrator samples and identifies specimens for routine evaluation of the licensee's premises or requests licensee's samples when none are available at the time of sampling:

- a) The licensee be permitted 6 weeks in which to effect delivery of said specimens to the administrator's designated testing laboratory.
- b) Failure to act as specified above shall be construed by the administrator as failure of the said specimens to comply with the specifications and the administrator shall act as provided for in license agreement A.6.

G.11

In cases where a routine evaluation sample fails to comply with the specifications:

- a) Written notice and an invoice shall be sent to the licensee by the administrator stating that within 30 days from the date of such notice the licensee must submit a retest sample to the testing laboratory selected by the licensee with the concurrence of the Administrator.

Certification shall be removed if the sample and payment are not received within the allotted 30 days or if the sample submitted fails to comply with the specifications.

- b) Within 3 months the administrator shall obtain an additional random sample for evaluation (in addition to the routine evaluation sample obtained twice a year). The administrator shall be certain that this additional sample is of recent production.
- c) At the option of the administrator, specimens submitted under a) above shall be either prototype size and pattern or identical to those previously sampled and of recent production.
- d) Certification shall be removed if the additional random sample obtained in b) above fails to comply with the specifications.
- e) All costs related to G.11 are to be borne by the licensee.

- f) If the retest procedure is required, all routine inspections and sample selections will continue. However, routine testing for the next period will be suspended pending the outcome of the retest procedure. If the product is decertified, the prepaid fee for routine testing for the next period (but not the Administrative and Contingency fees) will be refunded.

G.12

If a licensee who manufactures or contracts for the manufacture of a certified product outside the United States and Canada feels that in a particular instance that he will be unable to act as provided for in paragraph a) of SGCC Guideline G.11, he should notify the administrator. The administrator will then contact the chairman of the certification committee for a decision as to what action is to be taken.

G.13

In cases where a certified item is produced infrequently or in small quantities so as to make it difficult for the administrator to obtain routine evaluation samples, the licensee shall notify the administrator at least two weeks in advance of any production of such item.

G.14

The semi-annual invoicing date for certification fees shall be April 1 and October 1 of each year and the administrator is instructed to take those steps necessary to remove certification from Licensees for failure of payment. (Modified 10/20/89)

The Administrator shall initiate de-certification procedures on products for a given Licensee's failure to pay any monies due to SGCC within 60 days of invoice date. (Reference License Agreement A.2, A.7, A.12, and B.6.)

The invoice procedures will be as follows:

- a) Semi-Annual SGCC invoices will be mailed on or before April 1 and October 1 of each year. Payment is due May 1 and November 1 respectively.
- b) For all overdue invoices as of May 1 and November 1, a phone call will be made as a reminder and to insure the invoice was received by the Licensee. A letter will follow the phone call.
- c) For all overdue invoices as of May 15 and November 15, an overnight letter, return receipt requested, will be sent warning of de-certification if payment is not received within 15 days.
- d) Letters of de-certification will be sent certified mail fifteen (15) days from the mailing of the overnight letter if payment is not received. With de-certification, a Licensee will no longer be an SGCC participant and its certified products will not appear in the CPD.

G.15

In the situation where a licensee desires to re-certify a product that previously had certification removed because of failure to comply with the specifications (label and thickness tolerances excepted), the product shall be routinely sampled four times during the first year. The costs involved shall be paid by the licensee.

G.16

The nominal thickness designations in SGCC authorized permanent labels for safety glazing materials may be shown in metric units. The thickness will be expressed in millimeters, limited to two decimal places, and will have the suffix "mm."

G.17

All safety glazing materials that are not symmetrical from surface to surface shall be impacted two specimens on one side and two specimens on the other side except as noted in Guideline G.27. (Revised 4/21/94)

G.18

Certified and permanently labeled safety glazing materials such as laminated glass, wired glass, rigid plastic or organic coated glass may be cut into smaller pieces by a distributor or installer after manufacture and it is not practical for each such smaller piece to bear a manufacturer's permanent label when finally installed in a building. When this is the case, then the distributor or installer shall apply a permanent label to each piece which states his name and certifies that he cut the piece from material that was properly labeled in accordance with the requirements of SGCC.

For the purpose of this guideline, a permanent label is defined as one that will remain permanently legible and would be destroyed in attempts to remove it from the product.

G.19 (Deleted 10/20/89)

G.20

For certification purposes, a panel of glazing material composed of multiple components (such as leaded glass) may be tested and interpreted as a unit.

G.21

A pre-issued SGCC certification number shall be issued by the administrator upon receipt of a properly executed license agreement and a properly executed bond form in the amount of \$10,000. The pre-issued SGCC certification number, if not used by the licensee, will be terminated twelve months from the date of issue. The condition of the bond is such that if the licensee does not label any safety glazing material with the pre-issued certification number prior to formal certification then the bond shall be void.

G.22

In the case of wired glass (ANSI ONLY), plastics and organic coated glass certification of a patterned product may be extended to cover other patterns provided:

- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 and/or 16 CFR 1201 for each alternate pattern proposed.
- c) The certification committee is provided with a 6 by 6-inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification covering patterned products, any such patterns available may be selected by the administrator for routine sampling and testing.

In the case where a routine evaluation sample covered under a blanket certification fails to comply with the specifications the situation requires that particular product be submitted for the retest sample required by Guideline G.11a and also that particular product be sampled by the administrator for the additional sample required by Guideline G.11b.

G.23

There may be instances when a production facility is temporarily inoperative. This could be caused by, but not limited to, equipment repair or replacement, labor difficulties, energy or material shortages or economic considerations. As a consequence, samples for routine testing may not be available for long periods. The licensee may desire to retain certification during the shutdown period. This shall be done as follows:

- a) Prior to or within 2 weeks after the shutdown, the licensee shall inform the SGCC administrator by certified mail.
- b) The SGCC administrator will immediately supply the licensee with test release bond forms for submission by the licensee. A separate bond shall be submitted for each certified product affected.

- c) Within 2 weeks after receipt of the bond forms, the licensee shall submit them to the SGCC administrator.
- d) During the period covered by the bond the licensee shall retain certification, contingent upon payment of normal certification fees and meeting all other licensee obligations. Bonds will terminate 90 days after acceptance by SGCC but may be renewed by the licensee any number of times. Renewal is an obligation of the licensee and requires all steps listed herein.
- e) Within one week after re-activation of the production facility the licensee shall 1) notify the SGCC administrator by certified mail and 2) submit samples from the first weeks production to an SGCC approved laboratory for testing. In cases where more than one certified product is produced with the same equipment, samples of each must be furnished for testing within the first month. These will be considered as the routine samples for retesting for the six months period during which they are submitted.
- f) Failure of the licensee to comply with any of the preceding shall be the basis for removal of certification from the affected products.

G. 24

When a licensee's production equipment will not produce a size of 34 by 76 inches and the licensee wishes to certify a) a size whose smaller dimension exceeds 34 inches, material shall be tested whose smaller dimension is 34 inches or b) a size whose larger dimension exceeds 76 inches, material shall be tested whose larger dimension is 76 inches.

G.25 (ANSI ONLY)

When a licensee specifically and voluntarily desires to use a SGCC permanent label on their product that denotes compliance with ANSI Z97.1-1966, ANSI Z97.1-1972, ANSI Z97.1-1975, and ANSI Z97.1-1984 or combination thereof, that they notify SGCC in writing of the certified item that they desire to so mark. SGCC will, at the request of the licensee, conduct compliance tests to ANSI Z97.1-1956, ANSI Z97.1-1972, ANSI Z97.1-1975 and ANSI Z97.1-1984 or combination thereof. A single set of four test specimens will be impacted to determine impact test requirements of all standards. Upon successful completion of compliance tests the safety glazing materials are permanently labeled and listed in the SGCC certified products directory as having met the requirements of 1966, 1972, 1975 and 1984 versions or combination thereof the ANSI Z97.1 standard. Any costs involved shall be paid by the licensee.

G.26

Any label that can be removed intact shall not be considered permanent and is not acceptable to SGCC.

G. 27

A licensee, by executing a supplementary license agreement, can elect to be in both ANSI Z97.1-1984 and 16 CFR 1201 programs under one SGCC number provided the licensee submits four specimens to be impact tested to ANSI Z97.1-1984 and one specimen to be impact tested to 16 CFR 1201 (all safety glazing materials that are not symmetrical from surface to surface, shall be impacted one specimen on one side and one specimen on the other side for 16 CFR 1201). If any one specimen of the composite sample fails, the entire composite sample will be considered to have failed to comply with both specifications.

G. 28

The administrator shall construe noncompliance with thickness tolerance as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.

G. 29

For the purposes of certification, the thickness requirements of Specification ASTM C1036 shall apply.

G. 30

For certification purposes, the minimum thickness shall be 0.092 and the maximum thickness shall be 0.108 inches for 0.100 inch glass.

G.31

For certification purposes, the nominal thickness of single strength patterned glass shall be 0.094 inches and thickness tolerances shall be plus 0.047 inches and minus 0.015 inches.

G.32 (CPSC ONLY)

When testing to category II requirements, the administrator shall select specimens greater than 9 square feet in surface area.

G.33

If a manufacturing plant for which a product is certified is sold, the new owner or Licensee must take the following steps to maintain certification:

- a) Notify the administrator in writing of the sale as soon as possible (and in no event, later than 60 days) after the sale;
- b) Execute a new license agreement, if the new owner is not already a licensee; and
- c) Exercise the option of maintaining the original Licensee's SGCC number(s) or requesting new numbers. If the new owner chooses to keep the existing number(s), the logo on the certified product must clearly distinguish it from the previous owner's.

The administrator shall arrange for the next routine sampling to take place within 6 months of the sale. If the plant is temporarily inoperative in connection with the sale, the provisions of G.23 shall also apply.

TEMPERED TRANSPARENT GLASS**T.1**

Certification of either flat glass or patterned glass will not cover the other except as noted in Guideline T.2. (Flat glass designates ground and polished plate, float and sheet glass.) When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

T.2

Polished plate glass and the rough glass blank from which it is produced will be considered to be of equal nominal thickness. Certification of tempered flat glass will therefore be interpreted as including tempered rough plate blank.

T.3

Certification of regular tempered glass will also cover tinted, heat absorbing, and coated glasses of the same nominal thickness where the coating does not alter substantially the post-breakage behavior of the glass substrate. A "substantial alteration" is one that would render the coated tempered glass in non-conformance with the applicable safety glazing standards. Glasses of the same nominal thickness with a ceramic or other material applied as a continuous or partial coating to one or more surfaces are also covered. (Modified 04/02/92)

T.4

In cases where certified glass is normally not available for sampling, the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available, the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

T.5

Certification of any nominal thickness of tempered safety plate, float or sheet glass will also cover the other two types. ANSI Z97.1-1984 and 16 CFR 1201 do not require the permanent label on tempered safety glass to specify which type of glass is used. Nor is it required that the test specimens be identified in this regard.

T.6

Prototype test shall be conducted on bent specimens sampled from normal production run. The specimen size shall have a surface area of at least 50 percent of the maximum size for which certification is desired. Routine tests will be performed on bent specimens. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side of the curved edges. Impact shall be on the convex surface.

TEMPERED PATTERNED GLASS

TP. 1

For the purposes of certification, the nominal thickness of patterned, figured, or rough rolled glass are the common fractions found in ASTM C1036. The permanent label must contain this fraction on a metric or decimal dimension within the tolerance of this thickness as published in ASTM C1036. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

The patterns in each thickness will be classified as to the ratio of minimum to maximum thickness as follows.

Patterned depth class	Ratio
Shallow patterned glass	0.90 or above
Medium patterned glass	0.80 through 0.89
Deep patterned glass	0.79 or below

Certification will be by nominal thickness and patterned depth class. Any pattern in a certified thickness and patterned depth class is certified.

New or unlisted patterns must be submitted to the pattern subcommittee for classification and file. prior to certification. After measurement, the new pattern will be assigned to a patterned depth class.

Certification of deep also covers medium and shallow patterns of the same nominal thickness.

Certification of medium also covers shallow patterns of the same nominal thickness.

TP. 2

The maximum thickness shall be recorded when measuring the thickness of patterned glass.

TP.3

For tempered patterned glass, one specimen must be weighed and the weight of ~ten square inches determined from the weight, width and height of that specimen to use for test purposes.

TP.4

For certification purposes, the nominal thickness of 210 tempered patterned glass shall be 0.210 inches and thickness tolerances shall be plus 0.031 inches and minus 0.016 inches.

TP.5

When medium patterned glass is not available for routine sampling, the licensee submitted specimens must be a medium pattern (a shallow pattern is not acceptable).

TP.6

When deep patterned glass is not available for routine sampling, the licensee submitted specimens must be a deep pattern (shallow or medium patterns are not acceptable).

LAMINATED GLASS**L.1**

Certification of regular laminated glass will also cover tinted, heat absorbing and coated glasses, and clear or tinted interlayer, both flat and bent of the same nominal thickness. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

L.2

In cases where certified laminated glass is normally not available for sampling the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

L.3

Certification of 7/32 Inch laminated glass also covers SS/DS and vice versa.

L.4

When a laminated glass is certified, other laminated glasses having the same thickness or thicknesses of glass and a greater thickness of plastic interlayer will be considered to be of equal nominal thickness and will be included in the certification.

L.5

Laminated safety glass need not be identified by type of base glass.

L.6

Thickness of the plastic interlayer shall be measured by the SGCC standard method.

L.7

For certification purposes the following thickness tolerances shall be used. Thickness tolerance shall apply only to the overall thickness. The plus tolerance shall be the sum of all the individual plus tolerances of each layer of the laminate. The minus tolerance shall be the sum of all of the individual minus tolerances of each layer of the laminate.

The tolerance of the plastic sheet interlayer shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.002 and a minus tolerance of 0.004 inches.

The tolerance of resin cast interlayers shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.015 and a minus tolerance of 0.005 inches. (Revised 3/16/90)

L.8

When a laminated annealed glass is certified, other laminated glasses having the same thickness or thicknesses of heat strengthened or tempered glass and the same or greater thickness of plastic interlayer of the same chemical composition will be considered to be included in the certification.

L.9

When laminated glass is not available for routine sampling, the licensee submitted specimens must contain the identical thickness plastic interlayer that was contained in the prototype specimens.

WIRED GLASS (ANSI ONLY)**W.1**

Certification of one polished wired glass may be applied to other polished wired glasses provided:

- a) The glass thickness of the candidate glass is nominally equal to the thickness of the glass that is certified.

- b) The wire diameter of the candidate glass is at least as great as the wire diameter in the glass that is certified.
- c) The spacing of the wires in the candidate glass is no greater than the spacing of the wires in the glass that is certified.
- d) SGCC has been presented with a test report indicating compliance of the candidate glass with the impact test requirements of ANSI Z97.1-1984

After admission under the blanket certification covering wired glasses all wired glasses so certified must be exposed to random sampling at each examination although only one will probably be selected for testing.

PLASTICS - GENERAL (ANSI Only)

P.1

Certification of one tint or color of rigid plastic will also cover other tints, colors, flat configurations or bent and formed configurations.

P.2

For certifying all plastics covering a range of thicknesses, prototype impact tests are required of the minimum thickness and also of the maximum thickness (except that 0.250 inch thickness would be tested if the maximum thickness exceeds 0.250 inches). Only one certification number will be issued and shall be marked upon all thicknesses. Routine evaluation samples are to be selected by the administrator from any of the certified thicknesses.

P.3

The following thickness tolerances shall be used for certification purposes:

Outdoor use plastic materials Categories C-1 and C-2 cast Acrylic, (including continuously cast sheet): As specified in ASTM-D4802-88, Table 2 and Table 3.

Outdoor use plastic materials Categories M-1 and M-2 extruded Acrylic: As specified in ASTM-D4802-88 Table 2 plus or minus 5%.

Outdoor use plastic materials extruded polycarbonate: As specified in Military Specification MILP-46144, latest issue.

Indoor use plastic materials plus or minus 5% of nominal thickness.

P.4

The maximum thickness shall be recorded when measuring the thickness of patterned plastics.

P.5

Certification of either smooth plastic or patterned plastic will not cover the other.

PLASTICS - EXTERIOR USE (ANSI Only)

PE. 1 (ANSI ONLY)

Sheet plastics for exterior use must comply with the applicable specification.

PE. 2

Certification of plastics for exterior use shall be permitted prior to completion of ANSI Z97.1-1984 weathering tests (paragraph 5.3) provided that a considered expert opinion states that the infrared spectrogram indicates that the plastic is an acrylic or UV, inhibited polycarbonate of proven weatherability. Certification shall be removed if compliance with the weathering test is not demonstrated within six months of the certification date.

PE. 3

For all plastics requiring UV weathering tests an infrared spectrogram shall be obtained of all prototype weathering specimens. An infrared spectrogram shall be obtained of all routine evaluation samples and shall be compared with that of the prototype in lieu of conducting weathering test. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

PE.4

When initial Charpy unnotched specimens do not break, then notched specimens shall be used for both initial and exposed Charpy impact testing. The specimens shall be notched prior to UV exposure and the notched surface shall be exposed to the UV.

PLASTICS - INDOOR USE ONLY (ANSI Only)**PI.1**

Sheet plastics used in indoor applications only do not have to comply with paragraph 5.3 of ANSI Z97.1-1984 (UV Weathering), but must comply with paragraph 5.4.

PI.2

The permanent label authorized by SGCC must include "Indoor Use Only."

PI.3

For all indoor plastics requiring aging tests, an infrared spectrogram shall be obtained of all prototype aging specimens. An infrared spectrogram shall be obtained of all routine re-evaluation samples and shall be compared with that of the prototype in lieu of conducting aging tests. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

LEADED PATTERNED ANNEALED GLASS - (ANSI ONLY)**LG. 1**

Certification of one leaded patterned glass (annealed) may be extended to cover other patterns (on the glass surface) provided:

- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 for each alternate pattern proposed.
- c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.
- d) After admission under blanket certification covering leaded patterned glass (annealed), any such patterns available may be selected by the administrator for routine sampling.

LG .2

Certification of one diamond shaped leaded patterned glass (annealed) may be extended to cover other sizes of diamonds provided:

- a) All aspects of the product except diamond size is the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 for each alternate size diamond proposed.

- c) The certification committee is provided with a 6 by 6 inch or a proper and representative sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification, any such size diamond available may be selected by the administrator for routine testing.

LG .3

For leaded diamond patterned glass (annealed) the tolerance for diagonal came center dimensions shall be plus or minus 12 percent.

Prototype samples must have diagonal came center dimensions 10 percent greater than nominal . Diamond size listed in the certified products directory shall be nominal dimensions.

ORGANIC COATED GLASS

AG.1

Thickness of the applied plastic coating shall be measured by the SGCC standard method. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93). For Organic Coated - Hybrid, reference memorandum 940329-1.

AG .2

The SGCC authorized permanent label, which complies with Guideline G.26 must be imprinted upon or applied to a surface of the plastic for all plastic coated annealed glasses.

(ANSI ONLY)

Prototype test shall be conducted on bent specimens of the surface area at least 50 percent of the maximum size for which certification is desired. Routine tests may be conducted on flat or bent specimens. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side for the curved edges. Two specimens shall have organic coating on the concave surface and two on the convex surface. Impact shall be on the convex surface.

SGCC LABEL REQUIREMENTS

GENERAL

Unless the SGCC certification label is permanently affixed to each piece of safety glazing material it is not covered by the SGCC certification program.

The permanent labels illustrated elsewhere in this certified products directory are examples of some of those found on safety glazing materials certified by SGCC.

The permanent label must contain the correct SGCC number, ANSI Z97.1-1984 and/or 16 CFR 1201 (and category), the nominal thickness, and the letter U or L indicating certified size.

For labeling purposes, a line of demarcation shall separate those specifications covered by the SGCC number from any other specifications the licensee may wish to reference.

For purposes of Guideline 0.6 "SGCC-xxx/yyy" shall be the only correct designation other than "SGCC-xxx" and "SGCC-yyy" when an identical item is in both the ANSI and CPSC programs per the following examples:

EXAMPLES:

ANSI Z97.1-1984
16 CFR 1201 II
SGCC-123/691 ¼ U

ANSI Z97.1-1984 SGCC - 123 ¼ U
16 CFR 1201 II SGCC-691

The permanent label must be affixed to certified products Only at the time and place of manufacture.

The permanent label must be affixed only to safety glazing materials of the Licensee which are certified in the SGCC certification program.

The permanent label must not be sold, transferred or otherwise disposed of in any manner other than being affixed to the licensee's certified production.

The permanent label must not be affixed to any product from which certification has been withdrawn or which is produced with a process basically different from the one used to manufacture the initial or prototype samples.

ANSI (ONLY)

"After having successfully passed the appropriate tests, like products and materials produced in the same manner as samples submitted per test shall be legibly and permanently marked in one corner with the characters ANSI Z97.1-1984 - INDOOR USE ONLY' and shall be marked also with the manufacturer's distinctive mark or designation." Quoted from ANSI Z97.1-1984

"Organic-coated glass materials shall be permanently marked on the organic coating with a label, including the phrase, GLAZE THIS SIDE IN' to indicate to the installer, inspector or user which side of the organic-coated glass should be exposed to the elements if there is a specific side that should be exposed." Quoted from ANSI Z97.1-1984

CPSC (ONLY)

"Any glazing material that for accelerated environmental durability tests meets only the requirements of 1201.4 (e)(ii)(c) entitled 'Plastic (indoor service)' shall bear the statement 'INDOOR USE ONLY' as a part of the permanent label." Quoted from 16 CFR 1201.

"Organic-coated glass that has been tested for environmental exposure from one side only must bear a permanent label on the coating stating 'GLAZE THIS SIDE IN' and shall bear in the central 50 percent of the surface in letters at least 1/4" inch high: 'SEE PERMANENT LABEL FOR IMPORTANT MOUNTING INSTRUCTIONS.' The latter message shall be attached to either side of the glazing by any means which shall ensure the message will remain in place until installation." Quoted from 16 CFR 1201.

CPSC ACT LABELING REQUIREMENTS

The following information is provided for the guidance of the licensee and is not a requirement of the SGCC certification program.

The Consumer Product Safety Act defines a private labeler and permits private labeling as long as a manufacturer is identified, which can be in code. A "private labeler" means an owner of a brand or trademark on the label of a consumer product which bears a private label.

Per CPSC Advisory Opinion, dated April 12, 1984, a label on the material or product is acceptable as a certificate of compliance meeting the requirements of the CPSC if the label contains the same information required of a certificate of compliance. This information must include the date of manufacture, the place of manufacture, and the name of the manufacturer, importer, or private labeler. The certificate of compliance may also be a separate document which accompanies the material or product or is otherwise furnished to each distributor or retailer.

With respect to the CPSC requirement that the certificate of compliance name the manufacturer, a label meets that requirement if it includes a suitable identification of the manufacturer of the product (unless the product bears a private label), in which case it shall identify the private labeler and shall also contain a code mark which shall permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.

As set forth in SGCC certification guideline G.5, the SGCC number designates the name of the licensee and also the location of the manufacturing plant; however, it does not designate the date of manufacture.

CLASSIFIED TEMPERED GLASS PATTERNS1/8 inch shallow

(01) P-516	(02) Luxlite	(03) Factorlite	(09) Spraylite	(32) Muralex
(34) Velvex	(36) Ribbed	(37) Aquatex	(38) Finetex	(39) Industrex
(82) Pattern 62	(83) Pointex	(86) Showerlite	(87) Heliolite	(117) Solatex
(120) Sunadex	(147) Solatex I	(150) Solatex II	(168) Pattern 50	(170) Crepe

1/8 inch medium

(04) Rattan	(05) Cotswold	(06) Patchwork	(07) Burlap	(08) Smooth Rough
(11) Flemish	(31) Skytex	(33) Seashell	(35) Flax	(52) Pattern 73
(56) Syenite	(57) Pattern 299	(154) Rain	(160) Model 10	(162) Model 11
(164) Model 12	(165) Spotswood	(167) Leaf		

1/8 inch deep

(10) Autumn

5/32 inch shallow

(59) Luxlite	(60) Factorlite	(64) Spraylite	(70) Mulalex	(72) Velvex
(74) Ribbed	(75) Aquatex	(76) Finetex	(81) Pattern 6	(88) Pattern 100
(118) Solatex	(121) Sunadex	(123) P-516	(124) Heliolite	(126) Pattern 62
(127) Mistron Ace	(128) Showerlite	(148) Solatex I	(151) Solatex II	(153) Flax
(156) Clar 104	(157) Model 10	(158) Pontilhado	(161) Model 11	(162) Model 12

5/32 inch medium

(61) Cotswold	(62) Burlap	(63) Smooth Rough	(66) Flemish	(69) Skytex
(71) Seashell	(73) Flax	(77) Pattern 73	(78) Syenite	(79) Pattern 229
(80) Pattern 76	(130) Cathedral	(146) Pattern 28	(155) Rain	

5/32 inch deep

(65) Autumn	(67) Oceanic	(68) Roundel	(173) Fluted
-------------	--------------	--------------	--------------

3/16 inch shallow

(50) Pattern 62	(51) P-516	(54) Showerlite	(116) Heliolite	(119) Solatex
(122) Sunadex	(125) Spraylite	(131) Industrex	(132) Velvex	(133) Aquatex
(134) Pattern 100	(135) Pattern 6	(136) Burlap	(137) Factrolite	(138) Satinlite
(139) Pluralite	(140) Flax	(141) Skytex	(142) Chinchilla	(149) Solatex I
(152) Solatex II	(159) Model 10	(171) Crepe	(172) Pebble	

3/16 inch medium

(58) Pattern 76	(143) Seashell	(144) Syenite	(145) Flemish	(176) Rain
-----------------	----------------	---------------	---------------	------------

3/16 inch deep

(12) Oceanic	(13) Roundel	(14) Lozenge	(174) Krystal Flutes
--------------	--------------	--------------	----------------------

210 inch shallow

(89) Velvex	(90) Muralex	(91) Industrex	(92) Aquatex	(93) Pattern 100
(94) Pattern 6	(95) Pattern 62	(96) Spraylite	(97) Burlap	(98) Factrolite
(99) Satinlite	(100) Luxlite	(101) J-3	(102) P-516	(103) Smooth Rough
(105) Cascade	(106) Pluralite	(108) Flax	(110) Skytex	(115) Chinchilla
(166) Spotswood				

7/32 inch shallow

(14) Velvex	(15) Muralex	(16) Industrex	(17) Aquatex	(18) Pattern 100
(19) Pattern 6	(20) Pattern 62	(21) Spraylite	(22) Burlap	(23) Factrolite
(24) Satinlite	(25) Luxlite	(26) J-3	(27) P-516	(28) Smooth Rough
(30) Cascade	(42) Pluralite	(44) Flax	(46) Skytex	(5) Textured Plate
(84) Chinchilla	(129) Orange Peel			

7/32 inch medium

(42) Seashell	(45) Beadex	(47) Syenite	(48) Flemish	(49) Textured Linex
---------------	-------------	--------------	--------------	---------------------

7/32 inch deep

(29) Lizenge	(53) Boardlite
--------------	----------------

1/4 inch shallow

(169) P-516

1/4 inch medium

(175) Fluted

NOTE: Numbers in parenthesis represent internal coding.

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
12 Virginia Glass Products	970 Guardian Industries - ANSI	1369 U S Precision Glass
14 Virginia Glass Products	971 Guardian Industries - ANSI	1370 U S Precision Glass
24 AFG Industries	999 Anthony Mfg Co. Inc. - ANSI	1371 U S Precision Glass
28 AFG Industries	1000 Anthony Mfg Co. Inc. - ANSI	1372 U S Precision Glass
40 Guardian Industries - ANSI	1035 Shaw Glass Co Inc	1381 North American Glass
64 PPG Industries	1036 Shaw Glass Co Inc	1382 North American Glass
89 AFG Industries	1037 Shaw Glass Co Inc	1383 North American Glass
90 AFG Industries	1039 Tempglass Group, Inc	1384 North American Glass
93 Virginia Glass Products	1041 Ardco, Inc	1390 AFG Industries
94 Virginia Glass Products	1042 Ardco, Inc	1403 Viracon, Inc.
95 Virginia Glass Products	1050 U S Precision Glass	1404 Viracon, Inc
118 Flex-O-Glass, Inc - ANSI	1073 Interpane Glass Company	1405 American Flat Glass Dist
131 Guardian Industries - ANSI	1074 Interpane Glass Company	1406 American Flat Glass Dist
185 U S Precision Glass	1075 Interpane Glass Company	1414 AFG Industries
186 U S Precision Glass	1076 Interpane Glass Company	1416 Nashville Tempered Glass
188 U S Precision Glass - ANSI	1077 Interpane Glass Company	1417 Nashville Tempered Glass
220 AFG Industries	1107 ACI Distribution	1420 Tempglass Group, Inc
249 PPG Industries	1108 ACI Distribution	1422 Gemtron - Sweetwater
250 PPG Industries	1110 PPG Industries	1424 Gemtron - Sweetwater
295 PPG Industries	1111 PPG Industries	1428 American Flat Glass Dist
300 Guardian Fabrication - ANSI	1112 PPG Industries	1436 AFG Industries
328 U S Precision Glass - ANSI	1113 PPG Industries	1452 U S Precision Glass
382 PPG Industries - ANSI	1139 AFG Industries	1453 Sunbelt Glass, Inc
400 ACI Distribution	1143 AFG Industries	1454 Sunbelt Glass, Inc
402 ACI Distribution	1157 ACI Distribution	1455 Sunbelt Glass, Inc
471 Guardian Fabrication - ANSI	1161 Guardian Industries - ANSI	1456 Sunbelt Glass, Inc
514 Downey Glass Co	1179 ACI Distribution	1457 Sunbelt Glass, Inc
515 Downey Glass Co	1201 Gemtron - Sweetwater	1458 The Glass Factory
520 Anthony Mfg Co. Inc. - ANSI	1216 Guardian Fabrication - ANSI	1459 The Glass Factory
587 AFG Industries	1225 ACI Distribution	1460 The Glass Factory
592 Tempglass Group, Inc	1230 American Flat Glass Dist	1461 The Glass Factory
594 Tempglass Group, Inc	1231 American Flat Glass Dist	1462 Guardian Industries - ANSI
595 Tempglass Group, Inc	1232 American Flat Glass Dist	1463 Guardian Industries - ANSI
598 AFG Industries	1235 Guardian Fabrication - ANSI	1464 Guardian Industries - ANSI
630 Downey Glass Co	1248 Guardian Industries - ANSI	1467 Nashville Tempered Glass
631 Guardian Industries - ANSI	1249 Guardian Industries - ANSI	1477 Gemtron - Sweetwater
633 Guardian Industries - ANSI	1250 Guardian Industries - ANSI	1485 AFGD FPD
640 ACI Distribution	1251 Guardian Industries - ANSI	1486 AFGD FPD
654 U S Precision Glass - ANSI	1253 Guardian Industries - ANSI	1489 AFGD FPD
662 Guardian Fabrication - ANSI	1282 Guardian Inds Corp-Lewistown	1496 ACI Distribution
675 PPG Industries	1301 Guardian Industries - ANSI	1497 ACI Distribution
676 PPG Industries	1303 Guardian Industries - ANSI	1498 ACI Distribution
678 Downey Glass Co	1304 Guardian Industries - ANSI	1508 Viracon, Inc
862 Tempered Glass, Inc	1308 TRACO (Three Rivers Alum.)	1509 Viracon, Inc
863 Tempered Glass, Inc	1310 TRACO (Three Rivers Alum.)	1518 American Flat Glass Dist
865 Tempered Glass, Inc	1311 TRACO (Three Rivers Alum.)	1519 American Flat Glass Dist
866 Tempered Glass, Inc	1316 Guardian Inds Corp-Lewistown	1520 American Flat Glass Dist
933 Guardian Industries - ANSI	1318 Guardian Industries - ANSI	1521 American Flat Glass Dist
934 Guardian Industries - ANSI	1332 Gemtron - Sweetwater	1522 American Flat Glass Dist
935 Downey Glass Co	1334 Gemtron - Sweetwater	1523 American Flat Glass Dist
949 AFG Industries	1355 Guardian Fabrication - ANSI	1526 Arch Tempered Glass - ANSI
955 AFG Industries	1356 Guardian Fabrication - ANSI	1527 Arch Tempered Glass - ANSI
968 Guardian Industries - ANSI	1357 Guardian Fabrication - ANSI	1528 Arch Tempered Glass - ANSI
969 Guardian Industries - ANSI	1358 Guardian Fabrication - ANSI	1530 Arch Tempered Glass - ANSI
	1359 Guardian Fabrication - ANSI	1531 Arch Tempered Glass - ANSI

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
1535 ACI Distribution	1637 Viracon, Inc.	1755 All Team Glass & Mirror Ltd
1536 North American Glass	1638 Northwestern Industries	1756 All Team Glass & Mirror Ltd
1546 Floral Glass & Mirror	1639 Northwestern Industries	1757 All Team Glass & Mirror Ltd
1547 Floral Glass & Mirror	1640 Northwestern Industries	1758 All Team Glass & Mirror Ltd
1548 Floral Glass & Mirror	1641 AFG Industries	1765 Arch Aluminum & Glass L.C. - ANSI
1549 Floral Glass & Mirror	1642 ACI Distribution	1766 Arch Aluminum & Glass L.C. - ANSI
1550 Floral Glass & Mirror	1643 ACI Distribution	1767 Arch Aluminum & Glass L.C. - ANSI
1551 Floral Glass & Mirror	1644 ACI Distribution	1768 Arch Aluminum & Glass L.C. - ANSI
1555 Swift Glass Co., Inc.	1645 ACI Distribution	1769 Arch Aluminum & Glass L.C. - ANSI
1556 Swift Glass Co., Inc.	1652 Laminated Glass Corp	1784 Perilstein Distributing Corp
1557 Swift Glass Co., Inc.	1653 D & S Tempered Glass	1785 Perilstein Distributing Corp
1558 Swift Glass Co., Inc.	1654 D & S Tempered Glass	1786 Perilstein Distributing Corp
1559 Swift Glass Co., Inc.	1655 D & S Tempered Glass	1787 Perilstein Distributing Corp
1562 Arch Tempered Glass - ANSI	1656 D & S Tempered Glass	1788 Perilstein Distributing Corp
1563 Ardco, Inc	1657 D & S Tempered Glass	1789 Perilstein Distributing Corp
1564 Ardco, Inc	1658 D & S Tempered Glass	1790 Perilstein Distributing Corp
1565 Ardco, Inc	1659 D & S Tempered Glass	1791 Four Seasons Solar Products
1574 Guardian Fabrication - ANSI	1660 D & S Tempered Glass	1792 Shaw Glass Co Inc
1575 Guardian Fabrication - ANSI	1661 D & S Tempered Glass	1794 AFG Industries
1576 Guardian Fabrication - ANSI	1663 AFG Industries	1795 AFG Industries
1577 Guardian Fabrication - ANSI	1664 AFG Industries	1796 Hoffer's Inc.
1578 Milgard Tempering Inc.	1665 Guardian Industries - ANSI	1797 Hoffer's Inc.
1586 Taylor Products, Inc.	1668 Globe-Amerada	1798 Hoffer's Inc.
1587 Taylor Products, Inc.	1676 Contour Industries	1799 Summit Window & Patio Door
1588 Taylor Products, Inc.	1677 Contour Industries	1800 Summit Window & Patio Door
1589 Taylor Products, Inc.	1678 Contour Industries	1801 Summit Window & Patio Door
1590 Free State Glass Industries	1680 Contour Industries	1802 Summit Window & Patio Door
1591 Free State Glass Industries	1682 Arch Tempered Glass - ANSI	1803 Guardian Industries - ANSI
1592 Free State Glass Industries	1683 Guardian Industries - ANSI	1804 Cardinal TG
1593 Free State Glass Industries	1689 Marvin Windows	1805 Cardinal TG
1594 Free State Glass Industries	1690 Marvin Windows	1806 Cardinal TG
1595 Hoffer's Inc.	1691 Marvin Windows	1807 Cardinal TG
1596 Hoffer's Inc.	1701 Marvin Windows	1809 North American Glass
1597 Hoffer's Inc.	1702 AFG Industries Inc	1826 Guardian Industries - ANSI
1603 PPG Industries	1703 AFG Industries Inc	1827 Cardinal IG - CPSC
1604 PPG Industries	1704 AFG Industries Inc	1828 Cardinal IG - CPSC
1605 PPG Industries	1705 AFG Industries Inc	1829 Cardinal IG - CPSC
1606 PPG Industries	1708 American Flat Glass Dist	1830 Cardinal IG - CPSC
1607 Guardian Fabrication - ANSI	1709 American Flat Glass Dist	1831 Cardinal IG - CPSC
1608 Downey Glass Co	1710 American Flat Glass Dist	1832 Cardinal IG - CPSC
1609 Downey Glass Co	1711 American Flat Glass Dist	1833 Cardinal IG - CPSC
1611 Downey Glass Co	1712 American Flat Glass Dist	1834 Cardinal IG - CPSC
1616 Guardian Fabrication-ANSI	1713 American Flat Glass Dist	1835 Arch Tempered Glass - ANSI
1617 Sunbelt Glass, Inc	1713 American Flat Glass Dist	1841 Cardinal IG - CPSC
1618 Sunbelt Glass, Inc	1714 American Flat Glass Dist	1842 Cardinal IG - CPSC
1624 AFG Industries	1715 U S Precision Glass	1843 Cardinal IG - CPSC
1627 Guardian Inds Corp-Lewistown	1723 Marvin Windows	1844 Cardinal IG - CPSC
1628 Guardian Inds Corp-Lewistown	1724 Marvin Windows	1845 Cardinal IG - CPSC
1629 Guardian Inds Corp-Lewistown	1728 ACI Distribution	1846 Cardinal IG - CPSC
1630 Guardian Industries - ANSI	1737 Guardian Industries - ANSI	1847 Colonial Mirror & Glass Corp
1631 Guardian Industries - ANSI	1744 Tempglass Group, Inc	1848 Colonial Mirror & Glass Corp
1632 Guardian Industries - ANSI	1745 Tempglass Group, Inc	1854 U S Precision Glass
1633 Guardian Industries - ANSI	1746 Tempglass Group, Inc	1861 ACI Distribution
1634 Guardian Industries - ANSI	1747 Tempglass Group, Inc	1862 Hoffer's Inc.
1635 Guardian Industries - ANSI	1754 All Team Glass & Mirror Ltd	1864 Sovis S A

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
1865 Guardian Industries - ANSI	1951 Ardco, Inc	2013 Cardinal CG - CPSC
1866 Guardian Inds Corp-Lewistown	1953 SAFTI	2014 Laminated Glass Corp
1867 Guardian Inds Corp-Lewistown	1954 SAFTI	2015 Prelco Inc
1868 Guardian Inds Corp-Lewistown	1956 American Flat Glass Dist	2016 American Flat Glass Dist
1870 Sunbelt Glass, Inc.	1957 American Flat Glass Dist	2020 Guardian Inds Corp - ANSI
1871 Shaw Glass Co Inc	1958 American Flat Glass Dist	2021 Guardian Inds Corp - ANSI
1872 AFGD; Div of AFG Inds Ltd.	1959 American Flat Glass Dist	2022 Guardian Inds Corp - ANSI
1873 AFGD; Div of AFG Inds Ltd.	1960 American Flat Glass Dist	2023 Guardian Inds Corp - ANSI
1874 AFGD; Div of AFG Inds Ltd.	1961 American Flat Glass Dist	2027 D & W, Incorporated
1875 AFGD; Div of AFG Inds Ltd.	1962 Coraglass Inc	2028 D & W, Incorporated
1879 Laminated Glass Corp	1963 Coraglass Inc	2029 D & W, Incorporated
1880 Laminated Glass Corp	1964 Coraglass Inc	2030 D & W, Incorporated
1881 Laminated Glass Corp	1965 D & S Tempered Glass	2031 American Flat Glass Dist
1882 Guardian Industries - ANSI	1966 Guardian Inds Canada Corp	2034 Prelco Inc.
1883 Viracon, Inc	1967 American Flat Glass Dist	2035 Prelco Inc.
1884 Viracon, Inc	1968 Gardner Mirror Corporation	2036 Prelco Inc.
1885 Guardian Walled Lake Fab	1970 Westshore Glass	2042 Interpane Glass Co
1886 Guardian Inds Corp-Lewistown	1971 Westshore Glass	2043 Interpane Glass Co
1889 Commercial Insulating Glass Co	1972 Westshore Glass	2044 Interpane Glass Co
1890 Commercial Insulating Glass Co	1973 Westshore Glass	2045 Interpane Glass Co
1891 Commercial Insulating Glass Co	1974 Westshore Glass	2046 Prelco Inc.
1892 Commercial Insulating Glass Co	1975 Westshore Glass	2047 Prelco Inc.
1894 Commercial Insulating Glass Co	1978 Westshore Glass	2048 Prelco Inc.
1895 Arch Tempered Glass - ANSI	1979 Sterling Plumbing Group	2049 Prelco Inc.
1901 Efco Corp	1980 Sterling Plumbing Group	2050 Edge Seal Technologies
1902 Efco Corp	1981 Sterling Plumbing Group	2051 Edge Seal Technologies
1908 Coraglass inc	1982 Sterling Plumbing Group	2052 Edge Seal Technologies
1909 Coraglass Inc	1983 Sterling Plumbing Group	2053 North American Glass
1910 Coraglass Inc	1984 Sterling Plumbing Group	2054 American Flat Glass Dist
1911 Coraglass Inc	1985 Cardinal CG - CPSC	2055 Edge Seal Technologies
1914 Architectural Safety Glass	1986 Cardinal CG - CPSC	2056 Patio Enclosures Inc.
1915 Mirror Factory Inc	1987 Cardinal CG - CPSC	2057 Patio Enclosures Inc.
1919 ACI Distribution	1988 Cardinal CG - CPSC	2058 Patio Enclosures Inc.
1921 Cardinal CG - CPSC	1989 J E Berkowitz	2059 Patio Enclosures Inc.
1922 Cardinal CG - CPSC	1990 J E Berkowitz	2060 Consolidated Glass Corp.
1923 Cardinal CG - CPSC	1991 J E Berkowitz	2061 Midwest Air Technologies
1924 Cardinal CG - CPSC	1992 Sovis S A	2062 Vitrierie April Inc.
1935 AFG Industries	1993 Tecnoglass	2063 Vitrierie April Inc.
1929 Colonial Mirror & Glass Corp	1994 Tecnoglass	2065 D & S Tempered Glass
1931 Gardner Mirror Corporation	1995 Tecnoglass	2066 Summit Window & Patio Door
1932 Gardner Mirror Corporation	1996 Vitrierie April Inc.	2067 Cardinal CG - CPSC
1933 Gardner Mirror Corporation	1997 Vitrierie April Inc.	2068 Cardinal CG - CPSC
1934 Gardner Mirror Corporation	1998 Consolidated Glass Corp.	2069 Cardinal CG - CPSC
1935 Gardner Mirror Corporation	1999 Consolidated Glass Corp.	2070 Cardinal CG - CPSC
1936 Gardner Mirror Corporation	2002 Consolidated Glass Corp.	2071 Cardinal CG - CPSC
1937 Gardner Mirror Corporation	2003 Consolidated Glass Corp.	2074 Downey Glass Co
1938 Sovis S A	2004 Consolidated Glass Corp.	2075 Downey Glass Co
1939 Shaw Glass Co Inc	2005 Consolidated Glass Corp.	2076 Prelco Inc.
1941 Vegla Vereinigte	2006 Ardco, Inc.	2078 Arch Aluminum & Glass L.C.
1942 Vegla Vereinigte	2007 Cardinal CG - CPSC	2079 Arch Aluminum & Glass L.C.
1945 AFGD FPD	2008 Cardinal CG - CPSC	2080 Arch Aluminum & Glass L.C.
1946 Guardian Inds Corp-Lewistown	2009 Cardinal CG - CPSC	2081 Arch Aluminum & Glass L.C.
1947 Guardian Inds Corp-Lewistown	2010 Cardinal CG - CPSC	2082 Arch Aluminum & Glass L.C.
1949 Viracon, Inc	2011 Cardinal CG - CPSC	2083 Arch Aluminum & Glass L.C.
1950 Viracon, Inc	2012 Cardinal CG - CPSC	2084 Arch Aluminum & Glass L.C.

SGCC NO.

2085 Arch Aluminum & Glass L.C.
2086 Arch Aluminum & Glass L.C.
2087 Arch Aluminum & Glass L.C.
2088 Arch Aluminum & Glass L.C.
2089 Arch Aluminum & Glass L.C.

2090 Arch Aluminum & Glass L.C.
2091 Arch Aluminum & Glass L.C.
2092 Arch Aluminum & Glass L.C.
2093 Arch Aluminum & Glass L.C.
2094 Arch Aluminum & Glass L.C.

2095 Arch Aluminum & Glass L.C.
2096 Arch Aluminum & Glass L.C.
2097 Arch Aluminum & Glass L.C.
2098 Arch Aluminum & Glass L.C.
2099 Arch Aluminum & Glass L.C.

2100 Arch Aluminum & Glass L.C.
2110 Arch Aluminum & Glass L.C.
2111 Arch Aluminum & Glass L.C.
2112 Arch Aluminum & Glass L.C.
2113 Arch Aluminum & Glass L.C.

2114 Arch Aluminum & Glass L.C.
2115 Arch Aluminum & Glass L.C.
2116 Arch Aluminum & Glass L.C.
2117 Guardian Inds Corp - ANSI
2118 Jarrett Inc.

2119 Jarrett Inc.
2120 Jarrett Inc.
2121 Specialty Building Products
2122 Glass Dist. Of America
2123 Glass Dist. Of America

2124 Glass Dist. Of America
2125 Glass Dist. Of America
2126 Glass Dist. Of America
2127 Glass Dist. Of America
2128 Glass Dist. Of Amerca

2133 Tecnoglass
2134 Tecnoglass
2135 Tecnoglass
2139 Glass Dist. Of America
2140 Guardian Walled Lake - ANSI

2141 Guardian Walled Lake - ANSI
2142 Guardian Walled Lake - ANSI
2143 Efco Corp
2144 Coraglass Inc.
2145 Coraglass Inc.

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
ACI DISTRIBUTION; GREENSBORO, NC					AFGD; DIV OF AFG INDS LTD; LONDON, ONTARIO, CANADA				
1642	3/16	(5.0)	TTG	U	1872	1/8	(3.0)	TTG	U
1643	1/4	(6.0)	TTG	U	1873	5/32	(4.0)	TTG	U
1644	3/8	(10.0)	TTG	U	1874	3/16	(5.0)	TTG	U
1645	1/2	(12.0)	TTG	U	1875	1/4	(6.0)	TTG	U
ACI DISTRIBUTION; DALLAS, TX					AFGD; FPD; CONCORD, ONTARIO, CANADA				
1919	1/8	(3.0)	TTG	U	1485	1/8	(3.0)	TTG	U
400	3/16	(5.0)	TTG	U	1486	5/32	(4.0)	TTG	U
402	1/4	(6.0)	TTG	U	1945	3/16	(5.0)	TTG	U
1107	3/8	(10.0)	TTG	U	1489	1/4	(6.0)	TTG	U
1108	1/2	(12.0)	TTG	U	ALL TEAM GLASS & MIRROR LTD; WOODBRIDGE, ONTARIO, CAN				
1225	3/4	(19.0)	TTG	U	1754	5/32	(4.0)	TTG	U
1728	3/16	(4.8)	TPG(s)	U	1755	3/16	(5.0)	TTG	U
ACI DISTRIBUTION; SANTA CLARA, CA					1756	1/4	(6.0)	TTG	U
1496	1/4	(6.0)	TTG	U	1757	3/8	(10.0)	TTG	U
1497	3/8	(10.0)	TTG	U	1758	1/2	(12.0)	TTG	U
1498	1/2	(12.0)	TTG	U	AMERICAN FLAT GLASS DIST; ALVARADO, TX				
ACI DISTRIBUTION; SANTA FE SPRINGS, CA					1708	1/8	(3.0)	TTG	U
1157	3/16	(5.0)	TTG	U	1709	3/16	(5.0)	TTG	U
1535	1/4	(6.0)	TTG	U	1710	1/4	(6.0)	TTG	U
1179	3/8	(10.0)	TTG	U	1711	3/8	(10.0)	TTG	U
640	1/2	(12.0)	TTG	U	1712	1/2	(12.0)	TTG	U
1861	1/8	(3.0)	TPG(s)	U	1713	5/32	(4.0)	TPG(s)	U
AFG INDS INC; BRIDGEPORT, WV					1714	3/16	(4.8)	TPG(s)	U
1436	1/8	(3.0)	TTG	U	AMERICAN FLAT GLASS DIST; FALL RIVER, MA				
1634	5/32	(4.0)	TTG	U	1518	1/8	(3.0)	TTG	U
1795	3/16	(5.0)	TTG	U	1519	3/16	(5.0)	TTG	U
1794	1/4	(6.0)	TTG	U	1520	1/4	(6.0)	TTG	U
AFG INDS INC; GREENLAND, TN					1521	3/8	(10.0)	TTG	U
598	1/8	(3.0)	TTG	U	1522	1/2	(12.0)	TTG	U
955	5/32	(4.0)	TTG	U	1523	3/16	(4.8)	TPG(s)	U
220	3/16	(4.8)	TTG	U	AMERICAN FLAT GLASS DIST; MARIETTA, GA				
89	1/4	(6.0)	TTG	U	1405	1/8	(3.0)	TTG	U
90	3/8	(10.0)	TTG	U	1967	5/32	(4.0)	TTG	U
587	1/8	(3.2)	TPG(s)	U	1230	3/16	(5.0)	TTG	U
1139	3/16	(4.8)	TPG(s)	U	1231	1/4	(6.0)	TTG	U
AFG INDS INC; KINGSFORT, TN					1232	3/8	(10.0)	TTG	U
1390	1/8	(3.0)	TTG	U	1406	1/2	(12.0)	TTG	U
949	5/32	(4.0)	TTG	U	1428	5/32	(4.0)	TPG(s)	U
28	3/16	(5.0)	TTG	U	2054	3/16	(4.8)	TPG(m)	U
24	1/4	(6.0)	TTG	U	AMERICAN FLAT GLASS DIST; RICHMOND, VA				
1143	3/16	(4.8)	TPG(s)	U	2016	1/8	(3.0)	TTG	U
1414	1/8	(3.2)	TPG(m)	U	2031	5/32	(4.0)	TTG	U
AFG INDS INC; SPRING HILL, KS					1956	3/16	(5.0)	TTG	U
1702	1/8	(3.0)	TTG	U	1957	1/4	(6.0)	TTG	U
1703	5/32	(4.0)	TTG	U	1958	3/8	(10.0)	TTG	U
1704	3/16	(5.0)	TTG	U	1959	1/2	(12.0)	TTG	U
1705	1/4	(6.0)	TTG	U	1960	5/32	(4.0)	TPG(s)	U
AFG INDS INC; VICTORVILLE, CA					1961	3/16	(4.8)	TPG(s)	U
1664	1/8	(3.2)	TTG	U					
1641	5/32	(4.0)	TTG	U					
1663	3/16	(4.8)	TTG	U					
1925	1/4	(6.0)	TTG	U					

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
ANTHONY'S MFG INC; SAN FERNANDO, CA					ARDCO INC; CHICAGO, IL				
				ANSI ONLY					
520	1/8	(3.0)	TTG	U	1041	1/8	(3.0)	TTG	U
999	3/16	(5.0)	TTG	U	1042	3/16	(5.0)	TTG	U
1000	1/4	(6.0)	TTG	U	1563	5/32	(4.0)	TBG	U
ARCH ALUMINUM & GLASS LC; INDIANAPOLIS, IN					1564	3/16	(5.0)	TBG	U
				ANSI ONLY	1565	1/4	(6.0)	TBG	U
2078	1/8	(3.0)	TTG	U	1951	3/16	(5.0)	TBP(s)	U
2079	5/32	(4.0)	TTG	U	2006	1/4	(6.0)	TBP(s)	U
2080	3/16	(5.0)	TTG	U	CARDINAL CG; BUFORD, GA				
2081	1/4	(6.0)	TTG	U					
2082	3/8	(10.0)	TTG	U	1921	1/8	(3.0)	TTG	U
2083	1/2	(12.0)	TTG	U	1922	5/32	(4.0)	TTG	U
2084	5/32	(4.0)	TPG(s)	U	1923	3/16	(5.0)	TTG	U
2085	3/16	(4.8)	TPG(s)	U	1924	1/4	(6.0)	TTG	U
ARCH ALUMINUM & GLASS LC; KANSAS CITY, KS					CARDINAL CG; NORTHFIELD, MN				
				ANSI ONLY					CPSC ONLY
2086	1/8	(3.0)	TTG	U	1985	1/8	(3.0)	TTG	U
2087	3/16	(5.0)	TTG	U	1986	5/32	(4.0)	TTG	U
2088	1/4	(6.0)	TTG	U	1987	3/16	(5.0)	TTG	U
2089	3/8	(10.0)	TTG	U	1988	1/4	(6.0)	TTG	U
2090	1/2	(12.0)	TTG	U	2011	1/8	(3.0)	TPG(s)	U
2098	5/32	(4.0)	TPG(s)	U	2012	5/32	(4.0)	TPG(s)	U
2099	3/16	(4.8)	TPG(s)	U	2013	3/16	(4.8)	TPG(s)	U
ARCH ALUMINUM & GLASS LC; MEMPHIS, TN					CARDINAL CG; SPRING GREEN, WI				
				ANSI ONLY					CPSC ONLY
2091	1/8	(3.0)	TTG	U	2067	1/8	(3.0)	TTG	U
2092	3/16	(5.0)	TTG	U	2068	5/32	(4.0)	TTG	U
2093	7/32	(5.6)	TPG(s)	U	2069	3/16	(5.0)	TTG	U
2094	1/4	(6.0)	TTG	U	2070	1/4	(6.0)	TTG	U
2095	3/8	(10.0)	TTG	U	2071	1/8	(3.0)	TPG(s)	U
2096	1/2	(12.0)	TTG	U	CARDINAL CG; TUMWATER, WA				
ARCH ALUMINUM & GLASS LC; ORLANDO, FL									CPSC ONLY
				ANSI ONLY	2007	1/8	(3.0)	TTG	U
1526	1/8	(3.0)	TTG	U	2008	5/32	(4.0)	TTG	U
1527	3/16	(5.0)	TTG	U	2009	3/16	(5.0)	TTG	U
1528	1/4	(6.0)	TTG	U	2010	1/4	(6.0)	TTG	U
1895	3/8	(10.0)	TTG	U	CARDINAL IG; GREENFIELD, IA				
1530	1/2	(12.0)	TTG	U					CPSC ONLY
1835	3/4	(19.0)	TTG	U	1827	1/8	(3.0)	TTG	U
1531	1/8	(3.0)	TPG(s)	U	1828	5/32	(4.0)	TTG	U
1682	5/32	(4.0)	TPG(s)	U	1829	3/16	(5.0)	TTG	U
1562	3/16	(4.8)	TPG(s)	U	1830	1/4	(6.0)	TTG	U
ARCH ALUMINUM & GLASS LC; YOUNGSVILLE, NC					1841	1/8	(3.0)	TPG(s)	U
				ANSI ONLY	1842	5/32	(4.0)	TPG(s)	U
2110	1/8	(3.0)	TTG	U	1843	3/16	(4.8)	TPG(s)	U
2111	3/16	(5.0)	TTG	U	CARDINAL IG; SPRING GREEN, WI				
2112	1/4	(6.0)	TTG	U					CPSC ONLY
2113	3/8	(10.0)	TTG	U	1831	1/8	(3.0)	TTG	U
2114	1/2	(12.0)	TTG	U	1832	5/32	(4.0)	TTG	U
2115	5/32	(4.0)	TPG(s)	U	1833	3/16	(5.0)	TTG	U
2116	3/16	(4.8)	TPG(s)	U	1834	1/4	(6.0)	TTG	U
ARCH ALUMINUM & GLASS LC; VILLA RICA, GA					1844	1/8	(3.0)	TPG(s)	34" x 60"
				ANSI ONLY	1845	5/32	(4.0)	TPG(s)	U
1765	1/8	(3.0)	TTG	U	1846	3/16	(4.8)	TPG(s)	U
1766	3/16	(5.0)	TTG	U	CARDINAL TG; TOMAH, WI				
1767	1/4	(6.0)	TTG	U					CPSC ONLY
1768	3/8	(10.0)	TTG	U	1804	1/8	(3.0)	TTG	U
1769	1/2	(12.0)	TTG	U	1805	5/32	(4.0)	TTG	U
2097	7/32	(5.6)	TPG(s)	U	1806	3/16	(5.0)	TTG	U
2100	5/32	(4.0)	TPG(s)	U	1807	1/4	(6.0)	TTG	U
ARCHITECTURAL SAFETY GLASS; FT. PIERCE, FL									
1914	1/4	(6.0)	LTG(b)	U					

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
COLONIAL MIRROR & GLASS CORP; BROOKLYN, NY					DOWNEY GLASS CO; LOS ANGELES, CA				
1847	1/4	(6.0)	TTG	U	1608	1/8	(3.0)	TTG	U
1848	3/8	(10.0)	TTG	U	1609	5/32	(4.0)	TTG	U
1929	1/2	(12.0)	TTG	U	630	3/16	(5.0)	TTG	U
COMMERCIAL INSULATING GLASS CO; SARASOTA, FL					514	1/4	(6.0)	TTG	U
1889	1/8	(3.0)	TTG	31" x 76"	515	3/8	(10.0)	TTG	U
1890	3/16	(5.0)	TTG	31" x 76"	2074	3/4	(19.0)	TTG	U
1891	1/4	(6.0)	TTG	31" x 76"	1611	1/8	(3.2)	TPG(m)	U
1892	1/8	(3.0)	TPG(s)	31" x 76"	2075	5/32	(4.0)	TPG(s)	U
1894	3/16	(4.8)	TPG(s)	31" x 76"	935	3/16	(4.8)	TPG(s)	U
CONSOLIDATED GLASS CORP; NEW CASTLE, PA					678	7/32	(5.6)	TPG(s)	U
1998	1/8	(3.0)	TTG	U	EDGE SEAL TECHNOLOGIES; WALTON HILLS, OH				
1999	5/32	(4.0)	TTG	U	2050	1/8	(3.0)	TTG	U
2005	3/16	(5.0)	TTG	U	2051	5/32	(4.0)	TTG	U
2002	1/4	(6.0)	TTG	U	2052	3/16	(5.0)	TTG	U
2003	3/8	(10.0)	TTG	U	2055	1/4	(6.0)	TTG	U
2004	1/2	(12.0)	TTG	U	EFCO CORP; MONETT, MO				
2060	5/8	(15.0)	TTG	U	1901	3/16	(5.0)	TTG	U
CONTOUR INDS INC; SURGOINSVILLE, TN					1902	1/4	(6.0)	TTG	U
1680	1/8	(3.0)	TTG	18" x 76"	2143	3/16	(4.8)	TPG(s)	U
1678	3/16	(4.0)	TTG	18" x 76"	FLEX-O-GLASS INC; DIXON, IL				
1677	1/4	(6.0)	TTG	18" x 76"					ANSI ONLY
1676	1/8	(3.0)	TPG(s)	18" x 60"	118	.080	(2.0)	SPS	U
CORAGLASS INC; REFORM, AL					FLORAL GLASS & MIRROR INC; HAUPPAUGE, NY				
1908	1/8	(3.0)	TTG	U	1546	1/8	(3.0)	TTG	U
1909	5/32	(4.0)	TTG	U	1547	3/16	(5.0)	TTG	U
1910	3/16	(5.0)	TTG	U	1548	1/4	(6.0)	TTG	U
1911	1/4	(6.0)	TTG	U	1549	3/8	(10.0)	TTG	U
1962	1/8	(3.0)	TPG(s)	U	1550	1/2	(12.0)	TTG	U
1963	5/32	(4.0)	TPG(s)	U	1551	3/4	(19.0)	TTG	U
1964	3/16	(4.8)	TPG(s)	U	FOUR SEASONS SOLAR PRODUCTS; HOLBROOK, NY				
2144	3/8	(10.0)	TTG	U	1791	1/8	(3.0)	TTG	U
2145	1/2	(12.0)	TTG	U	FREE STATE GLASS INDS; WARRENTON, VA				
D & S TEMPERED GLASS; DALLAS, TX					1590	1/8	(3.0)	TTG	U
1653	1/8	(3.0)	TTG	U	1591	3/16	(5.0)	TTG	U
1654	5/32	(4.0)	TTG	U	1592	1/4	(6.0)	TTG	U
1655	3/16	(5.0)	TTG	U	1593	3/8	(10.0)	TTG	U
1656	1/4	(6.0)	TTG	U	1594	1/2	(12.0)	TTG	U
1657	3/8	(10.0)	TTG	U	GARDNER MIRROR CORPORATION; N. WILKSBORO, NC				
1658	1/2	(12.0)	TTG	U	1931	1/8	(3.0)	TTG	U
1665	3/4	(19.0)	TTG	U	1932	5/32	(4.0)	TTG	U
1659	1/8	(3.0)	TPG(s)	U	1933	3/16	(5.0)	TTG	U
1660	5/32	(4.0)	TPG(s)	U	1934	1/4	(6.0)	TTG	U
1661	3/16	(4.8)	TPG(s)	U	1968	5/16	(8.0)	TTG	U
2065	1/8	(3.0)	TPG(d)	U	1935	3/8	(10.0)	TTG	U
D & W INCORPORATED; ELKART, IN					1936	1/2	(12.0)	TTG	U
2027	1/8	(3.0)	TTG	28" x 42"	1937	3/4	(19.0)	TTG	U
2028	5/32	(4.0)	TTG	28" x 42"	GEMTRON-SWEETWATER; SWEETWATER, TN				
2029	3/16	(5.0)	TTG	28" x 42"	1334	1/8	(3.0)	TTG	U
2030	1/4	(6.0)	TTG	28" x 42"	1332	5/32	(4.0)	TTG	U
					1201	3/16	(5.0)	TTG	U
					1477	1/4	(6.0)	TTG	U
					1422	1/8	(3.2)	TPG(s)	U
					1424	5/32	(4.0)	TPG(s)	U

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
GLASS DISTRIBUTORS OF AMERICA; LITHIA SPRINGS, GA					GUARDIAN INDS CORP; FT LAUDERDALE, FL				
2123	1/8	(3.0)	TTG	U	ANSI ONLY				
2124	3/16	(5.0)	TTG	U	1161	1/8	(3.0)	TTG	24" x 30"
2125	1/4	(6.0)	TTG	U	633	3/16	(5.0)	TTG	24" x 30"
2126	3/8	(10.0)	TTG	U	40	1/4	(6.0)	TTG	24" x 25"
2127	1/2	(12.0)	TTG	U	1665	1/8	(3.2)	TPG(s)	U
2139	1/8	(3.0)	TPG(s)	U	1318	3/16	(4.8)	TPG(s)	24" x 30"
2122	3/16	(4.8)	TPG(s)	U	GUARDIAN INDS CORP; KINGSBURG, CA				
2128	5/32	(4.0)	TPG(s)	U	ANSI ONLY				
GLASS FACTORY INC; RONKONKOMA, NY					968	1/8	(3.0)	TTG	U
1458	1/8	(3.0)	TTG	U	969	5/32	(4.0)	TTG	U
1459	3/16	(5.0)	TTG	U	970	3/16	(5.0)	TTG	U
1460	1/4	(6.0)	TTG	U	971	1/4	(6.0)	TTG	U
1461	1/2	(12.0)	TTG	U	1304	3/16	(4.8)	TPG(s)	U
GLOBE AMERADA GLASS CO(ASSURANCE); SELMA, AL					1882	1/4	(6.4)	TPG(s)	U
1668	1/4	(6.0)	LTG(b)	U	1303	1/8	(3.2)	TPG(m)	U
GUARDIAN FABRICATION INC; MILLBURY, OH					1301	5/32	(4.0)	TPG(m)	U
ANSI ONLY					GUARDIAN INDS CORP; REEDLEY, CA				
1574	1/8	(3.2)	TTG	U	ANSI ONLY				
1575	5/32	(4.0)	TTG	U	2117	1/8	(3.0)	OCG(h)	U
1576	3/16	(5.0)	TTG	U	GUARDIAN INDS CORP; RICHBURG, SC				
1577	1/4	(6.0)	TTG	U	ANSI ONLY				
GUARDIAN FABRICATION INC; ROGERS, AR					1630	1/8	(3.0)	TTG	U
ANSI ONLY					1631	5/32	(4.0)	TTG	U
1355	1/8	(3.0)	TTG	U	1632	3/16	(5.0)	TTG	U
1616	5/32	(4.0)	TTG	U	1633	1/4	(6.0)	TTG	U
1356	3/16	(5.0)	TTG	U	1634	3/8	(10.0)	TTG	U
1357	1/4	(6.0)	TTG	U	1683	1/8	(3.2)	TPG(s)	U
1358	1/8	(3.2)	TPG(s)	U	1635	5/32	(4.0)	TPG(s)	U
1359	5/32	(4.0)	TPG(s)	U	1865	3/16	(4.8)	TPG(s)	U
GUARDIAN FABRICATION INC; WEBSTER, MA					GUARDIAN INDS CORP; TILLSONBURG, ONTARIO, CAN				
ANSI ONLY					ANSI ONLY				
300	1/8	(3.0)	TTG	U	1462	1/8	(3.0)	TTG	U
1607	5/32	(4.0)	TTG	U	GUARDIAN INDS CORP-LEWISTOWN; LEWISTOWN, PA				
1216	3/16	(5.0)	TTG	U	ANSI ONLY				
662	1/4	(6.0)	TTG	U	1627	1/8	(3.0)	TTG	U
471	3/8	(10.0)	TTG	U	1866	5/32	(4.0)	TTG	U
1234	1/2	(12.0)	TTG	U	1628	3/16	(5.0)	TTG	U
GUARDIAN INDS CORP; CARLETON, MI					1629	1/4	(6.0)	TTG	U
ANSI ONLY					1867	3/8	(10.0)	TTG	U
933	1/8	(3.0)	TTG	U	1868	1/2	(12.0)	TTG	U
934	5/32	(4.0)	TTG	U	1886	5/32	(4.0)	LTG(b) (.030)	U
631	3/16	(5.0)	TTG	U	1282	7/32	(5.6)	LTG(b) (.015)	U
131	1/4	(6.0)	TTG	U	1946	1/4	(6.0)	LTG(b) (.015)	U
GUARDIAN INDS CORP; CORSICANA, TX					1947	3/8	(10.0)	LTG(b) (.015)	U
ANSI ONLY					1316	1/2	(2.0)	LTG(b) (.015)	U
1248	1/8	(3.0)	TTG	U	GUARDIAN WALLED LAKE FAB; WALLED LAKE, MI				
1249	5/32	(4.0)	TTG	U	ANSI ONLY				
1250	3/16	(5.0)	TTG	U	1885	1/8	(3.0)	TTG	U
1251	1/4	(6.0)	TTG	U	2140	5/32	(4.0)	TTG	U
1826	5/16	(8.0)	TTG	U	2141	3/16	(5.0)	TTG	U
1253	3/8	(10.0)	TTG	U	2142	1/4	(6.0)	TTG	U
1803	1/2	(12.0)	TTG	U	GUARDIAN INDS CANADA CORP; REXDALE, ONTARIO, CANADA				
1463	1/8	(3.2)	TPG(s)	U	ANSI ONLY				
1737	5/32	(4.0)	TPG(s)	U	1966	5/32	(4.0)	OCG(h)	U
1464	7/32	(5.6)	TPG(s)	U	GUARDIAN INDS CORP; DEWITT, IA				
ANSI ONLY					ANSI ONLY				
2020	1/8	(3.0)	TTG	U	2020	1/8	(3.0)	TTG	U
2021	5/32	(4.0)	TTG	U	2021	5/32	(4.0)	TTG	U
2022	3/16	(5.0)	TTG	U	2022	3/16	(5.0)	TTG	U
2023	1/4	(6.0)	TTG	U	2023	1/4	(6.0)	TTG	U

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
HOFFER'S INC; SCHOFIELD, WI					NORTH AMERICAN GLASS; BENSENVILLE, IL				
1595	1/8	(3.0)	TTG	U	1381	3/16	(5.0)	TTG	U
1862	5/32	(4.0)	TTG	U	1382	1/4	(6.0)	TTG	U
1596	3/16	(5.0)	TTG	U	1383	3/8	(10.0)	TTG	U
1597	1/4	(6.0)	TTG	U	1384	1/2	(12.0)	TTG	U
1796	3/8	(10.0)	TTG	U	1809	1/4	(6.0)	TBG	U
1797	1/2	(12.0)	TTG	U	1536	3/8	(10.0)	TBG	U
1798	3/16	(4.8)	TPG(s)	U	2053	1/2	(12.0)	TBG	U
INTERPANE GLASS COMPANY; CLINTON, NC					NORTHWESTERN INDS INC; SEATTLE, WA				
1073	3/16	(5.0)	TTG	U	1638	3/16	(5.0)	TTG	U
1074	1/4	(6.0)	TTG	U	1639	1/4	(6.0)	TTG	U
1075	5/16	(8.0)	TTG	U	1640	3/16	(5.0)	LTG(b) (.030)	U
1076	3/8	(10.0)	TTG	U	PATIO ENCLOSURES INC; MACEDONIA, OH				
1077	1/2	(12.0)	TTG	U	2056	1/8	(3.0)	TTG	U
INTERPANE GLASS COMPANY; DEERFIELD, WI					2057	5/32	(4.0)	TTG	U
2042	3/16	(5.0)	TTG	U	2058	3/16	(5.0)	TTG	U
2043	1/4	(6.0)	TTG	U	2059	1/4	(6.0)	TTG	U
2044	5/16	(8.0)	TTG	U	PERILSTEIN DISTRIBUTING CORP; CHESWICK, PA				
2045	3/8	(10.0)	TTG	U	1784	1/8	(3.0)	TTG	U
JARRETT INC; EAST PALESTINE, OH					1785	3/16	(5.0)	TTG	U
2118	1/8	(3.0)	LTG(l)	U	1786	1/4	(6.0)	TTG	U
2119	3/16	(5.0)	LTG(l)	U	1787	3/8	(10.0)	TTG	U
2120	1/4	(6.0)	LTG(l)	U	1788	1/2	(12.0)	TTG	U
J.E. BERKOWITZ; WESTVILLE, NJ					1789	1/8	(3.0)	TPG(s)	U
1989	1/8	(3.0)	TTG	U	1790	3/16	(4.8)	TPG(s)	U
1990	1/4	(6.0)	TTG	U	PPG INDS INC; CARLISLE, PA				
1991	1/2	(12.0)	TTG	U	ANSI ONLY				
LAMINATED GLASS CORP; TELFORD, PA					382	1/4	(6.0)	TTG	U
2014	3/16	(5.0)	TTG	U	PPG INDS INC; CARLISLE, PA				
1879	1/4	(6.0)	TTG	U	250	1/8	(3.0)	TTG	U
1880	3/8	(10.0)	TTG	U	675	5/32	(4.0)	TTG	U
1881	1/2	(12.0)	TTG	U	249	3/16	(5.0)	TTG	U
1652	1/4	(6.0)	LTG(b) (.030)	U	PPG INDS INC; FRESNO, CA				
MARVIN WINDOWS; WARROAD, MN					295	1/8	(3.0)	TTG	U
1689	1/8	(3.0)	TTG	U	676	5/32	(4.0)	TTG	U
1723	5/32	(4.0)	TTG	U	64	3/16	(5.0)	TTG	U
1690	3/16	(5.0)	TTG	U	PPG INDS INC; BURLINGTON, IA				
1691	1/4	(6.0)	TTG	U	1605	1/8	(3.0)	TTG	U
1724	1/8	(3.0)	TPG(s)	U	1606	5/32	(4.0)	TTG	U
1701	3/16	(4.8)	TPG(s)	U	1603	3/16	(5.0)	TTG	U
MIDWEST AIR TECHNOLOGIES; LINCOLNSHIRE, IL					1604	1/4	(6.0)	TTG	U
2061	1/8	(3.0)	TTG	34" x 40"	PPG INDS INC; WICHITA FALLS, TX				
MILGARD TEMPERING INC; TACOMA, WA					ANSI ONLY				
1578	1/4	(6.0)	TTG	U	1113	1/4	(6.0)	TTG	U
MIRROR FACTORY INC; PLYMOUTH, MN					PPG INDS INC; WICHITA FALLS, TX				
1915	7/32	(5.6)	LTG(b) (.030)	U	1110	1/8	(3.0)	TTG	U
NASHVILLE TEMPERED GLASS CORP; NASHVILLE, TN					1111	5/32	(4.0)	TTG	U
1416	1/8	(3.0)	TTG	U	1112	3/16	(5.0)	TTG	U
1467	3/16	(5.0)	TTG	U					
1417	1/4	(6.0)	TTG	U					

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
PRELCO INC; RIVIERE-DU-LOUP, QUEBEC, CANADA					TAYLOR PRODUCTS INC; PAYNE, OH				
2034	1/8	(3.0)	TTG	U	1586	1/8	(3.2)	TTG	U
2035	5/32	(4.0)	TTG	U	1587	5/32	(4.0)	TTG	U
2036	3/16	(5.0)	TTG	U	1588	3/16	(5.0)	TTG	U
2015	1/4	(6.0)	TTG	U	1589	1/4	(6.0)	TTG	U
2046	5/16	(8.0)	TTG	U	TECNOGLASS; BARRANQUILLA, COLOMBIA				
2047	3/8	(10.0)	TTG	U	2133	1/8	(3.0)	TTG	U
2048	1/2	(12.0)	TTG	U	1993	3/16	(5.0)	TTG	U
2049	5/8	(15.0)	TTG	U	1994	1/4	(6.0)	TTG	U
2076	1/4	(6.0)	LTG(b) (.030)	U	2134	5/16	(8.0)	TTG	U
SAFTI; SAN FRANCISCO, CA					1995	3/8	(10.0)	TTG	U
1953	1/4	(6.0)	TTG	U	2135	1/2	(12.0)	TTG	U
1954	1/2	(12.0)	TTG	U	TEMPERED GLASS INC; AUSTELL, GA				
SHAW GLASS CO INC; SOUTH EASTON, MA					862	3/16	(5.0)	TTG	U
1792	5/32	(4.0)	TTG	U	863	1/4	(6.0)	TTG	U
1871	3/16	(5.0)	TTG	U	865	3/8	(10.0)	TTG	U
1035	1/4	(6.0)	TTG	U	866	1/2	(12.0)	TTG	U
1036	3/8	(10.0)	TTG	U	TEMPGLASS GROUP INC; PERRYSBURG, OH				
1037	1/2	(12.0)	TTG	U	1039	1/8	(3.0)	TTG	U
1939	3/16	(4.8)	TPG(s)	U	592	3/16	(5.0)	TTG	U
SOVIS SA; THIERRY, FRANCE					1420	1/4	(6.0)	TTG	U
1992	5/32	(4.0)	TBG	U	594	3/8	(10.0)	TTG	U
1938	3/16	(5.0)	TBG	U	595	1/2	(12.0)	TTG	U
1864	1/4	(6.0)	TBG	U	TEMPGLASS GROUP INC; MIAMI, FL				
SPECIALTY BUILDING PRODUCTS; NEW WESTMINSTER, BC, CAN					1744	3/16	(5.0)	TTG	U
2121	1/8	(3.0)	TTG	22" x 64"	1745	1/4	(6.0)	TTG	U
STERLING PLUMBING GROUP; UNION CITY, TN					1746	3/8	(10.0)	TTG	U
1979	1/8	(3.0)	TTG	U	1747	1/2	(12.0)	TTG	U
1980	5/32	(4.0)	TTG	U	TRACO (THREE RIVERS ALUM); RED OAK, IA				
1981	3/16	(5.0)	TTG	U	1308	1/8	(3.0)	TTG	U
1982	1/4	(6.0)	TTG	U	1310	3/16	(5.0)	TTG	U
1983	1/8	(3.0)	TPG(s)	U	1311	1/4	(6.0)	TTG	U
1984	3/16	(5.0)	TPG(s)	U	U S PRECISION GLASS; ELGIN, IL				
SUMMIT WINDOW & PATIO DOOR; YAKIMA, WA					1369	1/8	(3.0)	TTG	U
2066	3/32	(2.0)	TTG	U	1370	5/32	(4.0)	TTG	U
1799	1/8	(3.0)	TTG	U	1371	3/16	(5.0)	TTG	U
1800	3/16	(5.0)	TTG	U	1372	1/4	(6.0)	TTG	U
1801	1/4	(6.0)	TTG	U	1854	3/8	(10.0)	TTG	U
1802	1/8	(3.0)	TPG(s)	U	U S PRECISION GLASS; LEWISBURG, OH				
SUNBELT GLASS INC; TULSA, OK					188	3/16	(4.8)	TPG(s)	U
1453	1/8	(3.0)	TTG	U	654	1/8	(3.2)	TPG(m)	U
1870	5/32	(4.0)	TTG	U	328	3/16	(4.8)	TPG(d)	U
1454	3/16	(5.0)	TTG	U	U S PRECISION GLASS; LEWISBURG, OH				
1455	1/4	(6.0)	TTG	U	1050	1/8	(3.0)	TTG	U
1456	3/8	(10.0)	TTG	U	1452	5/32	(4.0)	TTG	U
1457	1/2	(12.0)	TTG	U	185	3/16	(5.0)	TTG	U
1617	5/32	(4.0)	TPG(s)	U	186	1/4	(6.0)	TTG	U
1618	3/16	(4.8)	TPG(s)	U	VEGLA VEREINIGTE GLASWERKE GMBH; AACHEN, GERMANY				
SWIFT GLASS CO INC; ELMIRA HEIGHTS, NY					1941	3/16	(5.0)	TTG	U
1555	1/8	(3.0)	TTG	U	1942	1/4	(6.0)	TTG	U
1556	3/16	(5.0)	TTG	U					
1557	1/4	(6.0)	TTG	U					
1558	3/8	(10.0)	TTG	U					
1559	1/2	(12.0)	TTG	U					

SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC #	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
VIRACON INC; OWATONNA, MN									
1403	3/16	(5.0)	TTG	U					
1404	1/4	(6.0)	TTG	U					
1508	3/8	(10.0)	TTG	U					
1509	1/2	(12.0)	TTG	U					
1637	3/16	(5.0)	LTG(b) (.030)	U					
1883	1/8	(3.0)	OCG(h) (.037)	U					
1949	3/16	(5.0)	OCG(h) (.030)	U					
1884	1/4	(6.0)	OCG(h) (.037)	U					
1950	5/16	(7.5)	LSP	U					
VIRGINIA GLASS PRODUCTS CORP; MARTINSVILLE, VA									
12	3/16	(5.0)	TTG	U					
14	1/4	(6.0)	TTG	U					
93	3/8	(10.0)	TTG	U					
94	1/2	(12.0)	TTG	U					
95	3/4	(19.0)	TTG	U					
VITRERIE APRIL INC; MONTREAL, QC, CANADA									
1996	1/8	(3.0)	TTG	U					
1997	3/16	(5.0)	TTG	U					
2062	1/2	(12.0)	TTG	U					
2063	5/8	(15.0)	TTG	U					
WESTSHORE GLASS; TAMPA, FL									
1970	1/8	(3.0)	TTG	U					
1971	5/32	(4.0)	TTG	U					
1972	3/16	(5.0)	TTG	U					
1973	1/4	(6.0)	TTG	U					
1978	3/8	(10.0)	TTG	U					
1974	1/2	(12.0)	TTG	U					
1975	3/4	(19.0)	TTG	U					
					CERTIFIED PRODUCTS KEY				
					TTG	=	TEMPERED TRANSPARENT GLASS		
					TPG	=	TEMPERED PATTERNED GLASS		
					TBG	=	TEMPERED BENT GLASS		
					TBP	=	TEMPERED BENT PATTERNED GLASS		
					LTG	=	LAMINATED TRANSPARENT GLASS		
					LPG	=	LAMINATED PATTERNED GLASS		
					LSP	=	LAMINATED SPECIALTY PRODUCTS		
					OCG	=	ORGANIC COATED GLASS		
					SPS	=	SAFETY PLASTIC SHEET		
					(S)	=	SHALLOW PATTERN		
					(M)	=	MEDIUM PATTERN		
					(D)	=	DEEP PATTERN		
					(B)	=	POLY VINYL BUTRAL INTERLAYER		
					(L)	=	LIQUID RESIN INTERLAYER		
					(P)	=	POLYETHYLENE TERPHTHALATE INTERLAYER		
					(F)	=	FLUORINATED ETHYLENE PROPYLENE INTERLAYER		
					(h)	=	HYBRID		
					U	=	UNLIMITED SIZE CATEGORY		

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS			
3/32 inch tempered transparent glass			
Summit Window & Patio Door; Yakima, WA	2066	750	U
1/8 inch tempered transparent glass			
ACI Distribution; Dallas, TX	1919	550	U
AFG Industries Inc; Bridgeport, WV	1436	400	U
AFG Industries Inc; Greenland, TN	598	300	U
AFG Industries Inc; Kinsport, TN	1390	300	U
AFG Industries Inc; Spring Hills, KS	1702	500	U
AFG Industries Inc; Victorville, CA	1664	250	U
AFGD; Div of AFG Inds Ltd; London, Ontario, CAN	1872	400	U
AFGD FPD; Concord, Ontario, CAN	1485	400	U
American Flat Glass Dist; Alvarado, TX	1708	550	U
American Flat Glass Dist; Richmond, VA	2016	100	U
American Flat Glass Dist; Fall River, MA	1518	400	U
American Flat Glass Dist; Marietta, GA	1405	ANSI ONLY 300	U
Anthony's Mfg Inc.; San Fernando, CA	520	ANSI ONLY 250	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2078	ANSI ONLY 300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2086	ANSI ONLY 300	U
Arch Aluminum & Glass L.C.; Memphis, TN	2091	ANSI ONLY 300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	1765	ANSI ONLY 300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1526	ANSI ONLY 300	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2110	ANSI ONLY 300	U
Ardco, Inc.; Chicago, IL	1041	CPSC ONLY 400	U
Cardinal CG; Buford, GA	1921	CPSC ONLY 300	U
Cardinal CG; Northfield, MN	1985	CPSC ONLY 75	U
Cardinal CG; Spring Green WI	2007	CPSC ONLY 750	U
Cardinal CG; Tumwater, WA	2067	CPSC ONLY 500	U
Cardinal IG; Greenfield, IA	1827	CPSC ONLY 500	U
Cardinal IG; Spring Green, WI	1831	CPSC ONLY 500	U
Cardinal TG; Tomah, WI	1804	500	U
Commercial Insulating Glass Co; Sarasota, FL	1889	300	31" by 76"
Consolidated Glass Corp; New Castle, PA	1998	400	U
Contour Industries; Surgoinsville, TN	1680	300	18" by 76"
Coraglass Inc.; Reform, AL	1908	300	U
D & S Tempered Glass; Dallas, TX	1653	50	U
D & W Incorporated; Elkhart, IN	2027	200	28" by 42"
Downey Glass Co; Los Angeles, CA	1608	250	U
Edge Seal Technologies; Walton Hills, OH	2050	200	U
Floral Glass & Mirror; Hauppauge, NY	1546	400	U
Four Seasons Solar Prodcuts; Holbrook, NY	1791	275	U
Free State Glass Industries; Warrenton, VA	1590	100	U
Gardner Mirror Corporation; N. Wilkesboro, NC	1931	300	U
Gemtron - Sweetwater; Sweetwater, TN	1334	300	U
Glass Distributors of America; Lithia Springs, GA	2123	300	U
The Glass Factory; Ronkonkoma, NY	1458	ANSI ONLY 400	U
Guardian Fabrication; Millbury, OH	1574	ANSI ONLY 200	U
Guardian Fabrication; Rogers, AR	1355	ANSI ONLY 550	U
Guardian Fabrication; Webster, MA	300	ANSI ONLY 400	U
Guardian Industries; Carleton, MI	933	ANSI ONLY 200	U
Guardian Industries; Corsicana, TX	1248	ANSI ONLY 550	U
Guardian Industries; Fort Lauderdale, FL	1161	ANSI ONLY 300	24" by 30"
Guardian Industries; Kingsburg, CA	968	ANSI ONLY 550	U
Guardian Industries; Richburg, SC	1630	ANSI ONLY 300	U
Guardian Industres; DeWitt, IA	2020	ANSI ONLY 500	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued				
1/8 inch tempered transparent glass - continued				
Guardian Industries; Tillsonburg, Ontario, CAN	1462	ANSI ONLY	400	U
Guardian Inds Corp-Lewistown, Lewistown, PA	1627	ANSI ONLY	200	U
Guardian Walled Lake Fab; Walled Lake, MI	1885	ANSI ONLY	400	U
Hoffer's Inc.; Schofield, WI	1595		75	U
J E Berkowitz; Westville, NJ	1989		100	U
Marvin Windows; Warroad, MN	1689		400	U
Midwest Air Technologies; Lincolnshire, IL	2061		400	34" by 40"
Nashville Tempered Glass; Nashville, TN	1416		200	U
Patio Enclosures Inc.; Macedonia, OH	2056		200	U
perilstein Distributing Corp; Cheswick, PA	1784		400	U
PPG Industries; Carlisle, PA	250		400	U
PPG Industries; Fresno, CA	295		250	U
PPG Industries; Burlington, IA	1605		500	U
PPG Industries; Wichita Falls, TX	1110		550	U
Prelco Inc.; Quebec, CAN	2034		400	U
Specialty Building Products; New Westminster, BC, CAN	2121		400	22" bu 46"
Sterling Plumbing Group; Union City, TN	1979		550	U
Summit Window & Patio Door; Yakima, WA	1799		750	U
Sunbelt Glass, Inc; Tulsa, OK	1453		550	U
Swift Glass Co., Inc; Elmira Heights, NY	1555		400	U
Taylor Products Inc; Payne, OH	1586		200	U
Tecnoglass; Barranquilla, Columbia	2133		400	U
Tempglass Group Inc; Perrysburg, OH	1039		200	U
TRACO (Three Rivers Alum.); Red Oak, IA	1308		100	U
U S Precision Glass; Elgin, IL	1369		200	U
U S Precision Glass; Lewisburg, OH	1050		200	U
Vitrierie April Inc; Montreal, Quebec, CAN	1996		400	U
Westshore Glass; Tampa, FL	1970		600	U

5/32 inch tempered transparent glass

AFG Industries; Bridgeport, WV	1634		400	U
AFG Industries; Victorville, CA	1641		250	U
AFG Industries; Greenland, TN	955		300	U
AFG Industries; Kingsport, TN	949		300	U
AFG Industries Inc; Spring Hills, KS	1703		500	U
AFGD; Div of AFG Inds Ltd; London, Ontario, CAN	1873		400	U
AFGD FPD; Concord, Ontario CAN	1486		400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CAN	1754		400	U
American Flat Glass Dist; Richmond, VA	2031		100	U
American Flat Glass dist; Marietta, GA	1967		300	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2079	ANSI ONLY	300	U
Cardinal CG; Buford, GA	1922	CPSC ONLY	300	U
Cardinal CG; Northfield, MN	1986	CPSC ONLY	75	U
Cardinal CG; Spring Green, WI	2068	CPSC ONLY	500	U
Cardinal CG; Tumwater, WA	2008	CPSC ONLY	750	U
Cardinal IG; Greenfield, IA	1828	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1832	CPSC ONLY	500	U
Cardinal TG; Tomah, WI	1805	CPSC ONLY	500	U

<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
-----------------	---------------	---------------------------

TEMPERED TRANSPARENT GLASS - continued
5/32 inch tempered transparent glass - continued

Consolidated Glass Corp; New Castle, PA	1999	400	U
Craglass Inc; Reform, AL	1909	300	U
D & S Tempered Glass; Dallas, TX	1654	550	U
D & W Incorporated; Elkhart, IN	2028	200	28" by 42"
Downey Glass Co; Los Angeles, CA	1609	250	U
Edge Seal Technologies; Walton Hills, OH	2051	200	U
Gardner Mirror Corporation; N. Wilkesboro, NC	1932	300	U
Gemtron - Sweetwater; Sweetwater, TN	1332	300	U
Gemtron - Vincennes; Vincennes, IN	1385	200	U
Guardian Fabrication; Millbury, OH	1575	ANSI ONLY 200	U
Guardian Fabrication; Rogers, AR	1616	ANSI ONLY 550	U
Guardian Fabrication; Webster, MA	1607	ANSI ONLY 400	U
Guardian Industries; Carleton, MI	934	ANSI ONLY 200	U
Guardian Industries; Corsicaca, TX	1249	ANSI ONLY 550	U
Guardian Industries; Kingsburg, CA	969	ANSI ONLY 550	U
Guardian Industries; Richburg, SC	1631	ANSI ONLY 300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1866	ANSI ONLY 400	U
Guardian Inds Corp; Dewitt, IA	2021	ANSI ONLY 500	U
Guardian Walled Lake Fab; Walled Lake, MI	2140	ANSI ONLY 200	U
Hoffer's Glass Products; Schofield, WI	1862	75	U
Marvin Windows; Warroad, MN	1723	400	U
patio Enclosures Inc; Macedonia, OH	2057	200	U
PPG Industries; Carlisle, PA	675	400	U
PPG Industries; Fresno, CA	676	250	U
PPG Industries; Burlington, IA	1606	500	U
PPG Industries; Wichita Falls, TX	1111	550	U
Prelco Inc; Quebec, CAN	2035	400	U
Shaw Glass Co Inc; South Easton, MA	1792	400	U
Sterling Plumbing Group; Union City, TN	1980	550	U
Sunbelt Glass Inc; Tulsa, OK	1870	550	U
Taylor Products Inc; Payne, OH	1587	400	U
U S Precision Glass; Elgin, IL	1370	200	U
U S Precision Glass; Lewisburg, OH	1452	200	U
Westshore Glass; Tampa, FL	1971	600	U

3/16 inch tempered transparent glass

ACI Distribution; Greensboro, NC	1642	300	U
ACI Distribution; Dallas, TX	400	550	U
ACI Distribution; Santa Fe Springs, CA	1157	250	U
AFG Industries; Victorville, CA	1663	250	U
AFG Industries; Bridgeport, WV	1795	400	U
AFG Industries; Greenland, TN	220	300	U
AfG Industries; Kingsport, TN	28	300	U
AFG Industries Inc; Spring Hills, KS	1704	500	U
AFGD; Div of AFG Inds Ltd; London, Ontario, CAN	1874	400	U
AFGD FPD; Concord, Ontario CAN	1945	400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CAN	1755	400	U
American Flat Glass Dist; Alvarado, TX	1709	550	U
American Flat Glass Dist; Richmond, VA	1956	100	U
American Flat Glass Dist; Fall River, MA	1519	400	U
American Flat Glass Dist; Marietta, GA	1230	300	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued				
3/16 inch tempered transparent glass - continued				
Anthony's Mfg Inds; San Fernando, CA	999	ANSI ONLY	250	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2080	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2087	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Memphis, TN	2092	ANSI ONLY	300	U
Arch Aluminum & Glass L.C. ; Villa Rica, GA	1766	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2111	ANSI ONLY	300	U
Arch Aluminum & Glass L.C. ; Orlando, FL	1527	ANSI ONLY	600	U
Ardco Inc; Chicago, IL	1042		400	U
Cardinal CG; Buford, GA	1923	CPSC ONLY	300	U
Cardinal CG; Northfield, MN	1987	CPSC ONLY	75	U
Cardinal CG; Spring Green, WI	2069	CPSC ONLY	500	U
Cardinal CG; Tumwater, WA	2009	CPSC ONLY	750	U
Cardinal IG; Greenfield, IA	1829	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1833	CPSC ONLY	500	U
Cardinal TG; Tomah, WI	1806	CPSC ONLY	500	U
Commercial Insulating Glass Co; Sarasota, FL	1890		600	31" by 76"
Consolidated Glass Corp; New Castle, PA	2005		400	U
Contour Industries; Surgoinsville, TN	1678		300	18" by 76"
Coraglass Inc; Reform, AL	1910		300	U
D & S Tempered Glass; Dallas, TX	1655		550	U
D & W Incorporated; Elkhart, IN	2029		200	28" by 42"
Downey Glass Co; Los Angeles, CA	630		250	U
Edge Seal Technologies; Walton Hills, OH	2052		200	U
Efco Corp; Monett, MO	1901		100	U
Floral Glass & Mirror; Hauppauge, NY	1547		400	U
Free State Glass Industries; Warrenton, VA	1591		100	U
Gardner Mirror Corporation; N Wilkesboro, NC	1933		300	U
Gemtron-Sweetwater; Sweetwater, TN	1201		300	U
Glass Distributors of America; Lithia Springs, GA	2124		300	U
The Glass Factory; Ronkonkoma, NY	1459	ANSI ONLY	400	U
Guardian Fabrication, Millbury, OH	1576	ANSI ONLY	200	U
Guardian Fabrication; Rogers, AR	1356	ANSI ONLY	550	U
Guardian Fabrication: Webster, MA	1216	ANSI ONLY	400	U
Guardian Industries; Carleton, MI	631	ANSI ONLY	200	U
Guardian Industries; Corsicana, TX	1250	ANSI ONLY	550	U
Guardian Industries; Fort Lauderdale, FL	633	ANSI ONLY	600	24" by 30"
Guardian Industries; Kingsburg, CA	970	ANSI ONLY	550	U
Guardian Industries; Richburg, SC	1632	ANSI ONLY	300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1628	ANSI ONLY	400	U
Guardian Inds Corp; Dewitt, IA	2022		500	U
Guardian Walled Lake Fab; Walled Lake, MI	2141		200	U
Hoffer's Inc; Schofield, WI	1596		75	U
Interpane Glass Company; Clinton, NC	1073		600	U
Interpane Glass Co.; Deerfield, WI	2042		975	U
Laminated Glass Corp; Telford, PA	2014		275	U
Marvin Windows; Warroad, MN	1690		400	U
Nashville Tempered Glass; Nashville, TN	1467		200	U
North American Glass; Bensenville, IL	1381		200	U
Northwestern Industries; Seattle, WA	1638		750	U
Patio Enclosures Inc; Macedonia, OH	2058		200	U
Perilstein Distributing Corp; Cheswick, PA	1785		400	U
PPG Industries; Carlisle, PA	249		400	U
PPG Industries; Fresno, CA	64		250	U
PPG Industries; Burlington, IA	1603		500	U
PPG Industries; Wichita Falls, TX	1112		550	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued				
3/16 inch tempered transparent glass - continued				
Prelco Inc; Quebec, CAN	2036		400	U
Shaw Glass Co Inc; South Easton, MA	1871		400	U
Sterling Plumbing Group; Union City, TN	1981		550	U
Summit Window & Patio Door; Yakima, WA	1800		750	U
Sunbelt Glass Inc; Tulsa, OK	1454		550	U
Swift Glass Co Inc; Elmira Heights, NY	1556		400	U
Taylor Products, Inc; Payne, OH	1588		400	U
Tecnoglass; Barranquilla, Columbia	1993		400	U
Tempered Glass Inc; Austell, GA	862		300	U
Tempglass Group Inc; Perrysburg; OH	592		200	U
Tempglass Group Inc; Miami, FL	1744		600	U
TRACO (Three Rivers Alum); Red Oak, IA	1310		100	U
U S Precision Glass; Elgin, IL	1371		200	U
U S Precision Glass; Lewisburg, OH	185		200	U
Vegla; Aachen, Germany	1941		400	U
Viracon Inc; Owatonna, MN	1403		75	U
Virginia Glass Products; Martinsville, VA	12		600	U
Gitserie April Inc; Montreal, Quebec, CAN	1997		400	U
Westshore Glass; Tampa, FL	1972		600	U
 1/4 inch tempered transparent glass				
ACI Distribution; Greensboro, NC	1643		300	U
ACI Distribution; Dallas, TX	402		550	U
ACI Distribution; Santa Clara, CA	1496		250	U
ACI Distribution; Santa Fe Springs, CA	1535		250	U
AFG Industries; Bridgeport, WV	1794		400	U
AFG Industries; Victorville, CA	1925		250	U
AFG Industries; Greenland, TN	89		300	U
AFG Industries; Kingsport, TN	24		300	U
AFG Industries Inc; Spring Hills, KS	1705		500	U
AFGD; Div of AFG Inds Ltd; London, Ontario, CAN	1875		400	U
AFGD FPD; Concord, Ontario CAN	1489		400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CAN	1756		400	U
American Flat Glass Dist; Alvarado, TX	1710		550	U
American Flat Glass Dist; Richmond, VA	1957		100	U
American Flat Glass Dist; Fall River, MA	1520		400	U
American Flat Glass dist; Marietta, GA	1231		300	U
Anthony's Mfg Inc; San Fernando, CA	1000	ANSI ONLY	250	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2081	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2088	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Memphis, TN	2094	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	1767	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2112	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1528	ANSI ONLY	600	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued				
1/4 inch tempered transparent glass - continued				
Cardinal CG; Buford, GA	1924	CPSC ONLY	300	U
Cardinal CG; Northfield, MN	1988	CPSC ONLY	75	U
Cardinal CG; Spring Green, WI	2070	CPSC ONLY	500	U
Cardinal CG; Tumwater, WA	2010	CPSC ONLY	750	U
Cardinal IG; Greenfield, IA	1830	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1834	CPSC ONLY	500	U
Cardinal TG; Tomah, WI	1807	CPSC ONLY	500	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1847		400	U
Commercial Indulating Glass Co; Sarasota, FL	1891		600	31" by 76"
Consolidated Glass Corp; New Castle, PA	2002		400	U
Contour Industries; Surgoinsville, TN	1677		300	18" by 76"
Coraglass Inc; Reform, AL	1911		300	U
D & S Tempered Glass; Dallas, TX	1656		550	U
D & W Incorporated; Elkhart, IN	2030		200	28" by 42"
Downey Glass Co; Los Angeles, CA	514		250	U
Edge Seal Technologies; Walton Hills, OH	2055		200	U
Efco Corp; Monett, MO	1902		100	U
Floral Glass & Mirror; Hauppauge, NY	1548		400	U
Free State Glass Industries; Warrenton, VA	1592		100	U
Gardner Mirror Corporation; N. Wilkesboro, NC	1934		300	U
Gemtron - Sweetwater; Sweetwater, TN	1477		300	U
Glass Distributors of America; Lithia Springs, GA	2125		300	U
The Glass Factory; Ronkonkoma, NY	1460		400	U
Guardian Fabrication; Millbury, OH	1577	ANSI ONLY	200	U
Guardian Fabrication; Rogers, AR	1357	ANSI ONLY	550	U
Guardian Fabrication; Webster, MA	662	ANSI ONLY	400	U
Guardian Industires; Carleton, MI	131	ANSI ONLY	200	U
Guardian Industries; Corsicana, TX	1251	ANSI ONLY	550	U
Guardian Industries; Fort Lauderdale, FL	40	ANSI ONLY	600	24" by 25"
Guardian Industries; Kingsburg, CA	971	ANSI ONLY	550	U
Guardian Industries; Richburg, SC	1633	ANSI ONLY	300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1629	ANSI ONLY	400	U
Guardian Inds Corp; Dewitt, IA	2023	ANSI ONLY	500	U
Guardian Walled Lake Fab; Walled Lake, MI	2142	ANSI ONLY	200	U
Hoffer's Inc; Schofield, WI	1597		75	U
Interpane Glass Company; Clinton, NC	1074		600	U
Interpane Glass Co.; Deerfield, WI	2043		975	U
J E Berkowitz; Westville, NJ	1990		100	U
Laminated Glass Corp; Telford, PA	1879		275	U
Marvin Windows; Warroad, MN	1691		400	U
Milgard Tempering Inc; Tacoma, WA	1578		750	U
Nashville Tempered Glass; Nashville, TN	1417		200	U
North American Glass; Bensenville, IL	1382		200	U
Northwestern Industries; Seattle, WA	1639		750	U
Patio Enclosures Inc; Macedonia, OH	2059		200	U
Perilstein Distributing Corp; Cheswick, PA	1786		400	U
PPG Industries; Carlisle, PA	382	ANSI ONLY	400	U
PPG Industries; Burlington, IA	1604		500	U
PPG Industries; Wichita Falls, TX	1113	ANSI ONLY	550	U
Prelco Inc; Quebec, CAN	2015		400	U
SAFTI; San Francisco, CA	1953		950	U
Shaw Glass Co Inc; South Easton, MA	1035		400	U
Sterling Plumbing Group; Union City, TN	1982		550	U

<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
-----------------	---------------	---------------------------

TEMPERED TRANSPARENT GLASS - continued
1/4 inch tempered transparent glass - continued

Summit Window & Patio Door; Yakima, WA	1801	750	U
Sunbelt Glass Inc; Tulsa, OK	1455	550	U
Swift Glass Co Inc; Elmira Heights, NY	1557	400	U
Taylor Products, Inc; Payne, OH	1589	400	U
Tecnoglass; Barranquilla, Columbia	1994	400	U
Tempered Glass Inc; Austell, GA	863	300	U
Tempglass Group Inc; Perrysburg; OH	1420	200	U
Tempglass Group Inc; Miami, FL	1745	600	U
TRACO (Three Rivers Alum); Red Oak, IA	1311	100	U
U S Precision Glass; Elgin, IL	1372	200	U
U S Precision Glass; Lewisburg, OH	186	200	U
Vegla; Aachen, Germany	1942	400	U
Viracon Inc; Owatonna, MN	1404	75	U
Virginia Glass Products Martinsville, VA	14	600	U
Westshore Glass; Tampa, FL	1973	600	U

5/16 inch tempered transparent glass

Gardner Mirror Corporation; N Wilkesboro, NC	1968	ANSI ONLY	300	U
Guardian Industries; Corsicana, TX	1826		550	U
Interpane Glass Company; Clinton, NC	1075		600	U
Interpane Glass Co; Deerfield, WI	2044		975	U
Prelco Inc; Quebec, CAN	2046		400	U
Tecnoglass; Barranquilla, Columbia	2134		400	U

3/8 inch tempered transparent glass

ACI Distribution; Greensboro, NC	1644	ANSI ONLY	300	U
ACI Distribution; Dallas, TX	1107		500	U
ACI Distribution; Santa Clara, CA	1497		250	U
ACI Distribution; Santa Fe Springs, CA	1179		250	U
AFG Industries; Greenland, TN	90		300	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CAN	1757		400	U
American Flat Glass Dist; Alvarado, TX	1711		550	U
American Flat Glass Dist; Richmond, VA	1958		100	U
American Flat Glass Dist; Fall River, MA	1521		400	U
American Flat Glass dist; Marietta, GA	1232		300	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2082		300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2089		300	U
Arch Aluminum & Glass L.C.; Memphis, TN	2095		300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	1768		300	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2113		300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1895		600	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1848		400	U
Consolidated Glass Corp; New Castle, PA	2003		400	U
Coraglass Inc; Reform, AL	2144		300	U
D & S Tempered Glass; Dallas, TX	1657		550	U
Downey Glass Co; Los Angeles, CA	515		250	U
Floral Glass & Mirror; Hauppauge, NY	1549		400	U
Free State Glass Industries; Warrenton, VA	1593		100	U
Gardner Mirror Corporation; N. Wilkesboro, NC	1935		300	U
Glass Distributors of America; Lithia Springs, GA	2126		300	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued				
3/8 inch tempered transparent glass				
Guardian Fabrication; Webster, MA	471	ANSI ONLY	400	U
Guardian Industries; Corsicana, TX	1253	ANSI ONLY	550	U
Guardian Industries; Richburg, SC	1634	ANSI ONLY	300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1867	ANSI ONLY	400	U
Hoffer's Inc; Schofield, WI	1796		75	U
Interpane Glass Company; Clinton, NC	1076		600	U
Interpane Glass Co.; Deerfield, WI	2045		975	U
Laminated Glass Corp; Telford, PA	1880		275	U
North American Glass; Bensenville, IL	1383		200	U
Perilstein Distributing Corp; Cheswick, PA	1787		400	U
Prelco Inc; Quebec, CAN	2047		400	U
Shaw Glass Co Inc; South Easton, MA	1036		400	U
Sunbelt Glass Inc; Tulsa, OK	1456		550	U
Swift Glass Co Inc; Elmira Heights, NY	1558		400	U
Tecnoglass; Barranquilla, Columbia	1995		400	U
Tempered Glass Inc; Austell, GA	865		300	U
Tempglass Group Inc; Perrysburg; OH	594		200	U
Tempglass Group Inc; Miami, FL	1746		600	U
U S Precision Glass; Elgin, IL	1854		200	U
Viracon Inc; Owatonna, MN	1508		75	U
Virginia Glass Products Martinsville, VA	93		600	U
Westshore Glass; Tampa, FL	1978		600	U
1/2 inch tempered transparent glass				
ACI Distribution; Greensboro, NC	1645		300	U
ACI Distribution; Dallas, TX	1108		550	U
ACI Distribution; Santa Clara, CA	1498		250	U
ACI Distribution; Santa Fe Springs, CA	640		250	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CAN	1758		400	U
American Flat Glass Dist; Alvarado, TX	1712		550	U
American Flat Glass Dist; Richmond, VA	1959		100	U
American Flat Glass Dist; Fall River, MA	1522		400	U
American Flat Glass dist; Marietta, GA	1406		300	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2083	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2090	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Memphis, TN	2096	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	1769	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2114	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1530	ANSI ONLY	600	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1929		400	U
Consolidated Glass Corp; New Castle, PA	2004		400	U
Coraglass Inc; Reform, AL	2145		300	U
D & S Tempered Glass; Dallas, TX	1658		550	U
Floral Glass & Mirror; Hauppauge, NY	1550		400	U
Free State Glass Industries; Warrenton, VA	1594		100	U
Gardner Mirror Corporation; N. Wilkesboro, NC	1936		300	U
Glass Distributors of America; Lithia Springs, GA	2127		300	U
The Glass Factory; Ronkonkoma, NY	1461		400	U
Guardian Fabrication; Webster, MA	1234	ANSI ONLY	400	U
Guardian Industries; Corsicana, TX	1803	ANSI ONLY	550	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1868	ANSI ONLY	400	U

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED TRANSPARENT GLASS - continued			
1/2 inch tempered transparent glass-continued			
Hoffer's Inc; Schofield, WI	1797	75	U
Interpane Glass Company; Clinton, NC	1077	600	U
J E Berkowitz; Westville, NJ	1991	100	U
Laminated Glass Corp; Telford, PA	1881	275	U
North American Glass; Bensenville, IL	1384	200	U
Perilstein Distributing Corp; Cheswick, PA	1788	400	U
Prelco Inc; Quebec, CAN	2048	400	U
SAFTI; San Francisco, CA	1954	950	U
Shaw Glass Co Inc; South Easton, MA	1037	550	U
Sunbelt Glass Inc; Tulsa, OK	1457	400	U
Swift Glass Co Inc; Elmira Heights, NY	1559	300	U
Tecnoglass; Barranquilla, Columbia	2135	400	U
Tempered Glass Inc; Austell, GA	866	200	U
Tempglass Group Inc; Perrysburg; OH	595	600	U
Tempglass Group Inc; Miami, FL	1747	75	U
Viracon Inc; Owatonna, MN	1509	600	U
Virginia Glass Products Martinsville, VA	94	400	U
Vitrierie April; Montreal, QC, CANADA	2062	400	U
Westshore Glass; Tampa, FL	1974	600	U
5/8 inch tempered transparent glass			
Consolidated Glass Corp; New Castle, PA	2060	400	U
Prelco Inc; Quebec, CANADA	2049	400	U
Vitrierie April Inc; Montreal, QC, CANADA	2063	400	U
3/4 inch tempered transparent glass			
ACI Distribution; Dallas, TX	1225	550	U
Arch Aluminum & Glass L.C.; Orlando, FL	1835	600	U
D & S Tempered Glass, Dallas, TX	1965	550	U
Downey Glass Co; Los Angeles, CA	2074	250	U
Floral Glass & Mirror; Hauppauge, NY	1551	400	U
Gardner Mirror Corporation; N Wilkesboro, NC	1937	300	U
Virginia Glass Products, Martinsville, VA	95	600	U
Westshore Glass; Tampa, FL	1975	600	U
1/8 inch tempered patterned glass (shallow)			
ACI Distribution; Santa Fe Springs, CA	1861	250	U
AFG Inds Inc; Greenland, TN	587	300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	1531	300	U
Cardinal CG; Northfield, MN	2011	300	U
Cardinal CG; Spring Green, WI	2071	500	U
Cardinal IG; Greenfield, IA	1841	500	U
Cardinal IG; Spring Green, WI	1844	500	U
Commercial Insulating Glass Co; Sarasota, FL	1892	300	34" by 60"
Contour Inds Inc; Surgoinsville, TN	1676	300	31" by 76"
Coraglass Inc; Reform, AL	1962	300	18" by 76"
D & S Tempered Glass; Dallas, TX	1659	550	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED PATTERNED GLASS - continued				
1/8 inch tempered patterned glass (shallow)				
Gemtron - Sweetwater; Sweetwater, TN	1422		300	U
Glass Distributors of America; Lithia Springs, GA	2139		300	U
Guardian Fabrication Inc; Rogers, AR	1358	ANSI ONLY	550	U
Guardian Industries; Corsicana, TX	1463	ANSI ONLY	550	U
Guardian Industries; Ft Lauderdale, FL	1665	ANSI ONLY	600	24" by 30"
Guardian Industries; Richburg, SC	1683	ANSI ONLY	300	U
Marvin Windows; Warroad, MN	1724		400	U
Perilstein Distributing Corp; Cheswick, PA	1789		400	U
Sterling Plumbing Group; Union City, TN	1983		550	U
Summitt Window & Patio Door; Yakima, WA	1802		750	U
5/32 inch tempered patterned glass (shallow)				
American Flat Glass Dist; Alvarado, TX	1713		550	U
American Flat Glass Dist; Richmond, VA	1960		100	U
American Flat Glass Dist; Marietta, GA	1428		300	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2084	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2098	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1682	ANSI ONLY	600	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2115	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	2100	ANSI ONLY	300	U
Cardinal CG; Northfield, MN	2012	CPSC ONLY	75	U
Cardinal IG; Greenfield, IA	1842	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1845	CPSC ONLY	500	U
Coraglass Inc, Reform, AL	1963		300	U
D & S Tempered Glass; Dallas, TX	1660		550	U
Downey Glass Co; Los Angeles, CA	2075		250	U
Gemtron - Sweetwater; Sweetwater, TN	1424		300	U
Glass Distributors of America; Lithia Springs, GA	2128		300	U
Guardian Fabrication; Rogers, AR	1359	ANSI ONLY	550	U
Guardian Industries; Corsicana, TX	1737	ANSI ONLY	550	U
Guardian Industries; Richburg, SC	1635	ANSI ONLY	300	U
Sunbelt Glass, Inc; Tulsa, OK	1617		550	U
3/16 inch tempered patterned glass (shallow)				
ACI Distribution; Dallas, TX	1728		550	U
AFG Industries Greenland, TN	1139		300	U
AFG Industries; Kingsport, TN	1143		300	U
American Flat Glass Dist; Alvarado, TX	1714		550	U
American Flat Glass Dist; Richmond, VA	1961		100	U
American Flat Glass Dist; Fall River, MA	1523		400	U
Arch Aluminum & Glass L.C.; Indianapolis, IN	2085	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Kansas City, KS	2099	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Orlando, FL	1562	ANSI ONLY	600	U
Arch Aluminum & Glass L.C.; Youngsville, NC	2116	ANSI ONLY	300	U
Cardinal CG; Northfield, MN	2013	CPSC ONLY	75	U
Cardinal IG; Greenfield, IA	1843	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1846	CPSC ONLY	500	U
Commercial Insulating Glass; Sarasota, FL	1894		600	31" by 76"
Coraglass Inc; Reform, AL	1964		300	U
D & S Tempered Glass; Dallas, TX	1661		550	U
Downey Glass Co; Los Angeles, CA	935		250	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
TEMPERED PATTERNED GLASS - continued				
3/16 inch tempered patterned glass (shallow)				
Efco Corp; Monett, MO	2143		100	U
Glass Distributors of America; Lithia Springs, GA	2122		300	U
Guardian Inds Corp; Ft Lauderdale, FL	1318	ANSI ONLY	300	U
Guardian Inds Corp; Kingsburg, CA	1304	ANSI ONLY	250	U
Guardian Inds Corp; Richburg, SC	1865	ANSI ONLY	300	U
Hoffer's Inc; Schofield, WI	1798		400	U
Marvin Windows; Warroad, MN	1701		400	U
Perilstein Distributing Corp; Cheswick, PA	1790		400	U
Shaw Glass Co Inc; South Easton, MA	1939		400	U
Sterling Plumbing Group; Union City, TN	1984		300	U
Sunbelt Glass Inc; tula, OK	1618		200	U
U S Precision Glass; Lewisburg, OH	188	ANSI ONLY	550	U
7/32 inch tempered patterned glass (shallow)				
Arch Aluminum & Glass L.C.; Memphis, TN	2093	ANSI ONLY	300	U
Arch Aluminum & Glass L.C.; Villa Rica, GA	2097	ANSI ONLY	300	U
Downey Glass Co; Los Angeles, CA	678		250	U
Guardian Industries; Corsicana, TX	1464	ANSI ONLY	550	U
1/4 inch tempered patterned glass (shallow)				
Guardian Industries; Kingsburg, CA	1882	ANSI ONLY	550	U
1/8-inch tempered patterned glass (medium)				
AFG Industries; Kingsport, TN	1414		300	U
Downey Glass Co; Los Angeles, CA	1611		250	U
Guardian Industries; Kingsburg, CA	1303	ANSI ONLY	550	U
U S Precision Glass; Lewisburg, OH	654	ANSI ONLY	200	U
5/32-inch tempered patterned glass (medium)				
Guardian Industries; Kingsburg, CA	1301	ANSI ONLY	550	U
3/16-inch tempered patterned glass (medium)				
American Flat Glass Dist; Marietta, GA	2054		300	U
1/8-inch tempered patterned glass (deep)				
D & S Tempered Glass; Dallas, TX	2065		550	U


	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
3/16-inch tempered patterned glass (deep)				
U S Precision Glass; Lewisburg, OH	328	ANSI ONLY	200	U
TEMPERED BENT TRANSPARENT GLASS				
5/32-inch tempered bent trans. glass				
Ardco Inc; Chicago, IL	1563		400	U
Sovis SA; Thierry, France	1992		400	U
TEMPERED BENT TRANSPARENT GLASS-continued				
3/16-inch tempered bent trans. glass				
Ardco Inc; Chicago, IL	1564		400	U
Sovis SA; Thierry, France	1938		400	U
1/4-inch tempered bent trans. glass				
Ardco Inc; Chicago, IL	1565		400	U
North American Glass; Bensenville, IL	1809		200	U
Sovis SA; Thierry, France	1864		400	U
3/8-inch tempered bent trans. glass				
North American Glass; Bensenville, IL	1536		200	U
1/2-inch tempered bent trans. glass				
North American Glass; Bensenville, IL	2053		200	U
TEMPERED BENT PATTERNED GLASS				
3/16 inch tempered bent patterned glass (shallow)				
Ardco, Inc; Chicago, IL	1951		400	U
1/4-inch tempered bent patterned glass (shallow)				
Ardco Inc; Chicago, IL	2006		400	U
LAMINATED TRANSPARENT-BUTYRAL				
1/2-inch laminated transparent-butyral				
Guardian Inds Corp-Lewistown; Lewistown, PA	1316	ANSI ONLY	400	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
1/4-inch laminated transparent-butylal				
Architectural Safety Glass; Ft. Pierce, FL	1914		300	U
Globe Amerada Glass Co; Selma, AL	1668		400	U
Guardian Inds Corp; Lewistown, PA	1946	ANSI ONLY	400	U
Laminated Glass Corp; Telford, PA	1652		400	U
Prelco Inc; Riviere-du-Loup, QC, Canada	2076		400	U
5/32-inch laminated transparent-butylal				
Guardian Inds Corp; Lewistown, PA	1886	ANSI ONLY	400	U
7/32-inch laminated transparent-butylal				
Guardian Inds Corp; Lewistown, PA	1282	ANSI ONLY	400	U
Mirror Factory Inc; Plymouth, MN	1915		75	U
3/8-inch laminated transparent-butylal				
Guardian Inds Corp; Lewistown, PA	1947	ANSI ONLY	400	U
Viracon Inc; Owatonna, MN	1637		75	U
3/16-inch laminated transparent-butylal				
Northwestern Inds Inc; Seattle, WA	1640		750	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX SIZE CERTIFIED</u>
LAMINATED TRANSPARENT-RESIN				
1/8-inch laminated transparent-resin				
Jarrett Inc; East Palestine, OH	2118		300	U
3/16-inch laminated transparent-resin				
Jarrett Inc; East Palestine, OH	2119		300	U
1/4-inch laminated transparent-resin				
Jarrett Inc; East Palestine, OH	2120		300	U
ORGANIC COATED - HYBRID				
1/8-inch organic coated-hybrid				
Guardian Inds Corp; Reedley, CA	2117	ANSI ONLY	400	U
Viracon Inc; Owatonna, MN	1883		75	U
5/32-inch organic coated-hybrid				
Guardian Inds Canada Corp; Rexdale, Ontario, CAN	1966	ANSI ONLY	400	U
3/16-inch organic coated-hybrid				
Viracon Inc; Owatonna, MN	1949		75	U
1/4-inch organic coated-hybrid				
Viracon Inc; Owatonna, MN	1884		75	U
LAMINATED SPECIALTY PRODUCTS				
5/16-inch laminated specialty products				
Viracon Inc; Owatonna, MN	1950		75	U
Safety Plastic Sheet				
.080 inch through 0.125 inch acrylic				
Flex-O-Glass Inc; Dixon, IL	118	ANSI ONLY	600	U

ACI DISTRIBUTION
2710 Patterson St
Greensboro NC 27407

AFGD, FABRICATED PRODUCTS DIVISION
75 Doney Crescent
Concord Ontario L4K 1P6
CANADA



ACI DISTRIBUTION
12900 Nicholson Rd
PO Box 815547
Dallas TX 75381-5547

ALL TEAM GLASS & MIRROR LTD
281 Hanlon Rd
Woodbridge Ontario L4L 3R7
CANADA



TEMPERED SAFETY GLASS
16CFR1201 CII
ANSI Z97.1-1984 3/16"U
SGCC 400

ACI DISTRIBUTION
750 Walsh Ave
Santa Clara CA 95050

AFGD; DIV OF AFG INDS LTD.
384 Exter Rd
London, Ontario N6E 2Z4
CANADA



TEMPERED SAFETY GLASS
16 CFR 1201 CAT. II
ANSI Z97.1-1984
SGCC 1484 3/16 U



AFG INDS INC
PO Box 929
Kingsport TN 37662

AMERICAN FLAT GLASS DIST
3200 Austell Rd
Marietta GA 30060



AFGD
ANSI Z97.1-1984
16CFR 1201-CII
SGCC 1232 3/8" U

ANTHONY'S MFG INC
12364 Gladstone Ave
San Fernando CA 91342

ARDCO INC
12400 S Laramie Ave
Chicago IL 60658

ARCH ALUMINUM & GLASS L.C.
540 Industrial Ct W
Villa Rica GA 30180

CARDINAL CG
600 Heraeus Blvd
Buford GA 30518

ARCH ALUMINUM & GLASS L.C.
3320-B Maggie Blvd
Orlando FL 32811

CARDINAL CG
1500 Industrial Drive
Northfield, MN 55057

ARCHITECTURAL SAFETY GLASS
7337 Commercial Circle
Ft Pierce FL 34951

CARDINAL CG
1024 E Madison St
Spring Green, WS 53588

CARDINAL CG
700 Pat Kennedy Way SW
Tumwater WA 98501

COLONIAL MIRROR & GLASS CORP
35 Kent Ave
Brooklyn NY 11212

CARDINAL IG
Iowa 25 N
PO Box 99
Greenfield IA 50849

COMMERCIAL INSULATING GLASS CO
1155 Porter Rd
Sarasota FL 34240

CARDINAL IG
1011 E Madison St
Spring Green WI 53588

CONSOLIDATED GLASS CORP
1150 N Cedar St.
New Castle PA 16103

CARDINAL TG
1601 Rusch St
Tomah WI 54660

CONTOUR INDUSTRIES INC
Phipps Bend Rd
PO Box 69
Surgoinsville TN 37873

CORAGLASS INC
Hwy 17 South
Reform AL 35481

EDGE SEAL TECHNOLOGIES
7850 Northfield Rd
Walton Hills OH 44146

D & S TEMPERED GLASS
2531 Royal Ln Suite 505
Dallas TX 75229

EFCO CORP
County Rd & Bridle Lane
Monett MO 65708

D & W, INCORPORATED
941 Oak Street
Elkhart IN 46514

FLORAL GLASS & MIRROR INC
895 Motor Pkwy
Hauppauge NY 11788

DOWNEY GLASS CO
5631 Ferguson Dr
Los Angeles CA 90022

FLEX-O-GLASS INC
1100 N Cicero Ave
Chicago IL 60651

FOUR SEASONS SOLAR PRODUCTS
5005 Veterans Memorial Hwy
Holbrook NY 11741

GLASS DISTRIBUTORS OF AMERICA
2310 Sweetwater Ind Blvd
Lithia Springs GA 30057-2882

FREE STATE GLASS INDS
5415 Lee Highway
Warrenton VA 20187

GLASS FACTORY INC
5012 Expressway Dr S
Ronkonkoma NY 11779

GARDNER MIRROR CORPORATION
600 Elkin Hwy
North Wilkesboro NC 28659-570

GLOBE-AMERADA GLASS CO(ASSURANCE)
2001 Greenleaf Ave
Elk Grove Village IL 60007

GEMTRON-SWEETWATER
615 Hwy 68
Sweetwater TN 37874

GUARDIAN FAB INC
2300 Harmon Rd
Auburn Hills MI 48326-1714

GUARDIAN INDS CORP
2300 Harmon Rd
Auburn Hills MI 48326-1714

INTERPANE GLASS CO
201 Interpane Lane
PO Box 26
Deerfield WI 53531

GUARDIAN INDS CANADA CORP
355 Attwell Drive
Rexdale Ontario M9W 5C2
CANADA

JARRETT INC
217 E Clark St
East Palestine, OH 44413

HOFFER'S INC
Glass Fabricating Div
5103 Janice Ave
Schofield WI 54476

J. E. BERKOWITZ
Delsea Drive & Harvard Ave
Westville, NJ 08093

INTERPANE GLASS COMPANY
E Railroad St
PO Box 408
Clinton NC 28328

LAMINATED GLASS CORP
375 E Church Ave
Telford PA 18969-1003

MARVIN WINDOWS
PO Box 100 Hwy 11 W
Warroad MN 56763

NASHVILLE TEMPERED GLASS CORP
1860 Air Lane Dr
Nashville TN 37210

MIDWEST AIR TECHNOLOGIES
550 Barclay Boulevard
Lincolnshire IL 60069

NORTH AMERICAN GLASS
1001 Foster Ave
Bensenville IL 60106

MILGARD TEMPERING INC
1010 54th Ave E
PO Box 11368
Tacoma WA 98411-0368

NORTHWESTERN INDS INC
2501 W Commodore Way
Seattle WA 98199

MIRROR FACTORY INC
12725 16th Ave N
Plymouth MN 55441

PATIO ENCLOSURES INC.
720 E. Highland Rd
Macedonia, OH 44056

PERILSTEIN DISTRIBUTING CORP

100 Business Center Dr
Cheswick PA 15024

SHAW GLASS CO INC

55 Bristol Dr
S Easton MA 02375

PPG INDS INC

One PPG Place
Pittsburgh PA 15272

SOVIS S A

c/o Euroglas Glasrep Corp
1 Barker Avenue 5th Floor
White Plains NY 10601

PRELCO INC

94 Boulevard Cartier
Riviere-du-Loup QC CANADA G5R 2M9

SPECIALTY BUILDING PRODUCTS

400 Ewen Avenue
New Westminster, B.C., V3M 5B2
CANADA

SAFTI

c/o O'Keefe's Inc
75 Williams Avenue
San Francisco CA 94124

STERLING PLUMBING GROUP

2000 N 5th Street
Industrial Park
Union City TN 38261

SUMMIT WINDOW & PATIO DOOR
1015 E Lincoln Ave
Yakima WA 98901

TECNOGLASS
Avenida Circunvalar a 100 mts.
de 1 a Via 40; Las Flores
Barranquilla, Columbia

SUNBELT GLASS INC
8531 E 44th St
Tulsa OK 74145

TEMPERED GLASS INC
7160 Delta Circle
Austell GA 30001

SWIFT GLASS CO INC
141 W 22nd St
Elmira Heights NY 14903

TEMPGLASS GROUP INC
17851 N W Miami Court
Miami FL 33169

TAYLOR PRODUCTS INC
N Laura St
PO Box 77
Payne OH 45880

TRACO (THREE RIVERS ALUM)
71 Pregress Avenue
Cranbery Township PA 16066-3596

U S PRECISION GLASS

1900 Holmes Rd
Elgin IL 60123

VITRERIE APRIL INC

12645 Rue April
Montreal QC CANADA H1B 5P6

VEGLA

c/o O'Keefe's
75 Williams Ave
San Francisco CA 94124

WESTSHOE GLASS

5300 Knox Street
PO Box 15216
Tampa FL 33684-5216



ANSI Z97.1-1984

16 CFR 1201 CII

WGC TEMPERED

SGCC 1973 1/4U


VIRACON INC

800 Park Dr
Owatonna MN 55060

VIRACON
Tempered
16 CFR 1201 II
SGCC 1994 1/4" U
ANSI Z97.1 1984
1 84

VIRGINIA GLASS PRODUCTS CORP

PO Box 5431
Martinsville VA 24115



Additional SGCC Certified Products Directories are available from the SGCC office for \$3.00/copy. A check or money order must accompany each order and be made payable to "SGCC".

SGCC DIRECTORY ORDER FORM

PLEASE SEND . . . _____ copies of SGCC Certified Products Directory at
\$3.00/copy = to:

Name: _____

Company: _____

Address: _____

Address: _____

City, St. Zip: _____

SGCC APPROVED TESTING LABORATORIES
APPROVED FOR TESTING IN THE ANSI AND CPSC
CERTIFICATION PROGRAMS

- | | |
|--|---|
| 75 Architectural Testing Inc.
587 First St SW
New Brighton MN 55112
Attn: Mr. Daniel P Braun
Telephone: 612-636-3835
Telefax: 612-636-3843 | 400 ITS/ETL Testing Laboratories Inc.
3933 US Route 11
Cortland NY 13045-0950
Attn: Mr. Randy Hill
Telephone: 607-753-6711
Telefax: 607-756-9894 |
| 100 Architectural Testing Inc.
130 Derry Ct
York PA 17402-9405
Attn: Mr. David Moyer
Telephone: 717-764-7700
Telefax: 717-764-4129 | 500 Maxim Technologies/Huntington
3922 Delaware Ave
Des Moines IA 50313
Attn: Mr. Carl C Andreasen S E T
Telephone: 515-266-5101
Telefax: 515-262-1910 |
| 200 Bowser-Morner Inc.
4518 Taylorsville Rd
Dayton OH 45424
Attn: Mr. Bob Rosencrans
Telephone: 937-236-8805
Telefax: 937-237-9947 | 550 Maxim Technologies/Southwestern Labs
2200 Gravel Dr
Ft Worth TX 76118-7123
Attn: Mr. Tim Begole
Telephone: 817-284-7755
Telefax: 817-589-1420 |
| 250 Construction Consulting Laboratory Inc.
Western Division
4751 W State St Ste E
Ontario CA 91762
Attn: Mr. Jack Jackson
Telephone: 909-591-1789
Telefax: 909-627-9020 | 750 Performance Testing Inc.
4076-148th Ave N E
Redmond WA 98052
Attn: Mr Jon DeRose
Telephone: 206-883-9788
Telefax: 206-869-5266 |
| 275 ETC Laboratories
40 Ajax Road
Rochester NY 14624
Attn: Mr. Bryant Dunham
Telephone: 716-328-7668
Telefax: 716-328-7777 | 950 ITS/Warnock Hersey International Inc.
530 Garcia Ave
Pittsburg CA 94565
Attn: Mr. Vijay G Ruikar, P E
Telephone: 510-432-7344
Telefax: 510-432-3576 |
| 300 ITS/ETL Testing Laboratories Inc
4317-A Park Dr N W
Norcross GA 30093
Attn: Mr. William Penuel
Telephone: 770-925-2444
Telefax: 770-925-7294 | 975 ITS/Warnock Hersey International Inc.
8431 Murphy Dr
PO Box 735
Middleton WI 53562
Attn: Ms. Rocco Moro
Telephone: 608-836-4400
Telefax: 608-831-9279 |
| 350 Fenestration Testing Laboratory Inc.
1677 West 31 st Place
Hialeah, FL 33012
Attn: Leigh Sanchez
Telephone: 305-819-7877
Telfax: 305-819-7998 | |

NOTE: The ID of the laboratory used for testing of each product is provided in the Certified Products - by Product Type section of this directory.



safety glazing certification council

3933 US Route 11
P. O. Box 2040
Cortland, NY 13045-0950

ADDRESS CORRECTION REQUESTED

BULK RATE
U.S. POSTAGE
PAID
PERMIT NO. 281
HAZLETON, PA