

Heather Almeida

**\*\* CORRECTIONS \*\***



safety glazing certification council

JANUARY 1, 1996

25<sup>TH</sup> YEAR

certified products directory  
safety glazing material used in buildings





TABLE OF CONTENTS	PAGE
Meetings of the Certification Committee . . . . .	4
Roster . . . . .	4
Program Concept . . . . .	8
Procedural Guide . . . . .	9
Certification Guidelines and Interpretations. . . . .	13
SGCC Label Requirements . . . . .	22
CPS Act Labeling Requirements . . . . .	23
Classified Tempered Glass Patterns. . . . .	24
Certified Products (Numerical Sequence) . . . . .	25
Certified Products (Alphabetically By Plant). . . . .	28
Certified Products (By Product Type). . . . .	34
Licensees and Their Typical Labels. . . . .	44
ANSI Z97.1-1984 . . . . .	53
CPSC 16 CFR 1201. . . . .	53
SGCC Directory Order Blank. . . . .	55
SGCC Approved Laboratories. . . . .	Back Cover

**MEETINGS OF THE CERTIFICATION COMMITTEE**

The Certification Committee of the Safety Glazing Certification Council meets once each six months. Minutes of these meetings may be obtained by writing to the Administrative Manager of the Safety Glazing Certification Council (SGCC).

\* \* \* \* \*

Certification in this directory is current as of the date of issue; however, products may be certified or have certification removed from time to time. For the most current information, please contact the Administrative Manager of SGCC.

Any questions, comments, or requests for copies of this directory should be directed to the Administrative Manager of the Safety Glazing Certification Council:

\* \* \* \* \*

**ADMINISTRATION**

Administrator:	ETL Testing Laboratories, Inc. 3933 US Route 11 PO Box 2040 Cortland, NY 13045-0950 Telephone 607-753-6711 Telefax 607-756-9891
Administrative Manager:	John G. Kent
Administrative Engineer:	Jeffrey C. Phoenix
Administrative Staff:	Heather L. Almeida

**ROSTER****SGCC BOARD OF DIRECTORS****REPRESENTING PUBLIC INTEREST**

Mr. Mario J. Cellarosi  
National Institute of Standards Technology  
A256/223  
Gaithersburg, MD 20899-0001  
Telephone: 301-975-6123  
Telefax: 301-990-8729

Dr. George L. Graf, Jr.  
2642 Longwood Dr.  
Wilmington DE 19810  
Telephone: 302-475-3723  
Telefax: 302-475-3723

Mrs. Jean Cornwell  
225 Swan Lake Road  
Stockbridge, GA 30281  
Telephone: 404-633-1451  
Telefax: ~~404-315-5425~~

Dr. Richard A. Behr, P.E.  
Department of Civil Engineering  
University of Missouri-Rolla  
Martin E. Straumanis Hall  
Rolla, MO 65409-0249  
Telephone: 314-341-4763  
Telefax: 314-341-2071

Mr. William J. Nugent  
Wiss, Janney, Elstner Associates, Inc  
330 Pfingsten Rd  
Northbrook, IL 60062-2095  
Telephone: 708-272-7400  
Telefax: 708-291-9599

847

573

270

## REPRESENTING INDUSTRY

Mr. Al Hunsicker  
Warp Bros - Flex-O-Glass Inc  
1100 N. Cicero Ave.  
Chicago, IL 60651  
Telephone: 312-261-5200  
Telefax: 312-261-5204

Mr. Robert A. Moss  
Gemtron Corp.  
2000 Chestnut St.  
PO Box 317  
Vincennes, IN 47591  
Telephone: 812-882-2680  
Telefax: 812-882-7679

Mr William Knutsen  
Viracon Inc.  
800 Park Dr.  
PO Box 248  
Owatonna MN 55060  
Telephone: 507-451-9555

Mr. Mark Cody  
AFG Industries  
PO Box 929  
Kingsport TN 37662  
Telephone: 615-229-7222  
Telefax: 615-229-7459  
423

*Rt 28 e Ferry St.  
Cresington PA  
15030*

Mr. Charles Richeson  
PPG Inds, Inc.  
~~One PPG Place~~  
~~Pittsburgh, PA 15272~~  
Telephone: 412-826-2276 *226-6794*  
Telefax: 412-826-2260 *226-6614*

*G.*  
Mr. John Jablonski  
Guardian Industries/Fab.  
2300 Harmon Road  
Auburn Hills, MI 48326  
Telephone: 810-340-2236  
Telefax: 810-340-2239

## Honorary Non-Voting Lifetime Member

Mr. Norman Nitschke  
Glasstech, Inc.  
Ampoint Industrial Park  
995 Fourth Street  
Perrysburg, OH 43551  
Telephone: 419-661-9500

## SGCC OFFICERS

President  
First Vice President  
Secretary  
Treasurer

Robert Moss  
Mario Cellarosi  
William J. Nugent  
Richard Behr

## LEGAL COUNSEL

William M. Hannay, Esq.  
Schiff Hardin & Waite  
7200 Sears Tower  
Chicago, IL 60606  
Telephone: 312-258-5617 *847-272-7460*  
Telefax: 312-258-5600

## FINANCIAL AUDITORS

Kane, Bowles & Moore  
209 Second Street  
Liverpool, NY 13088  
Telephone: 315-451-6167  
Telefax: 315-451-6093

## SGCC CERTIFICATION COMMITTEE

Mark Cody - Chairman

Licensee	Primary Member	First Alternate	Second Alternate
ACI Distribution	Mike Grossman	Rick Dashley	
ACI Glass Products	Kenny Lyerla	Gordon Lillie	Bill Swanson
AFGD, Division of AFG Inds.	Mark Cody	Thomas Mewbourne	
AFG Industries Inc.	Mark Cody	Thomas Mewbourne	
All Team Glass & Mirror Ltd			
American Flat Glass Distributors	Mark Cody		
Anglass Industries, Inc.			
Arch Aluminum & Glass Co Inc			
Arch Tempered Glass Products	Danny M. Haney		
Architectural Safety Glass	George Sutorka		
Ardco, Inc.	Andrew G. Menke		
Canadian Insul-Glass Corp	Bill Bowmeester	Gord Kilday	Joel Harmer
Cardinal CG	Steve Klaras		
Cardinal IG	Robert Spindler	Oak Moser	
Cardinal TG			
Colonial Mirror & Glass Corp			
Commercial Insulating Glass Co	Jeff Winsler		
Contour Inds Inc.	Scott Stidham	Pat Murphy	
Coraglass Inc	Patrick Conner		
D & S Tempered Glass			
Downey Glass Company	Luis O. Soto	Tom Jaskowiak	Robert Mastrapa
EFCO Corp			
Flex-O-Glass, Inc.	Harold G. Warp	Alfred R. Hunsicker	
Floral Glass & Mirror, Inc.	Charles Kaplanek	Paul Bieber	
Four Seasons Solar Products	Brian Fabian	Mark Nahvi	George Andra
Free State Glass Industries	Canrad Miller		
Gardner Mirror Corporation	<del>Colin Adams</del> Tim Hall		
Gemtron Corp.	Robert A. Moss	Robert Brian	H. David Wilbur
Glass Factory, Inc., The			
Globe-Amerada Glass Co (Assurance)	Cheri Kellman	Walt Myers	
Guardian Fabrication, Inc.	John Jablonski	Henry A. Gorry	
Guardian Industries Corp.	John Jablonski	Henry A. Gorry	
Hamilton Glass Products, Inc.	Robert A. Moss	William D. Hodgdon	J. Bruce Crockett
Hoffer's, Inc.	Barb Striegel	George Digman	Rick Wilson
Interpane Glass Co.	John Neunlist	Tony Lee	Jimmy Williams
Guardian Inds Canada Corp.			

## SGCC CERTIFICATION COMMITTEE

Licensee	Primary Member	First Alternate	Second Alternate
Laminated Glass Corp.	Mike Lerner		
Marvin Windows	James Krahn	Doug Steinbring	
Milgard Tempering Inc.	W.F. Hart	Tom Sugano	
Mirror Factory Inc.	Marlan Carlson	Tom Carlson	Lance Smith
Nashville Tempered Glass Corp.			
North American Glass Industries, Inc.	Doug Cornelius		
Northwestern Industries, Inc.	Tim McQuade	James Livingston	Darrell Adrich
Perilstein Distributing Corp			
<del>PPG Building Glass (PTY) Ltd</del>			
PPG Industries, Inc.	Charles Richeson	Bob Fiedor	Bradley P. Boone
<del>Romag Security Laminators</del>			
SAFTI / Div. of O'Keefe's	M. Scott Foote	William O'Keefe	Stacy Westhoff
Shaw Glass Company, Inc.	Frederic P. Shaw	Dennis Johnson	Walter Gilpatrick
Sovis S A	<i>Richard Paschel</i>		
Sterling Plumbing Group	Fred G. Bruce		
Summit Window & Patio Door	Lee Dunlop	Steve Jones	
Sunbelt Glass Inc.	Mike Kelley		
Swift Glass Company, Inc.	Daniel J. Burke	Anthony Speciale	Wayne Brown
Taylor Products, Inc.			
Tempered Glass, Inc.	Douglas A. Sampsel	Joel Wrenn	
Tempglass Group, Inc.	Richard Wright	Tim Kachmarik	William Coddington
TRACO (Three Rivers Aluminum)	Robert P. Randall	William Deuschle	John Kalakos
U S Precision Glass	Perry Gregorcy	Daniel Hill	Michael Carnes
Viracon, Inc.	Bill Knutsen	Russ Huffer	Rick Voelker
Virginia Glass Products Corporation	Robert L. Brown	Benjamin D. Beeler	A. Paul Stillman
Westshore Glass Corp.	Bill Bellis	Todd Elozory	Tucker Kruse

VITREX APRIL

## Member by virtue of being a director:

NIST	Mario Cellarosi
Consumer	Mrs. Jean Cornwell
Consumer	George L. Graf, Jr.
University of Missouri - Rolla	Richard A. Behr
Glasstech, Inc.	Norman Nitschke
Wiss Janney Elstner Associates	Bill Nugent

## Members from those without certified products.

Dupont Company	John W. Turnbull
----------------	------------------

## PROGRAM CONCEPT

The Safety Glazing Certification Council (SGCC) is a non-profit corporation, established in 1971 by manufacturers of safety glazing products, building code officials, and others concerned with public safety.

SGCC maintains a program which provides for the certification of safety glazing materials found to be in compliance with one or both of the following specifications:

American National Standard for Safety Glazing Materials used in  
Buildings - Safety Performance Specifications and Methods of Test:  
ANSI Z97.1-1984

Consumer Product Safety Commission Safety Standard for Architectural  
Glazing Materials - codified at Title 16, Part 1201 of the Code of  
Federal Regulations: 16 CFR 1201

These specifications subject safety glazing materials, used in buildings and architectural products, to practical tests designed to reduce or eliminate unreasonable risk of death and injury when safety glazing material is broken by human contact.

The specification(s), to which a safety glazing material is certified by SGCC, is at the direction of the licensee.

SGCC responsibilities are threefold: to conduct an independent routine sampling and testing program; to approve and register the form of a manufacturer's label; and to withdraw the manufacturer's authority to use that label if certified products do not meet specification(s).

Management and control of SGCC is vested in a board of directors, half representing industry and half representing the public interest. To prevent industry dominance of SGCC actions, the public interest directors are empowered to veto any action of the board regardless of the number of directors present at a meeting.

The certification program uses approved testing laboratories under the supervision of a qualified administrator, retained by and responsible to SGCC, who is unaffiliated with any manufacturer of safety glazing materials.

The manufacturer of a product listed in this directory has certified that the labeled material complies with the applicable specification(s). Compliance of a certified product with the applicable specification(s) is checked periodically by an approved testing laboratory under the supervision of SGCC.

All manufacturers of safety glazing products are eligible and encouraged to apply for SGCC certification. However, products are not certified until a test to the applicable specification(s), conducted at an approved testing laboratory, indicates compliance, the SGCC certification invoice is paid, and SGCC License Agreements are properly executed.

Once certified by SGCC, a product is assigned an exclusive certification number to identify it and the plant at which it is made. After which, to insure continued adherence to the specification(s), SGCC independently selects, at least twice in each year, samples during unannounced visits to the manufacturing plant or randomly from the market place to be tested to the applicable specification(s). Consequent to a test result showing compliance with the applicable specification(s), SGCC authorizes the continued use of the certification number and the product listing in this directory.

This directory is divided into three basic listings: the first is by numerical sequence of certified product numbers listing the manufacturer holding that number; the second is of manufacturers listed alphabetically by plants and the approved products manufactured at those plants; the third is by product type listing all manufacturers and their plants approved for each product type. There is also an alphabetical listing, by manufacturers, illustrating a label typical of the manufacturer. The table of contents lists various procedural and administrative information, as well as information as to where officers and directors may be located.

Upon request, information from SGCC concerning a statement of procedures, or copies of minutes, are available to manufacturers, public interest groups, and individuals.

# All Team Glass & Mirror Ltd.

281 Hanlan Road, Woodbridge, Ontario L4L 3R7 • Tel: (905) 851-7711 / (416) 745-7182 • 1-800-363-4651 • Fax: (416) 745-2692

May 8, 1996

SAFETY GLAZING CERTIFICATION COUNCIL  
P.O. BOX 2040,  
CORTLAND, N.Y. 13045-0950  
USA

ATTENTION: H.L. ALMEIDA

Gentlemen:

Enclosed is our cheque for \$1,918.00 in payment for your invoice # S-2679. We deducted \$270.00, the portion that pertains to SGCC # 1782 3/4" from the amount of your invoice since we want you to decertify this thickness effective July 1, 1996.

Please get in touch with us if you have any question about this matter.

Yours truly,



Manuel Soriano





## PROCEDURAL GUIDE

## FOREWORD

The acceptance, of a certified safety glazing material, comes from the conviction such certification assures a high level of safety and quality; and that the integrity of the identifying mark or certification label is reliably maintained by a competent certifying agency.

Both ANSI Z97.1-1984 and 16 CFR 1201 provide sound technical basis for a high level of safety. With the addition of independent administration, plus periodic routine sampling and product evaluation, a program of product certification is maintained which provides an independent third-party certification and testing program. The Certification Program described herein is predicated upon the concept of independent and impartial administration of the certification procedures which are incorporated in the SGCC license agreement.

The SGCC License Agreement is the governing document for the operation of the Certification Program. The Procedural Guide, which is not an extension of this document, is for information and guidance; and serves to describe administrative procedures; and to insure the uniform and equitable operation of the Certification Program.

## GENERAL INFORMATION

## THE CERTIFICATION CONCEPT

The SGCC Certification Program is based on the conviction no standard of safety or quality is good without the continuous adherence of the licensees' certified products to that standard.

To buyers, specifiers, code officials and users, the SGCC certification label offers the manufacturer's assurance his safety glazing material has been produced in conformance to ANSI Z97.1-1984 and/or 16 CFR 1201.

Federal law, many state statutes, municipal ordinances and building codes require glazing materials, installed in certain defined locations, comply with ANSI Z97.1-1984 and/or 16 CFR 1201.

## WHO CAN BECOME A LICENSEE?

Every manufacturer of safety glazing materials is eligible, on a voluntary basis, to participate.

## WHO CONDUCTS THE PROGRAM?

The Safety Glazing Certification Council, a non-profit corporation, is the sponsor of the Certification Program. SGCC supervises the Certification Program under which its administrator periodically checks and reports compliance of the products having the SGCC certification label with the requirements of ANSI Z97.1-1984 and/or 16 CFR 1201.

## ADMINISTRATION

ETL Testing Laboratories, Inc. (ETL), is the independent Administrator of the Certification Program. ETL maintains the SGCC office of certification and conducts the routine day-to-day business. All transactions are done in the name of SGCC.

## HOW CAN YOU BECOME A LICENSEE?

The following must be accomplished before SGCC can certify an item of safety glazing material:

- a) The manufacturer signs two copies of the SGCC License Agreement (including notarization of the Affidavit, Appendix A) and sends these to SGCC. SGCC will countersign both copies and return one to the manufacturer.
- b) The manufacturer directs an SGCC approved testing laboratory, of its own choosing, to send SGCC one copy of a valid test report indicating the 'initial' or 'prototype' samples submitted for testing are in full and complete compliance with ANSI Z97.1 and/or 16 CFR 1201.
- c) The manufacturer sends to SGCC the six-month certification fee for each item which is to be certified. This fee must be submitted within 6 months of completion of item b). Failure to do so will result in the need to resubmit item b). (Revised 10/22/93)

Having received all of the above items, SGCC sends to the licensee the notice of product certification which includes an SGCC certification number. This number must be incorporated into the permanent label affixed to each piece of certified safety glazing material. The certified item will be listed in the next edition of the Certified Products Directory.

#### HOW THE CERTIFICATION PROGRAM WORKS

Safety glazing materials must meet or exceed the applicable specification(s) before they can be certified by SGCC.

SGCC recognized approved testing laboratories conduct all tests. All laboratories, whose test reports are utilized by the Certification Program, shall be approved by the SGCC Certification Committee. Initial or prototype tests are performed at an approved testing laboratory selected by the licensee. Routine evaluation samples are tested by an approved testing laboratory selected, with the concurrence of the administrator, by the licensee.

#### ADMINISTRATOR AUTHORIZES CERTIFICATION

As sole judge of compliance with the applicable specification(s), the administrator authorizes a product which has been approved to be listed in the Certified Products Directory.

Licensees label safety glazing material, with the assigned SGCC number, within the limits of the product size tested. If 34 by 76 inches is the size of the initial or prototype test sample, certification is extended to all sizes and the permanent label contains the letter U, designating unlimited size. The letter L, contained within the permanent label, denotes certification is limited to the width and length of the initial or prototype test sample.

#### PRODUCTS LISTED IN CERTIFIED PRODUCTS DIRECTORY

Approved products are listed in a Certified Products Directory, published every six months, which is sent to door, sash and building products manufacturers, glazing contractors, home builders, architects, regulatory agencies and code-making groups, etc. Directory listings contain the licensee's name, plant location, product description and examples of a label typical of that permanently affixed by a licensee to each piece of safety glazing material certified by SGCC.

The administrator selects, at least twice in each year, to be tested to the applicable specification(s), during unannounced visits, samples of certified safety glazing material at the manufacturing plant or from the market place.

#### COMPLIANCE SAFEGUARDS

##### HOW IS COMPLIANCE ASSURED

Any certified product determined, in the course of routine sampling and evaluation, not in compliance with the applicable specification(s), is subject to the removal of certification. The licensee is given 30-days in which to demonstrate, to the satisfaction of the Administrator, compliance and, if not, certification is automatically withdrawn at the end of the 30-day period.

#### CHALLENGING A CERTIFIED PRODUCT

Complaints of non-compliance, from any source, will be investigated promptly by SGCC upon receipt of a written complaint and surety deposit. A minimum surety deposit of \$1,000 will be required for each complaint of non-compliance. The surety deposit will be assessed at the rate of \$350 per man day plus the reasonable cost of travel and the maintenance entailed in resolving such incidents. Refunds of part or all of the surety deposit will be made when applicable. All costs involved will be paid from the complainant's surety deposit, unless the investigation proves non-compliance, in which case all costs will be borne by the licensee found to be in non-compliance.

#### WITHDRAWAL OF CERTIFIED PRODUCT

Any product which has been certified by SGCC may be voluntarily withdrawn from the Certification Program by a licensee at any time.

#### COSTS

##### WHAT DOES THE PROGRAM COST?

The licensee pays, in advance, all projected fees for future routine evaluations to SGCC on a six-month basis. A licensee is invoiced for each certified item separately listed in the Certified Products Directory.

The certification period is from January 1 - June 30 or July 1 - December 31. The Licensee's initial invoice will be determined by the payment schedule as is listed below: All subsequent invoices will be for a full certification period.

<u>DATE</u>	<u>ADMINISTRATIVE/CONTINGENCY FEE</u>	<u>TEST FEE</u>
January 1 - March 31	100%	None
April 1 - June 30	50%	None
July 1 - September 30	100%	None
October 1 - December 31	50%	None

No testing is necessary during the initial 6-month period if prototype testing took place within 30 days of initial certification. Normal inspection may take place during this initial period, however,

Initial certification during the first 3 months of the initial 6-month period will require a selection in the first 3 months of the following 6 month certification period.

#### **CERTIFICATION PROGRAM DOCUMENTS AND AGREEMENTS**

##### **LICENSE AGREEMENT**

This agreement, incorporating independent program administration and routine periodic independent sampling and evaluation, governs the relationship between SGCC and the licensee.

Future amendments or revisions to the License Agreement will be recommended by the SGCC Certification Committee and enacted by the SGCC Board of Directors.

##### **EFFECTIVE DATE, DURATION AND TERMINATION**

The License Agreement, effective from the date of its execution, has a validity of six months (adjustable to a January 1 to June 30 or a July 1 to December 31 basis) and, unless revoked by SGCC for causes set-forth in the document, is automatically renewed for successive additional periods of six months, unless either party gives notice at least 60 days prior to the date of expiration that cancellation is requested.

Upon its proper execution and acceptance by SGCC, the preissued certification number bond informs a licensee of the certification number of an item to be certified in the future. If the licensee marks production with the certification number, prior to actual certification, the bond is forfeited to SGCC.

Upon its proper execution and acceptance by SGCC, the test release bond permits the continuation of certification of an item when production facilities are shut down. If the licensee does not notify SGCC, within one week of the resumption of production, the bond is forfeited to SGCC.

##### **ADMINISTRATIVE SERVICE AGREEMENT**

This agreement, entered into by SGCC and ETL Testing Laboratories, Inc., governs the relationship between SGCC and ETL, the independent administrator. In general, it provides that the Administrator

- a) samples certified products routinely;
- b) has the right to witness any and all testing required by the program;
- c) reviews all test reports in order to determine compliance of the certified product with the applicable specification(s);
- d) inspects and approves all in-plant and test laboratory test facilities for use in this Certification Program (test laboratories are approved by the SGCC Certification Committee);
- e) publishes and mails the SGCC certified products directory on or about January 1 and July 1 of each year;
- f) handles all routine clerical duties of SGCC with respect to certification matters;

- g) acts as SGCC treasurer, invoices licensees, maintains a bank account and disburses funds (fiscal reports are made to the SGCC Certification Committee);
- h) furnishes all testing except for initial or prototype tests;
- i) attends all scheduled meetings of the SGCC Certification Committee and;
- j) in all of its actions, acts in the name of SGCC.

#### CERTIFIED PRODUCTS DIRECTORY

This directory contains a listing of the certified safety glazing materials of each licensee.

#### CERTIFICATION LABEL

The certification label, containing a number that refers to the listing in the Certified Products Directory, is permanently affixed to each piece of certified safety glazing material by the licensee. The listing, in the directory, provides a complete product description including licensee's name, plant location, etc.

#### PROGRAM RESPONSIBILITY

The SGCC Board of Directors has overall responsibility for the well being and acceptance of the Certification Program by industry, building officials and the public. It also bears corporate legal responsibility.

The SGCC Certification Committee has the responsibility for the general procedure and policy pertaining to the conduct of the Certification Program. As a part thereof, it:

- a) establishes certification "guidelines;"
- b) determines, where a question is raised by a licensee or the Administrator, the applicability of the specification(s) in specific situations.
- c) approves testing laboratories;
- d) determines which specifications are to be designated effective for the purposes of product certification and the date or dates on which they become effective;
- e) recommends to the SGCC Board of Directors changes to be made in the license agreement.

#### COMMUNICATIONS

In all matters concerning the administration and implementation of the SGCC certification program, correspondence may be directed to any of the following:

Mr. Robert A. Moss  
SGCC President  
c/o Gemtron Corp.  
PO Box 317  
Vincennes, IN 47594  
Telephone: 812-882-2680

Mr. Mark B. Cody, Chairman  
SGCC Certification Committee  
c/o AFG Industries  
PO Box 929  
Kingsport, TN 37662  
Telephone: 615-229-7222

Mr. John G. Kent  
Administrative Manager  
ETL Testing Laboratories, Inc.  
3933 US Route 11  
PO Box 2040  
Cortland, NY 13045-0950  
Telephone: 607-753-6711



## CERTIFICATION GUIDELINES AND INTERPRETATIONS

For guidance in certifying safety glazing materials, the SGCC Certification Committee has adopted the following:

## GENERAL

## G.1

Participation in the Certification Program will be on a January 1 to June 30 and July 1 to December 31 basis.

## G.2

Tests for initial compliance of safety glazing materials to ANSI Z97.1-1984 and/or 16 CFR 1201 will be accepted from any testing laboratory approved by the SGCC Certification Committee.

## G.3 (ANSI ONLY)

Paragraph (1) Section 5.1.3 of ANSI Z97.1-1984 is intended to apply to laminated, wired and organic coated glass only. Paragraph (2) is intended to apply to tempered glass only. Paragraph (3) is intended to apply to plastics only. Paragraph (4) is intended to apply to any safety glazing material.

## G.4

For insulating glass units to be considered safety glazing material, each light in the construction must be of safety glazing material.

## G.5

The SGCC item number, when used as part of a permanent label, designates the name of the licensee (participant) and also the location of the manufacturing plant.

## G.6

- a) All test specimens, except prototype samples, must be marked with the correct SGCC permanent label prior to testing in order to be considered a valid sample. It is the responsibility of the licensee to ensure the specimens being represented to the Administrator's representative are properly labelled. The administrator shall construe the absence of a correct permanent label as a failure to comply with the specifications. In such case of noncompliance, Sections a, c, and e of G.11 shall be followed. (Revised 3/16/90)
- b) The laboratory shall verify that the label has the correct SGCC number, designation of the applicable specification(s) and CPSC categories, nominal thickness, and certified size designation (U or L).
- c) The testing laboratory is to advise the administrator of any specimen to which the correct SGCC permanent label is not affixed. The testing laboratory will be instructed by the administrator not to test but hold the sample.
- d) The administrator will inform the licensee of the situation and direct (by letter) the testing laboratory to commence testing no later than 30 days hence. Until that time the testing laboratory is instructed to make these specimens available to the licensee at their convenience (the specimens are to remain at the testing laboratory) in order that the licensee may point out or show them that in fact the SGCC permanent label is correct or agree that in fact the correct SGCC permanent label is not present. In cases of any dispute between the licensee and the testing laboratory the decision of the administrator shall be final. The licensee shall not mark specimens after receipt at the testing laboratory.

## (ANSI ONLY)

- e) As of July 1, 1985 the SGCC permanent label must contain ANSI Z97.1-1984 in order to be considered a correct permanent label for purposes of Guideline G.6.

## G.7 (ANSI ONLY)

Safety glazing materials for which certification is requested for indoor use only shall be subjected to the provisions of section 5.1 (impact tests) and 5.4 (aging tests) of ANSI Z97.1-1984 irrespective of the composition or construction of the glazing material. Like products and materials produced in the same manner as samples submitted for test shall be legibly and permanently marked in one corner with the words "Indoor Use Only" and the SGCC identification number.

## G.8 (ANSI ONLY)

After initial compliance with a sample size as stated in Paragraph 4.3, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided by Paragraph 4.3, ANSI Z97.1-1984 are exposed to selection for testing.

## G.8 (CPSC ONLY)

After initial compliance with a sample size as stated in Table 1, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided in the standard 16 CFR 1201 are exposed to selection for testing.

## G.9

Specimen sizes up to 34 inches by 76 inches shall be valid samples when independently obtained by the administrator for purposes of routine evaluation.

## G.10

In cases where the administrator samples and identifies specimens for routine evaluation of the licensee's premises or requests licensee's samples when none are available at the time of sampling:

- a) The licensee be permitted 6 weeks in which to effect delivery of said specimens to the administrator's designated testing laboratory.
- b) Failure to act as specified above shall be construed by the administrator as failure of the said specimens to comply with the specifications and the administrator shall act as provided for in license agreement A.6.

## G.11

In cases where a routine evaluation sample fails to comply with the specifications:

- a) Written notice and an invoice shall be sent to the licensee by the administrator stating that within 30 days from the date of such notice the licensee must submit a retest sample to the testing laboratory selected by the licensee with the concurrence of the Administrator.

Certification shall be removed if the sample and payment are not received within the allotted 30 days or if the sample submitted fails to comply with the specifications.

- b) Within 3 months the administrator shall obtain an additional random sample for evaluation (in addition to the routine evaluation sample obtained twice a year). The administrator shall be certain that this additional sample is of recent production.
- c) At the option of the administrator, specimens submitted under a) above shall be either prototype size and pattern or identical to those previously sampled and of recent production.
- d) Certification shall be removed if the additional random sample obtained in b) above fails to comply with the specifications.
- e) All costs related to G.11 are to be borne by the licensee.
- f) If the retest procedure is required, all routine inspections and sample selections will continue. However, routine testing for the next period will be suspended pending the outcome of the retest procedure. If the product is decertified, the prepaid fee for routine testing for the next period (but not the Administrative and Contingency fees) will be refunded.

## G.12

If a licensee who manufactures a certified product outside the United States and Canada feels that in a particular instance that he will be unable to act as provided for in paragraph a) of SGCC Guideline G.11, he should notify the administrator. The administrator will then contact the chairman of the certification committee for a decision as to what action is to be taken.

## G.13

In cases where a certified item is produced infrequently or in small quantities so as to make it difficult for the administrator to obtain routine evaluation samples, the licensee shall notify the administrator at least two weeks in advance of any production of such item.

## G.14

The semi-annual invoicing date for certification fees shall be April 1 and October 1 of each year and the administrator is instructed to take those steps necessary to remove certification from Licensees for failure of payment. (Modified 10/20/89)

The Administrator shall initiate de-certification procedures on products at a given Licensee's facility for failure to pay any monies due to SGCC within 60 days of invoice date. (Reference License Agreement A.2, A.7, A.12, and B.6.)

The invoice procedures will be as follows:

- a) Semi-Annual SGCC invoices will be mailed on or before April 1 and October 1 of each year. Payment is due May 1 and November 1 respectively.

- b) For all overdue invoices as of May 1 and November 1, a phone call will be made as a reminder and to insure the invoice was received by the Licensee. A letter will follow the phone call.
- c) For all overdue invoices as of May 15 and November 15, an overnight letter, return receipt requested, will be sent warning of de-certification if payment is not received within 15 days.
- d) Letters of de-certification will be sent certified mail fifteen (15) days from the mailing of the overnight letter if payment is not received. With de-certification, a Licensee will no longer be an SGCC participant and its certified products will not appear in the CPD.

## G.15

In the situation where a licensee desires to recertify a product that previously had certification removed because of failure to comply with the specifications (label and thickness tolerances excepted), the product shall be routinely sampled four times during the first year. The costs involved shall be paid by the licensee.

## G.16

The nominal thickness designations in SGCC authorized permanent labels for safety glazing materials may be shown in metric units. The thickness will be expressed in millimeters, limited to two decimal places, and will have the suffix "mm."

## G.17

All safety glazing materials that are not symmetrical from surface to surface shall be impacted two specimens on one side and two specimens on the other side except as noted in Guideline G.27. (Revised 4/21/94)

## G.18

Certified and permanently labeled safety glazing materials such as laminated glass, wired glass, rigid plastic or organic coated glass may be cut into smaller pieces by a distributor or installer after manufacture and it is not practical for each such smaller piece to bear a manufacturer's permanent label when finally installed in a building. When this is the case, then the distributor or installer shall apply a permanent label to each piece, which states his name and certifies that he cut the piece from material that was properly labeled in accordance with the requirements of SGCC.

For the purpose of this guideline, a permanent label is defined as one that will remain permanently legible and would be destroyed in attempts to remove it from the product.

## G.19 (Deleted 10/20/89)

## G.20

For certification purposes, a panel of glazing material composed of multiple components (such as leaded glass) may be tested and interpreted as a unit.

## G.21

A preissued SGCC certification number shall be issued by the administrator upon receipt of a properly executed license agreement and a properly executed bond form in the amount of \$10,000. The preissued SGCC certification number, if not used by the licensee, will be terminated twelve months from the date of issue. The condition of the bond is such that if the licensee does not label any safety glazing material with the preissued certification number prior to formal certification then the bond shall be void.

## G.22

In the case of wired glass (ANSI ONLY), plastics and organic coated glass certification of a patterned product may be extended to cover other patterns provided:

- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 and/or 16 CFR 1201 for each alternate pattern proposed.
- c) The certification committee is provided with a 6 by 6-inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification covering patterned products, any such patterns available may be selected by the administrator for routine sampling and testing.

In the case where a routine evaluation sample covered under a blanket certification fails to comply with the specifications the situation requires that particular product be submitted for the retest sample required by Guideline G.11a and also that particular product be sampled by the administrator for the additional sample required by Guideline G 11b.

## G.23

There may be instances when a production facility is temporarily inoperative. This could be caused by, but not limited to, equipment repair or replacement, labor difficulties, energy or material shortages or economic considerations. As a consequence, samples for routine testing may not be available for long periods. The licensee may desire to retain certification during the shutdown period. This shall be done as follows:

- a) Prior to or within 2 weeks after the shutdown, the licensee shall inform the SGCC administrator by certified mail.
- b) The SGCC administrator will immediately supply the licensee with test release bond forms for submission by the licensee. A separate bond shall be submitted for each certified product affected.
- c) Within 2 weeks after receipt of the bond forms, the licensee shall submit them to the SGCC administrator.
- d) During the period covered by the bond the licensee shall retain certification, contingent upon payment of normal certification fees and meeting all other licensee obligations. Bonds will terminate 90 days after acceptance by SGCC but may be renewed by the licensee any number of times. Renewal is an obligation of the licensee and requires all steps listed herein.
- e) Within one week after re-activation of the production facility the licensee shall 1) notify the SGCC administrator by certified mail and 2) submit samples from the first weeks production to an SGCC approved laboratory for testing. In cases where more than one certified product is produced with the same equipment, samples of each must be furnished for testing within the first month. These will be considered as the routine samples for retesting for the six months period during which they are submitted.
- f) Failure of the licensee to comply with any of the preceding shall be the basis for removal of certification from the affected products.

## G.24

When a licensee's production equipment will not produce a size of 34 by 76 inches and the licensee wishes to certify a) a size whose smaller dimension exceeds 34 inches, material shall be tested whose smaller dimension is 34 inches or b) a size whose larger dimension exceeds 76 inches, material shall be tested whose larger dimension is 76 inches.

## G.25 (ANSI ONLY)

When a licensee specifically and voluntarily desires to use a SGCC permanent label on their product that denotes compliance with ANSI Z97.1-1966, ANSI Z97.1-1972, ANSI Z97.1-1975, and ANSI Z97.1-1984 or combination thereof, that they notify SGCC in writing of the certified item that they desire to so mark. SGCC will, at the request of the licensee, conduct compliance tests to ANSI Z97.1-1966, ANSI Z97.1-1972, ANSI Z97.1-1975 and ANSI Z97.1-1984 or combination thereof. A single set of four test specimens will be impacted to determine impact test requirements of all standards. Upon successful completion of compliance tests the safety glazing materials are permanently labeled and listed in the SGCC certified products directory as having met the requirements of 1966, 1972, 1975 and 1984 versions or combination thereof the ANSI Z97.1 standard. Any costs involved shall be paid by the licensee.

## G.26

Any label that can be removed intact shall not be considered permanent and is not acceptable to SGCC.

## G.27

A licensee, by executing a supplementary license agreement, can elect to be in both ANSI Z97.1-1984 and 16 CFR 1201 programs under one SGCC number provided the licensee submits four specimens to be impact tested to ANSI Z97.1-1984 and one specimen to be impact tested to 16 CFR 1201 (all safety glazing materials that are not symmetrical from surface to surface, shall be impacted one specimen on one side and one specimen on the other side for 16 CFR 1201). If any one specimen of the composite sample fails, the entire composite sample will be considered to have failed to comply with both specifications.

## G.28

The administrator shall construe noncompliance with thickness tolerance as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.

## G.29

For the purposes of certification, the thickness requirements of Specification ASTM C1036 shall apply.

## G.30

For certification purposes, the minimum thickness shall be 0.092 and the maximum thickness shall be 0.108 inches for 0.100 inch glass.

## G.31

For certification purposes, the nominal thickness of single strength patterned glass shall be 0.094 inches and thickness tolerances shall be plus 0.047 inches and minus 0.015 inches.

## G.32 (CPSC ONLY)

When testing to category II requirements, the administrator shall select specimens greater than 9 square feet in surface area.

## G.33

If a manufacturing plant for which a product is certified is sold by the licensee, the new owner must take the following steps to maintain certification:

- a) Notify the administrator in writing of the sale as soon as possible (and in no event, later than 60 days) after the sale;
- b) Execute a new license agreement, if the new owner is not already a licensee; and
- c) Exercise the option of maintaining the original owners SGCC number(s) or requesting new numbers. If the new owner chooses to keep the existing number(s), the logo on the certified product must clearly distinguish it from the previous owner's.

The administrator shall arrange for the next routine sampling to take place within 6 months of the sale. If the plant is temporarily inoperative in connection with the sale, the provisions of G.23 shall also apply.

## TEMPERED TRANSPARENT GLASS

## T.1

Certification of either flat glass or patterned glass will not cover the other except as noted in Guideline T.2. (Flat glass designates ground and polished plate, float and sheet glass.) When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

## T.2

polished plate glass and the rough glass blank from which it is produced will be considered to be of equal nominal thickness. Certification of tempered flat glass will therefore be interpreted as including tempered rough plate blank.

## T.3

Certification of regular tempered glass will also cover tinted, heat absorbing, and coated glasses of the same nominal thickness where the coating does not alter substantially the post-breakage behavior of the glass substrate. A "substantial alteration" is one that would render the coated tempered glass in non-conformance with the applicable safety glazing standards. Glasses of the same nominal thickness with a ceramic or other material applied as a continuous or partial coating to one or more surfaces are also covered. (Modified 04/02/92)

## T.4

In cases where certified glass is normally not available for sampling, the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available, the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

## T.5

Certification of any nominal thickness of tempered safety plate, float or sheet glass will also cover the other two types. ANSI Z97.1-1984 and 16 CFR 1201 do not require the permanent label on tempered safety glass to specify which type of glass is used. Nor is it required that the test specimens be identified in this regard.

## T.6

Prototype test shall be conducted on bent specimens sampled from normal production run. The specimen size shall have a surface area of at least 50 percent of the maximum size for which certification is desired. Routine tests will be performed on bent specimens. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side of the curved edges. Impact shall be on the convex surface.



**TEMPERED PATTERNED GLASS****TP.1**

For the purposes of certification, the nominal thickness of patterned, figured, or rough rolled glass are the common fractions found in ASTM C1036. The permanent label must contain this fraction or a metric or decimal dimension within the tolerance of this thickness as published in ASTM C1036. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

The patterns in each thickness will be classified as to the ratio of minimum to maximum thickness as follows:

Patterned depth class	Ratio
Shallow patterned glass	0.90 or above
Medium patterned glass	0.80 through 0.89
Deep patterned glass	0.79 or below

Certification will be by nominal thickness and patterned depth class. Any pattern in a certified thickness and patterned depth class is certified.

New or unlisted patterns must be submitted to the pattern subcommittee for classification and file, prior to certification. After measurement, the new pattern will be assigned to a patterned depth class.

Certification of deep also covers medium and shallow patterns of the same nominal thickness.

Certification of medium also covers shallow patterns of the same nominal thickness.

**TP.2**

The maximum thickness shall be recorded when measuring the thickness of patterned glass.

**TP.3**

For tempered patterned glass, one specimen must be weighed and the weight of ten square inches determined from the weight, width and height of that specimen to use for test purposes.

**TP.4**

For certification purposes, the nominal thickness of 210 tempered patterned glass shall be 0.210 inches and thickness tolerances shall be plus 0.031 inches and minus 0.016 inches.

**TP.5**

When medium patterned glass is not available for routine sampling, the licensee submitted specimens must be a medium pattern (a shallow pattern is not acceptable).

**TP.6**

When deep patterned glass is not available for routine sampling, the licensee submitted specimens must be a deep pattern (shallow or medium patterns are not acceptable).

**LAMINATED GLASS****L.1**

Certification of regular laminated glass will also cover tinted, heat absorbing and coated glasses, and clear or tinted interlayer, both flat and bent of the same nominal thickness. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93)

**L.2**

In cases where certified laminated glass is normally not available for sampling the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

**L.3**

Certification of 7/32 inch laminated glass also covers SS/DS and vice versa.

**L.4**

When a laminated glass is certified, other laminated glasses having the same thickness or thicknesses of glass and a greater thickness of plastic interlayer will be considered to be of equal nominal thickness and will be included in the certification.

**L.5**

Laminated safety glass need not be identified by type of base glass.

## L.6

Thickness of the plastic interlayer shall be measured by the SGCC standard method.

## L.7

For certification purposes the following thickness tolerances shall be used. Thickness tolerance shall apply only to the overall thickness. The plus tolerance shall be the sum of all the individual plus tolerances of each layer of the laminate. The minus tolerance shall be the sum of all of the individual minus tolerances of each layer of the laminate.

The tolerance of the plastic sheet interlayer shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.002 and a minus tolerance of 0.004 inches.

The tolerance of resin cast interlayers shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.015 and a minus tolerance of 0.005 inches. (Revised 3/16/90)

## L.8

When a laminated annealed glass is certified, other laminated glasses having the same thickness or thicknesses of heat strengthened or tempered glass and the same or greater thickness of plastic interlayer of the same chemical composition will be considered to be included in the certification.

## L.9

When laminated glass is not available for routine sampling, the licensee submitted specimens must contain the identical thickness plastic interlayer that was contained in the prototype specimens.

**WIRED GLASS (ANSI ONLY)**

## W.1

Certification of one polished wired glass may be applied to other polished wired glasses provided:

- a) The glass thickness of the candidate glass is nominally equal to the thickness of the glass that is certified.
- b) The wire diameter of the candidate glass is at least as great as the wire diameter in the glass that is certified.
- c) The spacing of the wires in the candidate glass is no greater than the spacing of the wires in the glass that is certified.
- d) SGCC has been presented with a test report indicating compliance of the candidate glass with the impact test requirements of ANSI Z97.1-1984.

After admission under the blanket certification covering wired glasses all wired glasses so certified must be exposed to random sampling at each examination although only one will probably be selected for testing.

**PLASTICS - GENERAL (ANSI Only)**

## P.1

Certification of one tint or color of rigid plastic will also cover other tints, colors, flat configurations or bent and formed configurations.

## P.2

For certifying all plastics covering a range of thicknesses, prototype impact tests are required of the minimum thickness and also of the maximum thickness (except that 0.250 inch thickness would be tested if the maximum thickness exceeds 0.250 inches). Only one certification number will be issued and shall be marked upon all thicknesses. Routine evaluation samples are to be selected by the administrator from any of the certified thicknesses.

## P.3

The following thickness tolerances shall be used for certification purposes:

Outdoor use plastic materials Categories C-1 and C-2 cast Acrylic; (including continuously cast sheet): As specified in ASTM-D4802-88, Table 2 and Table 3.

Outdoor use plastic materials Categories M-1 and M-2 extruded Acrylic: As specified in ASTM-D4802-88 Table 2 plus or minus 5%.

Outdoor use plastic materials extruded polycarbonate: As specified in Military Specification MIL-P-46144, latest issue.

Indoor use plastic materials plus or minus 5% of nominal thickness.

P.4

The maximum thickness shall be recorded when measuring the thickness of patterned plastics.

P.5

Certification of either smooth plastic or patterned plastic will not cover the other.

**PLASTICS - EXTERIOR USE (ANSI Only)**

PE.1 (ANSI ONLY)

Sheet plastics for exterior use must comply with the applicable specification.

PE.2

Certification of plastics for exterior use shall be permitted prior to completion of ANSI Z97.1-1984 weathering tests (paragraph 5.3) provided that a considered expert opinion states that the infrared spectrogram indicates that the plastic is an acrylic or UV inhibited polycarbonate of proven weatherability. Certification shall be removed if compliance with the weathering test is not demonstrated within six months of the certification date.

PE.3

For all plastics requiring UV weathering tests an infrared spectrogram shall be obtained of all prototype weathering specimens. An infrared spectrogram shall be obtained of all routine evaluation samples and shall be compared with that of the prototype in lieu of conducting weathering test. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

PE.4

When initial Charpy unnotched specimens do not break, then notched specimens shall be used for both initial and exposed Charpy impact testing. The specimens shall be notched prior to UV exposure and the notched surface shall be exposed to the UV.

**PLASTICS - INDOOR USE ONLY (ANSI Only)**

PI.1

Sheet plastics used in indoor applications only do not have to comply with paragraph 5.3 of ANSI Z97.1-1984 (UV Weathering), but must comply with paragraph 5.4.

PI.2

The permanent label authorized by SGCC must include "Indoor Use Only."

PI.3

For all indoor plastics requiring aging tests, an infrared spectrogram shall be obtained of all prototype aging specimens. An infrared spectrogram shall be obtained of all routine re-evaluation samples and shall be compared with that of the prototype in lieu of conducting aging tests. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

**LEADED PATTERNED ANNEALED GLASS - (ANSI ONLY)**

LG.1

Certification of one leaded patterned glass (annealed) may be extended to cover other patterns (on the glass surface) provided:

- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 for each alternate pattern proposed.
- c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.
- d) After admission under blanket certification covering leaded patterned glass (annealed), any such patterns available may be selected by the administrator for routine sampling.

## LG.2

Certification of one diamond shaped leaded patterned glass (annealed) may be extended to cover other sizes of diamonds provided:

- a) All aspects of the product except diamond size is the same as the certified product.
- b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1984 for each alternate size diamond proposed.
- c) The certification committee is provided with a 6 by 6 inch or a proper and representative sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification, any such size diamond available may be selected by the administrator for routine testing.

## LG.3

For leaded diamond patterned glass (annealed) the tolerance for diagonal came center dimensions shall be plus or minus 12 percent.

Prototype samples must have diagonal came center dimensions 10 percent greater than nominal. Diamond size listed in the certified products directory shall be nominal dimensions.

## ORGANIC COATED GLASS

## AG.1

Thickness of the applied plastic coating shall be measured by the SGCC standard method. When testing to the impact test criteria in 16 CFR 1201.4(a)(1), four specimens shall be tested or as noted in guideline G.27. (Revised 10/22/93). For Organic Coated - Hybrid, reference memorandum 940329-1.

## AG.2

The SGCC authorized permanent label, which complies with Guideline G.26 must be imprinted upon or applied to a surface of the plastic for all plastic coated annealed glasses.

## (ANSI ONLY)

Prototype test shall be conducted on bent specimens of the surface area at least 50 percent of the maximum size for which certification is desired. Routine tests may be conducted on flat or bent specimens. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side for the curved edges. Two specimens shall have organic coating on the concave surface and two on the convex surface. Impact shall be on the convex surface.

**SGCC LABEL REQUIREMENTS****GENERAL**

Unless the SGCC certification label is permanently affixed to each piece of safety glazing material, it is not covered by the SGCC certification program.

The permanent labels illustrated elsewhere in this certified products directory are examples of some of those found on safety glazing materials certified by SGCC.

The permanent label must contain the correct SGCC number, ANSI Z97.1-1984 and/or 16 CFR 1201 (and category), the nominal thickness, and the letter U or L indicating certified size.

For labeling purposes, a line of demarcation shall separate those specifications covered by the SGCC number from any other specifications the licensee may wish to reference.

For purposes of Guideline G.6 "SGCC-xxx/yyy" shall be the only correct designation other than "SGCC-xxx" and "SGCC-yyy" when an identical item is in both the ANSI and CPSC programs per the following examples:

**EXAMPLES:**

ANSI Z97.1-1984  
16 CFR 1201 II  
SGCC-123/691 1/4 U

ANSI Z97.1-1984 SGCC - 123 1/4 U  
16 CFR 1201 II SGCC-691

The permanent label must be affixed to certified products only at the time and place of manufacture.

The permanent label must be affixed only to safety glazing materials, of the licensee's own manufacture, which are certified in the SGCC certification program.

The permanent label must not be sold, transferred or otherwise disposed of in any manner other than being affixed to the licensee's certified production.

The permanent label must not be affixed to any product from which certification has been withdrawn or which is produced with a process basically different from the one used to manufacture the initial or prototype samples.

**ANSI (ONLY)**

"After having successfully passed the appropriate tests, like products and materials produced in the same manner as samples submitted per test shall be legibly and permanently marked in one corner with.....the characters "ANSI Z97.1-1984 - INDOOR USE ONLY" and shall be marked also with the manufacturer's distinctive mark or designation." Quoted from ANSI Z97.1-1984.

"Organic-coated glass materials shall be permanently marked on the organic coating with a label, including the phrase, "GLAZE THIS SIDE IN" to indicate to the installer, inspector or user which side of the organic-coated glass should be exposed to the elements if there is a specific side that should be exposed." Quoted from ANSI Z97.1-1984.

**CPSC (ONLY)**

"Any glazing material that for accelerated environmental durability tests meets only the requirements of 1201.4 (e)(ii)(c) entitled "Plastic (indoor service)" shall bear the statement "INDOOR USE ONLY" as a part of the permanent label." Quoted from 16 CFR 1201.

"Organic-coated glass that has been tested for environmental exposure from one side only must bear a permanent label on the coating stating "GLAZE THIS SIDE IN" and shall bear in the central 50 percent of the surface in letters at least 1/4" inch high: "SEE PERMANENT LABEL FOR IMPORTANT MOUNTING INSTRUCTIONS." The latter message shall be attached to either side of the glazing by any means which shall ensure the message will remain in place until installation." Quoted from 16 CFR 1201.



**CPS ACT LABELING REQUIREMENTS**

The following information is provided for the guidance of the licensee and is not a requirement of the SGCC certification program.

The Consumer Product Safety Act defines a private labeler and permits private labeling as long as a manufacturer is identified, which can be in code. A "private labeler" means an owner of a brand or trademark on the label of a consumer product which bears a private label.

Per CPSC Advisory Opinion, dated April 12, 1984, a label on the material or product is acceptable as a certificate of compliance meeting the requirements of the CPSC if the label contains the same information required of a certificate of compliance. This information must include the date of manufacture, the place of manufacture, and the name of the manufacturer, importer, or private labeler. The certificate of compliance may also be a separate document which accompanies the material or product or is otherwise furnished to each distributor or retailer.

With respect to the CPSC requirement that the certificate of compliance name the manufacturer, a label meets that requirement if it includes a suitable identification of the manufacturer of the product (unless the product bears a private label), in which case it shall identify the private labeler and shall also contain a code mark which shall permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.

As set forth in SGCC certification guideline G.5, the SGCC number designates the name of the licensee and also the location of the manufacturing plant; however, it does not designate the date of manufacture.

CLASSIFIED TEMPERED GLASS PATTERNS1/8 inch shallow

(01) P-516	(02) Luxlite	(03) Factrolite	(09) Spraylite	(32) Muralex
(34) Velvex	(36) Ribbed	(37) Aquatex	(38) Finetex	(39) Industrex
(82) Pattern 62	(83) Pointex	(86) Showerlite	(87) Heliolite	(117) Solatex
(120) Sunadex	(147) Solatex I	(150) Solatex II	(168) Pattern 50	(170) Crepe

1/8 inch medium

(04) Rattan	(05) Cotswold	(06) Patchwork	(07) Burlap	(08) Smooth Rough
(11) Flemish	(31) Skytex	(33) Seashell	(35) Flax	(52) Pattern 73
(56) Syenite	(57) Pattern 229	(154) Rain	(160) Model 10	(163) Model 11
(164) Model 12	(165) Spotswood	(167) Leaf		

1/8 inch deep

(10) Autumn

5/32 inch shallow

(59) Luxlite	(60) Factrolite	(64) Spraylite	(70) Muralex	(72) Velvex
(74) Ribbed	(75) Aquatex	(76) Finetex	(81) Pattern 6	(88) Pattern 100
(118) Solatex	(121) Sunadex	(123) P-516	(124) Heliolite	(126) Pattern 62
(127) Mistrion Ace	(128) Showerlite	(148) Solatex I	(151) Solatex II	(153) Flax
(156) Clar 104	(157) Model 10	(158) Pontilhado	(161) Model 11	(162) Model 12

5/32 inch medium

(61) Cotswold	(62) Burlap	(63) Smooth Rough	(66) Flemish	(69) Skytex
(71) Seashell	(73) Flax	(77) Pattern 73	(78) Syenite	(79) Pattern 229
(80) Pattern 76	(130) Cathedral	(146) Pattern 28	(155) Rain	

5/32 inch deep

(65) Autumn	(67) Oceanic	(68) Roundel	(173) Fluted
-------------	--------------	--------------	--------------

3/16 inch shallow

(50) Pattern 62	(51) P-516	(54) Showerlite	(116) Heliolite	(119) Solatex
(122) Sunadex	(125) Spraylite	(131) Industrex	(132) Velvex	(133) Aquatex
(134) Pattern 100	(135) Pattern 6	(136) Burlap	(137) Factrolite	(138) Satinlite
(139) Pluralite	(140) Flax	(141) Skytex	(142) Chinchilla	(149) Solatex I
(152) Solatex II	(159) Model 10	(171) Crepe	(172) Pebble	

3/16 inch medium

(58) Pattern 76	(143) Seashell	(144) Syenite	(145) Flemish
-----------------	----------------	---------------	---------------

3/16 inch deep

(12) Oceanic	(13) Roundel	(41) Lozenge	(174) Krystal Flutes
--------------	--------------	--------------	----------------------

210 inch shallow

(89) Velvex	(90) Muralex	(91) Industrex	(92) Aquatex	(93) Pattern 100
(94) Pattern 6	(95) Pattern 62	(96) Spraylite	(97) Burlap	(98) Factrolite
(99) Satinlite	(100) Luxlite	(101) J-3	(102) P-516	(103) Smooth Rough
(105) Cascade	(106) Pluralite	(108) Flax	(110) Skytex	(115) Chinchilla
(166) Sportswood				

210 inch medium

(107) Seashell	(109) Beadex	(111) Syenite	(112) Flemish	(113) Textured Linex
----------------	--------------	---------------	---------------	----------------------

210 inch deep

(104) Lozenge	(114) Broadlite
---------------	-----------------

7/32 inch shallow

(14) Velvex	(15) Muralex	(16) Industrex	(17) Aquatex	(18) Pattern 100
(19) Pattern 6	(20) Pattern 62	(21) Spraylite	(22) Burlap	(23) Factrolite
(24) Satinlite	(25) Luxlite	(26) J-3	(27) P-516	(28) Smooth Rough
(30) Cascade	(42) Pluralite	(44) Flax	(46) Skytex	(55) Textured Plate
(84) Chinchilla	(129) Orange Peel			

7/32 inch medium

(43) Seashell	(45) Beadex	(47) Syenite	(48) Flemish	(49) Textured Linex
---------------	-------------	--------------	--------------	---------------------

7/32 inch deep

(29) Lozenge	(53) Boardlite
--------------	----------------

1/4 inch shallow

(169) P-516

*not 7/32 inch*

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
12 Virginia Glass Products	949 AFG Industries	1318 Guardian Industries - ANSI
14 Virginia Glass Products	955 AFG Industries	1332 Gemtron - Sweetwater
24 AFG Industries	968 Guardian Industries - ANSI	1334 Gemtron - Sweetwater
28 AFG Industries	969 Guardian Industries - ANSI	1355 Guardian Fabrication - ANSI
40 Guardian Industries - ANSI	970 Guardian Industries - ANSI	1356 Guardian Fabrication - ANSI
54 Hamilton Glass Products	971 Guardian Industries - ANSI	1357 Guardian Fabrication - ANSI
57 Hamilton Glass Products	999 Anglass Industries - ANSI	1358 Guardian Fabrication - ANSI
64 PPG Industries	1000 Anglass Industries - ANSI	1359 Guardian Fabrication - ANSI
89 AFG Industries	1035 Shaw Glass Co Inc	1369 U S Precision Glass
90 AFG Industries	1036 Shaw Glass Co Inc	1370 U S Precision Glass
93 Virginia Glass Products	1037 Shaw Glass Co Inc	1371 U S Precision Glass
94 Virginia Glass Products	1039 Tempglass Group, Inc	1372 U S Precision Glass
95 Virginia Glass Products	1041 Ardco, Inc	1381 North American Glass Inds Inc
118 Flex-O-Glass, Inc - ANSI	1042 Ardco, Inc	1382 North American Glass Inds Inc
131 Guardian Industries - ANSI	1050 U S Precision Glass	1383 North American Glass Inds Inc
185 U S Precision Glass	1073 Interpane Glass Company	1384 North American Glass Inds Inc
186 U S Precision Glass	1074 Interpane Glass Company	1385 Hamilton Glass Products
188 U S Precision Glass - ANSI	1075 Interpane Glass Company	1386 Hamilton Glass Products
220 AFG Industries	1076 Interpane Glass Company	1387 Hamilton Glass Products
249 PPG Industries	1077 Interpane Glass Company	1388 U S Precision Glass - ANSI
250 PPG Industries	1107 ACI Distribution - ANSI	1390 AFG Industries
295 PPG Industries	1108 ACI Distribution - ANSI	1394 Guardian Fabrication - ANSI
300 Guardian Fabrication - ANSI	1110 PPG Industries	1403 Viracon, Inc
328 U S Precision Glass - ANSI	1111 PPG Industries	1404 Viracon, Inc
382 PPG Industries - ANSI	1112 PPG Industries	1405 American Flat Glass Distrib
400 ACI Distribution	1113 PPG Industries - ANSI	1406 American Flat Glass Distrib
402 ACI Distribution	1139 AFG Industries	1414 AFG Industries
458 Guardian Industries - ANSI	1143 AFG Industries	1415 American Flat Glass Distrib
471 Guardian Fabrication - ANSI	1157 ACI Distribution	1416 Nashville Tempered Glass
487 Guardian Industries - ANSI	1161 Guardian Industries - ANSI	1417 Nashville Tempered Glass
514 Downey Glass Co	1179 ACI Distribution	1420 Tempglass Group, Inc
515 Downey Glass Co	1200 Hamilton Glass Products	1422 Gemtron - Sweetwater
516 Downey Glass Co	1201 Gemtron - Sweetwater	1424 Gemtron - Sweetwater
520 Anglass Industries - ANSI	1216 Guardian Fabrication - ANSI	1428 American Flat Glass Distrib
587 AFG Industries	1225 ACI Distribution - ANSI	1436 AFG Industries
592 Tempglass Group, Inc	1230 American Flat Glass Distrib	1441 North American Glass Inds Inc
594 Tempglass Group, Inc	1231 American Flat Glass Distrib	1452 U S Precision Glass
595 Tempglass Group, Inc	1232 American Flat Glass Distrib	1453 Sunbelt Glass, Inc
598 AFG Industries	1235 Guardian Fabrication - ANSI	1454 Sunbelt Glass, Inc
630 Downey Glass Co	1248 Guardian Industries - ANSI	1455 Sunbelt Glass, Inc
631 Guardian Industries - ANSI	1249 Guardian Industries - ANSI	1456 Sunbelt Glass, Inc
633 Guardian Industries - ANSI	1250 Guardian Industries - ANSI	1457 Sunbelt Glass, Inc
640 ACI Distribution	1251 Guardian Industries - ANSI	1458 The Glass Factory
654 U S Precision Glass - ANSI	1253 Guardian Industries - ANSI	1459 The Glass Factory
662 Guardian Fabrication - ANSI	1281 U S Precision Glass	1460 The Glass Factory
675 PPG Industries	1282 Guardian Inds Corp-Lewis**wn	1461 The Glass Factory
676 PPG Industries	1286 U S Precision Glass	1462 Guardian Industries - ANSI
678 Downey Glass Co	1287 U S Precision Glass	1463 Guardian Industries - ANSI
862 Tempered Glass, Inc	1301 Guardian Industries - ANSI	1464 Guardian Industries - ANSI
863 Tempered Glass, Inc	1303 Guardian Industries - ANSI	1467 Nashville Tempered Glass
865 Tempered Glass, Inc	1304 Guardian Industries - ANSI	1476 Viracon, Inc
866 Tempered Glass, Inc	1308 TRACO (Three Rivers Alum.)	1477 Gemtron - Sweetwater
933 Guardian Industries - ANSI	1310 TRACO (Three Rivers Alum.)	1485 AFGD FPD
934 Guardian Industries - ANSI	1311 TRACO (Three Rivers Alum.)	1486 AFGD FPD
935 Downey Glass Co	1316 Guardian Inds Corp-Lewis**wn	1489 AFGD FPD

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
1495 ACI Distribution	1603 PPG Industries	1702 AFG Industries Inc
1496 ACI Distribution	1604 PPG Industries	1703 AFG Industries Inc
1497 ACI Distribution	1605 PPG Industries	1704 AFG Industries Inc
1498 ACI Distribution	1606 PPG Industries	1705 AFG Industries Inc
1508 Viracon, Inc	1607 Guardian Fabrication - ANSI	1708 American Flat GLass Dist
1509 Viracon, Inc	1608 Downey Glass Co	1709 American Flat GLass Dist
1518 American Flat Glass Distrib	1609 Downey Glass Co	1710 American Flat GLass Dist
1519 American Flat Glass Distrib	1611 Downey Glass Co	1711 American Flat GLass Dist
1520 American Flat Glass Distrib	1616 Guardian Fabrication - ANSI	1712 American Flat GLass Dist
1521 American Flat Glass Distrib	1617 Sunbelt Glass, Inc	1713 American Flat GLass Dist
1522 American Flat Glass Distrib	1618 Sunbelt Glass, Inc	1714 American Flat GLass Dist
1523 American Flat Glass Distrib	1624 AFG Industries	1715 U S Precision Glass
1526 Arch Tempered Glass - ANSI	1627 Guardian Inds Corp-Lewis**wn	1723 Marvin Windows
1527 Arch Tempered Glass - ANSI	1628 Guardian Inds Corp-Lewis**wn	1724 Marvin Windows
1528 Arch Tempered Glass - ANSI	1629 Guardian Inds Corp-Lewis**wn	1728 ACI Distribution - ANSI
1530 Arch Tempered Glass - ANSI	1630 Guardian Industries - ANSI	1737 Guardian Industries - ANSI
1531 Arch Tempered Glass - ANSI	1631 Guardian Industries - ANSI	1744 Tempglass Group, Inc.
1533 North American Glass Inds Inc	1632 Guardian Industries - ANSI	1745 Tempglass Group, Inc.
1535 ACI Distribution	1633 Guardian Industries - ANSI	1746 Tempglass Group, Inc.
1536 North American Glass Inds Inc	1634 Guardian Industries - ANSI	1747 Tempglass Group, Inc.
1546 Floral Glass & Mirror	1635 Guardian Industries - ANSI	1754 All Team Glass & Mirror Ltd
1547 Floral Glass & Mirror	1637 Viracon, Inc	1755 All Team Glass & Mirror Ltd
1548 Floral Glass & Mirror	1638 Northwestern Industries	1756 All Team Glass & Mirror Ltd
1549 Floral Glass & Mirror	1639 Northwestern Industries	1757 All Team Glass & Mirror Ltd
1550 Floral Glass & Mirror	1640 Northwestern Industries	1758 All Team Glass & Mirror Ltd
1551 Floral Glass & Mirror	1641 AFG Industries	1765 Arch Aluminum & Glass Co**
1552 Floral Glass & Mirror	1642 ACI Distribution	1766 Arch Aluminum & Glass Co**
1553 Floral Glass & Mirror	1643 ACI Distribution	1767 Arch Aluminum & Glass Co**
1555 Swift Glass Co., Inc.	1644 ACI Distribution	1768 Arch Aluminum & Glass Co**
1556 Swift Glass Co., Inc.	1645 ACI Distribution	1769 Arch Aluminum & Glass Co**
1557 Swift Glass Co., Inc.	1652 Laminated Glass Corp	1782 All Team Glass & Mirror Ltd
1558 Swift Glass Co., Inc.	1653 D & S Tempered Glass	1784 Perilstein Distributing Corp
1559 Swift Glass Co., Inc.	1654 D & S Tempered Glass	1785 Perilstein Distributing Corp
1562 Arch Tempered Glass - ANSI	1655 D & S Tempered Glass	1786 Perilstein Distributing Corp
1563 Ardco, Inc	1656 D & S Tempered Glass	1787 Perilstein Distributing Corp
1564 Ardco, Inc	1657 D & S Tempered Glass	1788 Perilstein Distributing Corp
1565 Ardco, Inc	1658 D & S Tempered Glass	1789 Perilstein Distributing Corp
1574 Guardian Fabrication - ANSI	1659 D & S Tempered Glass	1790 Perilstein Distributing Corp
1575 Guardian Fabrication - ANSI	1660 D & S Tempered Glass	1791 Four Seasons Solar Products
1576 Guardian Fabrication - ANSI	1661 D & S Tempered Glass	1792 Shaw Glass Co Inc
1577 Guardian Fabrication - ANSI	1663 AFG Industries	1794 AFG Industries
1578 Milgard Tempering Inc	1664 AFG Industries	1795 AFG Industries
1586 Taylor Products, Inc.	1665 Guardian Industries - ANSI	1796 Hoffer's, Inc.
1587 Taylor Products, Inc.	1668 Globe-Amerada	1797 Hoffer's, Inc.
1588 Taylor Products, Inc.	1676 Contour Industries	1798 Hoffer's, Inc.
1589 Taylor Products, Inc.	1677 Contour Industries	1799 SUMMIT WINDOW AND PATIO DOOR
1590 Free State Glass Industries	1678 Contour Industries	1800 SUMMIT WINDOW AND PATIO DOOR
1591 Free State Glass Industries	1680 Contour Industries	1801 SUMMIT WINDOW AND PATIO DOOR
1592 Free State Glass Industries	1682 Arch Tempered Glass - ANSI	1802 SUMMIT WINDOW AND PATIO DOOR
1593 Free State Glass Industries	1683 Guardian Industries - ANSI	1803 Guardian Industries - ANSI
1594 Free State Glass Industries	1689 Marvin Windows	1804 Cardinal TG - CPSC
1595 Hoffer's, Inc.	1690 Marvin Windows	1805 Cardinal TG - CPSC
1596 Hoffer's, Inc.	1691 Marvin Windows	1806 Cardinal TG - CPSC
1597 Hoffer's, Inc.	1699 North American Glass Inds Inc	1807 Cardinal TG - CPSC
1598 Taylor Products, Inc.	1701 Marvin Windows	1808 North American Glass Inds Inc

<u>SGCC NO.</u>	<u>SGCC NO.</u>	<u>SGCC NO.</u>
1809 North American Glass Inds Inc	1885 Guardian Walled Lake Fab**	1947 Guardian Inds Corp-Lewis**wn
1826 Guardian Industries - ANSI	1886 Guardian Inds Corp-Lewis**wn	1949 Viracon Inc
1827 Cardinal IG - CPSC	1888 PFG Toughened Glass	1950 Viracon, Inc
1828 Cardinal IG - CPSC	1889 Commercial Insulating Glass Co	1951 Ardco, Inc
1829 Cardinal IG - CPSC	1890 Commercial Insulating Glass Co	1952 Ardco, Inc
1830 Cardinal IG - CPSC	1891 Commercial Insulating Glass Co	1953 SAFTI
1831 Cardinal IG - CPSC	1892 Commercial Insulating Glass Co	1954 SAFTI
1832 Cardinal IG - CPSC	1894 Commercial Insulating Glass Co	1955 American Flat Glass Dist
1833 Cardinal IG - CPSC	1895 Arch Tempered Glass - ANSI	1956 American Flat Glass Dist
1834 Cardinal IG - CPSC	1901 Efco Corp	1957 American Flat Glass Dist
1835 Arch Tempered Glass - ANSI	1902 Efco Corp	1958 American Flat Glass Dist
1841 Cardinal IG - CPSC	1908 Coraglass Inc	1959 American Flat Glass Dist
1842 Cardinal IG - CPSC	1909 Coraglass Inc	1960 American Flat Glass Dist
1843 Cardinal IG - CPSC	1910 Coraglass Inc	1961 American Flat Glass Dist
1844 Cardinal IG - CPSC	1911 Coraglass Inc	1962 Coraglass Inc
1845 Cardinal IG - CPSC	1912 PFG Toughened Glass	1963 Coraglass Inc
1846 Cardinal IG - CPSC	1913 PFG Toughened Glass - ANSI	1964 Coraglass Inc
1847 Colonial Mirror & Glass Corp	1914 Architectural Safety Glass	1965 D & S Tempered Glass
1848 Colonial Mirror & Glass Corp	1915 Mirror Factory Inc	1966 Guardian Inds Canada Cor**
1854 U S Precision Glass	1919 ACI Distribution	1967 American Flat Glass Distrib
1855 Arch Tempered Glass - ANSI	1921 Cardinal CG - CPSC	1968 Gardner Mirror Corporation
1861 ACI Distribution	1922 Cardinal CG - CPSC	1969 Tempglass Group, Inc.
1862 Hoffer's, Inc.	1923 Cardinal CG - CPSC	1970 Westshore Glass
1864 Sovis S A	1924 Cardinal CG - CPSC	1971 Westshore Glass
1865 Guardian Industries - ANSI	1925 AFG Industries	1972 Westshore Glass
1866 Guardian Inds Corp-Lewis**wn	1929 Colonial Mirror & Glass Corp	1973 Westshore Glass
1867 Guardian Inds Corp-Lewis**wn	1931 Gardner Mirror Corporation	1974 Westshore Glass
1868 Guardian Inds Corp-Lewis**wn	1932 Gardner Mirror Corporation	1975 Westshore Glass
1870 Sunbelt Glass, Inc	1933 Gardner Mirror Corporation	1979 Sterling Plumbing Group
1871 Shaw Glass Co Inc	1934 Gardner Mirror Corporation	1980 Sterling Plumbing Group
1872 Canadian Insul-Glass Corp	1935 Gardner Mirror Corporation	1981 Sterling Plumbing Group
1873 Canadian Insul-Glass Corp	1936 Gardner Mirror Corporation	1982 Sterling Plumbing Group
1874 Canadian Insul-Glass Corp	1937 Gardner Mirror Corporation	1983 Sterling Plumbing Group
1875 Canadian Insul-Glass Corp	1938 Sovis S A	1984 Sterling Plumbing Group
1879 Laminated Glass Corp	1939 Shaw Glass Co Inc	1992 Sovis S A
1880 Laminated Glass Corp	1940 Romag Security Laminators Inc	1993 TECNOGLASS
1881 Laminated Glass Corp	1941 Vegla Vereinigte Glaswerke	1994 TECNOGLASS
1882 Guardian Industries - ANSI	1942 Vegla Vereinigte Glaswerke	1995 TECNOGLASS
1883 Viracon Inc	1945 AFGD FPD	
1884 Viracon Inc	1946 Guardian Inds Corp-Lewis**wn	



SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>ACI DISTRIBUTION; GREENSBORO, NC</b>					<b>AFG INDS INC; SPRING HILL, KS</b>				
1642	3/16	( 5.0)	TTG	U	1702	1/8	( 3.0)	TTG	U
1643	1/4	( 6.0)	TTG	U	1703	5/32	( 4.0)	TTG	U
1644	3/8	(10.0)	TTG	U	1704	3/16	( 5.0)	TTG	U
1645	1/2	(12.0)	TTG	U	1705	1/4	( 6.0)	TTG	U
<b>ACI DISTRIBUTION; DALLAS, TX</b>					<b>AFGD, DIVISION OF AFG INDS. LTD.; CONCORD, ONTARIO, CANADA</b>				
1107	3/8	(10.0)	TTG	U	1485	1/8	( 3.0)	TTG	U
1108	1/2	(12.0)	TTG	U	1486	5/32	( 4.0)	TTG	U
1225	3/4	(19.0)	TTG	U	1945	3/16	( 5.0)	TTG	U
1728	3/16	( 4.8)	TPG(S)	U	1489	1/4	( 6.0)	TTG	U
<b>ACI DISTRIBUTION; DALLAS, TX</b>					<b>ALL TEAM GLASS &amp; MIRROR LTD; WOODBRIDGE, ONTARIO, CANADA</b>				
1919	1/8	( 3.0)	TTG	U	1754	5/32	( 4.0)	TTG	U
400	3/16	( 5.0)	TTG	U	1755	3/16	( 5.0)	TTG	U
402	1/4	( 6.0)	TTG	U	1756	1/4	( 6.0)	TTG	U
<b>ACI DISTRIBUTION; SANTA CLARA, CA</b>					1757	3/8	(10.0)	TTG	U
1496	1/4	( 6.0)	TTG	U	1758	1/2	(12.0)	TTG	U
1497	3/8	(10.0)	TTG	U	<del>1782</del>	<del>3/4</del>	<del>(19.0)</del>	<del>TTG</del>	<del>U</del>
1498	1/2	(12.0)	TTG	U	<b>AMERICAN FLAT GLASS DIST; ALVARADO, TX</b>				
<del>1495</del>	<del>7/32</del>	<del>( 5.6)</del>	<del>TPG(S)</del>	<del>U</del>	1708	1/8	( 3.0)	TTG	U
<b>ACI DISTRIBUTION; SANTA FE SPRINGS, CA</b>					1709	3/16	( 5.0)	TTG	U
1157	3/16	( 5.0)	TTG	U	1710	1/4	( 6.0)	TTG	U
1535	1/4	( 6.0)	TTG	U	1711	3/8	(10.0)	TTG	U
1179	3/8	(10.0)	TTG	U	1712	1/2	(12.0)	TTG	U
640	1/2	(12.0)	TTG	U	1713	5/32	( 4.0)	TPG(S)	U
1861	1/8	( 3.0)	TPG(S)	U	1714	3/16	( 4.8)	TPG(S)	U
<b>AFG INDS INC; BRIDGEPORT, WV</b>					<b>AMERICAN FLAT GLASS DISTRIBUTORS; RICHMOND, VA</b>				
1436	1/8	( 3.0)	TTG	U	<del>1955</del>	<del>1/8</del>	<del>( 3.0)</del>	<del>TTG</del>	<del>U</del>
1624	5/32	( 4.0)	TTG	U	1956	3/16	( 5.0)	TTG	U
1795	3/16	( 5.0)	TTG	U	1957	1/4	( 6.0)	TTG	U
1794	1/4	( 6.0)	TTG	U	1958	3/8	(10.0)	TTG	U
<b>AFG INDS INC; VICTORVILLE, CA</b>					1959	1/2	(12.0)	TTG	U
1664	1/8	( 3.2)	TTG	U	1960	5/32	( 4.0)	TPG(S)	U
1641	5/32	( 4.0)	TTG	U	1961	3/16	( 4.8)	TPG(S)	U
1663	3/16	( 4.8)	TTG	U	<del>2031</del>	<del>3/32</del>	<del>TTG</del>	<del>U</del>	<del>U</del>
1925	1/4	( 6.0)	TTG	U	<b>AMERICAN FLAT GLASS DIST; FALL RIVER, MA</b>				
<b>AFG INDS INC; GREENLAND, TN</b>					1518	1/8	( 3.0)	TTG	U
598	1/8	( 3.0)	TTG	U	1519	3/16	( 5.0)	TTG	U
955	5/32	( 4.0)	TTG	U	1520	1/4	( 6.0)	TTG	U
220	3/16	( 5.0)	TTG	U	1521	3/8	(10.0)	TTG	U
89	1/4	( 6.0)	TTG	U	1522	1/2	(12.0)	TTG	U
90	3/8	(10.0)	TTG	U	1523	3/16	( 4.8)	TPG(S)	U
587	1/8	( 3.2)	TPG(S)	U	<b>AMERICAN FLAT GLASS DIST; MARIETTA, GA</b>				
1139	3/16	( 4.8)	TPG(S)	U	1405	1/8	( 3.0)	TTG	U
<b>AFG INDS INC; KINGSPORT, TN</b>					1967	5/32	( 4.0)	TTG	U
1390	1/8	( 3.0)	TTG	U	1230	3/16	( 5.0)	TTG	U
949	5/32	( 4.0)	TTG	U	1231	1/4	( 6.0)	TTG	U
28	3/16	( 5.0)	TTG	U	1232	3/8	(10.0)	TTG	U
24	1/4	( 6.0)	TTG	U	1406	1/2	(12.0)	TTG	U
1143	3/16	( 4.8)	TPG(S)	U	1428	5/32	( 4.0)	TPG(S)	U
1414	1/8	( 3.2)	TPG(M)	U	1415	3/16	( 4.8)	TPG(S)	U
					<b>ANGLASS INDS INC; SAN FERNANDO, CA</b>				
					520	1/8	( 3.0)	TTG	U
					999	3/16	( 5.0)	TTG	U
					1000	1/4	( 6.0)	TTG	U
					<b>ARCH ALUMINUM &amp; GLASS CO; AUSTELL, GA</b>				
					1765	1/8	( 3.0)	TTG	U
					<b>J.E. BEELOWITZ; Westville, NJ</b>				
					1989	1/8	(3.0)	TTG	U
					1990	1/4	(6.0)	TTG	U
					1991	1/2	(12.0)	TTG	U

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>ARCH ALUMINUM &amp; GLASS CO; AUSTELL, GA (CON'T)</b>				
1766	3/16	( 5.0)	TTG	U
1767	1/4	( 6.0)	TTG	U
1768	3/8	(10.0)	TTG	U
1769	1/2	(12.0)	TTG	U
<b>ARCH TEMPERED GLASS PRODUCTS; ORLANDO, FL</b>				
<b>ANSI ONLY</b>				
1526	1/8	( 3.0)	TTG	U
1527	3/16	( 5.0)	TTG	U
1528	1/4	( 6.0)	TTG	U
1895	3/8	(10.0)	TTG	U
1530	1/2	(12.0)	TTG	U
1835	3/4	(19.0)	TTG	U
1531	1/8	( 3.0)	TPG(S)	U
1682	5/32	( 4.0)	TPG(S)	U
1562	3/16	( 4.8)	TPG(S)	U
1855	9/32	( 7.0)	LTG(L) ( .030) OUT	U '95
<b>ARCHITECTURAL SAFETY GLASS; FT. PIERCE, FL</b>				
1914	1/4	( 6.0)	LTG(L)	U
<b>ARDCO INC; CHICAGO, IL</b>				
1041	1/8	( 3.0)	TTG	U
1042	3/16	( 5.0)	TTG	U
1563	5/32	( 4.0)	TBG	U
1564	3/16	( 5.0)	TBG	U
1565	1/4	( 6.0)	TBG	U
1952	5/32	( 4.0)	TBP(D)	31 x 64
1951	3/16	( 5.0)	TBP(S)	31 x 64
2006	1/4	( 6.0)	TBP(S)	31 x 64
<b>CANADIAN INSUL-GLASS CORP; ONTARIO, CANADA</b>				
1872	1/8	( 3.0)	TTG	U
1873	5/32	( 4.0)	TTG	U
1874	3/16	( 5.0)	TTG	U
1875	1/4	( 6.0)	TTG	U
<b>CARDINAL CG; BUFORD, GA</b>				
<b>CPSC ONLY</b>				
1921	1/8	( 3.0)	TTG	U
1922	5/32	( 4.0)	TTG	U
1923	3/16	( 5.0)	TTG	U
1924	1/4	( 6.0)	TTG	U
<b>CARDINAL IG; GREENFIELD, IA</b>				
<b>CPSC ONLY</b>				
1827	1/8	( 3.0)	TTG	U
1828	5/32	( 4.0)	TTG	U
1829	3/16	( 5.0)	TTG	U
1830	1/4	( 6.0)	TTG	U
1841	1/8	( 3.0)	TPG(S)	U
1842	5/32	( 4.0)	TPG(S)	U
1843	3/16	( 4.8)	TPG(S)	U
<b>CARDINAL IG; SPRING GREEN, WI</b>				
<b>CPSC ONLY</b>				
1831	1/8	( 3.0)	TTG	U
1832	5/32	( 4.0)	TTG	U
1833	3/16	( 5.0)	TTG	U
1834	1/4	( 6.0)	TTG	U
<b>Consolidated Glass; New Castle, PA</b>				
1998	1/8	( 3.0)	TTG	U
1999	5/32	( 4.0)	TTG	U
2002	1/4	( 6.0)	TTG	U
2003	3/8	(10.0)	TTG	U
2004	1/2	(12.0)	TTG	U
2005	3/16	( 5.0)	TTG	U
<b>new Glass</b>				
2032				
2033				

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>CARDINAL IG; SPRING GREEN, WI (CON'T)</b>				
1844	1/8	( 3.0)	TPG(S)	34" by 60"
1845	5/32	( 4.0)	TPG(S)	U
1846	3/16	( 4.8)	TPG(S)	U
<b>CARDINAL TG; TOMAH, WI</b>				
<b>CPSC ONLY</b>				
1804	1/8	( 3.0)	TTG	U
1805	5/32	( 4.0)	TTG	U
1806	3/16	( 5.0)	TTG	U
1807	1/4	( 6.0)	TTG	U
<b>COLONIAL MIRROR &amp; GLASS CORP; BROOKLYN, NY</b>				
1847	1/4	( 6.0)	TTG	U
1848	3/8	(10.0)	TTG	U
1929	1/2	(12.0)	TTG	U
<b>COMMERCIAL INSULATING GLASS CO; SARASOTA, FL</b>				
1889	1/8	( 3.0)	TTG	31" by 76"
1890	3/16	( 5.0)	TTG	31" by 76"
1891	1/4	( 6.0)	TTG	31" by 76"
1892	1/8	( 3.0)	TPG(S)	31" by 76"
1894	3/16	( 4.8)	TPG(S)	31" by 76"
<b>CONTOUR INDUSTRIES INC; SURGOINSVILLE, TN</b>				
1680	1/8	( 3.0)	TTG	18" by 76"
1678	3/16	( 5.0)	TTG	18" by 76"
1677	1/4	( 6.0)	TTG	18" by 76"
1676	1/8	( 3.0)	TPG(S)	18" by 60"
<b>CORAGLASS INC; REFORM, AL</b>				
1908	1/8	( 3.0)	TTG	U
1909	5/32	( 4.0)	TTG	U
1910	3/16	( 5.0)	TTG	U
1911	1/4	( 6.0)	TTG	U

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>FLEX-O-GLASS INC; DIXON, IL</b>					<b>GUARDIAN FAB INC; ROGERS, AR (CON'T)</b>				
118	.080	( 2.0)	SPS	ANSI ONLY U	1616	5/32	( 4.0)	TTG	U
<b>FLORAL GLASS &amp; MIRROR INC; HAUPPAUGE, NY</b>					1356	3/16	( 5.0)	TTG	U
1546	1/8	( 3.0)	TTG	U	1357	1/4	( 6.0)	TTG	U
1547	3/16	( 5.0)	TTG	U	1358	1/8	( 3.2)	TPG(S)	U
1548	1/4	( 6.0)	TTG	U	1359	5/32	( 4.0)	TPG(S)	U
1549	3/8	(10.0)	TTG	U	1394	3/16	( 4.8)	TPG(D)	U
1550	1/2	(12.0)	TTG	U	<b>GUARDIAN FAB INC; WEBSTER, MA</b>				
1551	3/4	(19.0)	TTG	U	300	1/8	( 3.0)	TTG	ANSI ONLY U
1552	1/8	( 3.2)	TPG(S)	U	1607	5/32	( 4.0)	TTG	U
1553	7/32	( 5.6)	TPG(S)	U	1216	3/16	( 5.0)	TTG	U
<b>FOUR SEASONS SOLAR PRODUCTS; HOLBROOK, NY</b>					662	1/4	( 6.0)	TTG	U
1791	1/8	( 3.0)	TTG	U	471	3/8	(10.0)	TTG	U
<b>FREE STATE GLASS INDS; WARRENTON, VA</b>					1235	1/2	(12.0)	TTG	U
1590	1/8	( 3.0)	TTG	U	<b>GUARDIAN INDUSTRIES CORP; CARLETON, MI</b>				
1591	3/16	( 5.0)	TTG	U	933	1/8	( 3.0)	TTG	ANSI ONLY U
1592	1/4	( 6.0)	TTG	U	934	5/32	( 4.0)	TTG	U
1593	3/8	(10.0)	TTG	U	631	3/16	( 5.0)	TTG	U
1594	1/2	(12.0)	TTG	U	131	1/4	( 6.0)	TTG	U
<b>GARDNER MIRROR CORPORATION; NORTH WILKESBORO, NC</b>					<b>GUARDIAN INDS CORP; CORSICANA, TX</b>				
1931	1/8	( 3.0)	TTG	U	1248	1/8	( 3.0)	TTG	ANSI ONLY U
1932	5/32	( 4.0)	TTG	U	1249	5/32	( 4.0)	TTG	U
1933	3/16	( 5.0)	TTG	U	1250	3/16	( 5.0)	TTG	U
1934	1/4	( 6.0)	TTG	U	1251	1/4	( 6.0)	TTG	U
1968	5/16	( 8.0)	TTG	U	1826	5/16	( 8.0)	TTG	U
1935	3/8	(10.0)	TTG	U	1253	3/8	(10.0)	TTG	U
1936	1/2	(12.0)	TTG	U	1803	1/2	(12.0)	TTG	U
1937	3/4	(19.0)	TTG	U	1463	1/8	( 3.2)	TPG(S)	U
<b>GEMTRON - SWEETWATER; SWEETWATER, TN</b>					1737	5/32	( 4.0)	TPG(S)	U
1334	1/8	( 3.0)	TTG	U	1464	7/32	( 5.6)	TPG(S)	U
1332	5/32	( 4.0)	TTG	U	<b>GUARDIAN INDS CORP; FORT LAUDERDALE, FL</b>				
1201	3/16	( 5.0)	TTG	U	1161	1/8	( 3.0)	TTG	ANSI ONLY U
1477	1/4	( 6.0)	TTG	U	633	3/16	( 5.0)	TTG	U
1422	1/8	( 3.2)	TPG(S)	U	40	1/4	( 6.0)	TTG	U
1424	5/32	( 4.0)	TPG(S)	U	1665	1/8	( 3.2)	TPG(S)	30" by 70" U
<b>GLASS FACTORY INC; RONKONKOMA, NY</b>					1318	3/16	( 4.8)	TPG(S)	U
1458	1/8	( 3.0)	TTG	U	<b>GUARDIAN INDS CORP; KINGSBURG, CA</b>				
1459	3/16	( 5.0)	TTG	U	968	1/8	( 3.0)	TTG	ANSI ONLY U
1460	1/4	( 6.0)	TTG	U	969	5/32	( 4.0)	TTG	U
1461	1/2	(12.0)	TTG	U	970	3/16	( 5.0)	TTG	U
<b>GLOBE-AMERADA GLASS CO (ASSURANCE); SELMA, AL</b>					971	1/4	( 6.0)	TTG	U
1668	1/4	( 6.0)	LTG(B)	U	1304	3/16	( 4.8)	TPG(S)	U
<b>GUARDIAN FABRICATION INC; MILLBURY, OH</b>					1882	1/4	( 6.4)	TPG(S)	U
1574	1/8	( 3.0)	TTG	ANSI ONLY U	1303	1/8	( 3.2)	TPG(M)	U
1575	5/32	( 4.0)	TTG	U	1301	5/32	( 4.0)	TPG(M)	U
1576	3/16	( 5.0)	TTG	U	<b>GUARDIAN INDS CORP; RICHBURG, SC</b>				
1577	1/4	( 6.0)	TTG	U	1630	1/8	( 3.0)	TTG	ANSI ONLY U
<b>GUARDIAN FAB INC; ROGERS, AR</b>					1631	5/32	( 4.0)	TTG	U
1355	1/8	( 3.0)	TTG	ANSI ONLY U	1632	3/16	( 5.0)	TTG	U

*Guardian - Detroit*

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>GUARDIAN INDS CORP; RICHBURG, SC (CON'T)</b>					<b>INTERPANE GLASS COMPANY; CLINTON, NC (CON'T)</b>				
1633	1/4	( 6.0)	TTG	U	1076	3/8	(10.0)	TTG	U
1634	3/8	(10.0)	TTG	U	1077	1/2	(12.0)	TTG	U
1683	1/8	( 3.2)	TPG(S)	U	<b>LAMINATED GLASS CORP; TELFORD, PA</b>				
1635	5/32	( 4.0)	TPG(S)	U	1879	1/4	( 6.0)	TTG	U
1865	3/16	( 4.8)	TPG(S)	U	1880	3/8	(10.0)	TTG	U
<b>GUARDIAN INDS CORP; UPPER SANDUSKY, OH</b>					1881	1/2	(12.0)	TTG	U
				ANSI ONLY	1652	1/4	( 6.0)	LTG(B)( .030)	U
458	7/32	( 5.5)	LTG(B)( .030)	U	2014	3/16	( 5.0)	TTG - 3/9/0	U
487	1/4	( 6.0)	LTG(B)( .030)	U	<b>MARVIN WINDOWS; WARROAD, MN</b>				
<b>GUARDIAN INDS CORP; TILLSONBURG, ONTARIO, CANADA</b>					1689	1/8	( 3.0)	TTG	U
				ANSI ONLY	1723	5/32	( 4.0)	TTG	U
1462	1/8	( 3.0)	TTG	U	1690	3/16	( 5.0)	TTG	U
<b>GUARDIAN INDS CORP-LEWISTOWN; LEWISTOWN, PA</b>					1691	1/4	( 6.0)	TTG	U
				ANSI ONLY	1724	1/8	( 3.0)	TPG(S)	U
1627	1/8	( 3.0)	TTG	U	1701	3/16	( 4.8)	TPG(S)	U
1866	5/32	( 4.0)	TTG	U	<b>MILGARD TEMPERING INC; TACOMA, WA</b>				
1628	3/16	( 5.0)	TTG	U	1578	1/4	( 6.0)	TTG	U
1629	1/4	( 6.0)	TTG	U	<b>MIRROR FACTORY INC; PLYMOUTH, MN</b>				
1867	3/8	(10.0)	TTG	U	1915	7/32	( 5.6)	LTG(B)( .030)	U
1868	1/2	(12.0)	TTG	U	<b>NASHVILLE TEMPERED GLASS CORP; NASHVILLE, TN</b>				
1886	5/32	( 4.0)	LTG(B)( .030)	U	1416	1/8	( 3.0)	TTG	U
1282	7/32	( 5.5)	LTG(B)( .015)	U	1467	3/16	( 5.0)	TTG	U
1946	1/4	( 6.0)	LTG(B)	U	1417	1/4	( 6.0)	TTG	U
1947	3/8	(10.0)	LTG(B)	U	<b>NORTH AMERICAN GLASS INDS INC.; BENSENVILLE, IL</b>				
1316	1/2	(12.0)	LTG(B)( .015)	U	1381	3/16	( 5.0)	TTG	U
<b>GUARDIAN WALLED LAKE FABRICATION; WALLED LAKE, MI</b>					1382	1/4	( 6.0)	TTG	U
				ANSI ONLY	1383	3/8	(10.0)	TTG	U
1885	1/8	( 3.0)	TTG	U 20" by 30"	1384	1/2	(12.0)	TTG	U
<b>GUARDIAN INDS CANADA CORP; REXDALE, ONTARIO - CANADA</b>					1808	3/16	( 5.0)	TBG	U
				ANSI ONLY	1809	1/4	( 6.0)	TBG	U
1966	5/32	( 4.0)	OCG	U	1536	3/8	(10.0)	TBG	U
<b>HAMILTON GLASS PRODUCTS INC; VINCENNES, IN</b>					1533	1/2	(12.0)	TBG	U
54	1/8	( 3.0)	TTG	U	<b>NORTH AMERICAN GLASS INDS INC; BENTON HARBOR, MI</b>				
1385	5/32	( 4.0)	TTG	U	1441	7/32	( 5.6)	LTG	U
1200	3/16	( 5.0)	TTG	U	1699	1/2	(12.0)	LTG	U
57	1/4	( 6.0)	TTG	U	<b>NORTHWESTERN INDS INC; SEATTLE, WA</b>				
1386	5/32	( 4.0)	TPG(S)	U	1638	3/16	( 5.0)	TTG	U
1387	3/16	( 4.8)	TPG(S)	U	1639	1/4	( 6.0)	TTG	U
<b>HOFFER'S INC; SCHOFIELD, WI</b>					1640	3/16	( 5.0)	LTG(B)( .030)	U
1595	1/8	( 3.0)	TTG	U	<b>PERILSTEIN DISTRIBUTING CORP; CHESWICK, PA</b>				
1862	5/32	( 4.0)	TTG	U	1784	1/8	( 3.0)	TTG	U
1596	3/16	( 5.0)	TTG	U	1785	3/16	( 5.0)	TTG	U
1597	1/4	( 6.0)	TTG	U	1786	1/4	( 6.0)	TTG	U
1796	3/8	(10.0)	TTG	U	1787	3/8	(10.0)	TTG	U
1797	1/2	(12.0)	TTG	U	1788	1/2	(12.0)	TTG	U
1798	3/16	( 4.8)	TPG(S)	U	1789	1/8	( 3.0)	TPG(S)	U
<b>INTERPANE GLASS COMPANY; CLINTON, NC</b>					1790	3/16	( 4.8)	TPG(S)	U
1073	3/16	( 5.0)	TTG	U	<b>PFG TOUGHENED GLASS; REPUBLIC OF SOUTH AFRICA</b>				
1074	1/4	( 6.0)	TTG	U					
1075	5/16	( 8.0)	TTG	U	1913	5/32	( 4.0)	TPG	ANSI ONLY 20" x 20"
					<b>PFG TOUGHENED GLASS; REPUBLIC OF SOUTH AFRICA</b>				
					1888	5/32	( 4.0)	TTG	U
					1912	3/16	( 5.0)	TTG	20" by 20"

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
<b>PPG INDS INC; CARLISLE, PA</b>					<b>SUNBELT GLASS INC; TULSA, OK</b>				
382	1/4	( 6.0)	TTG	ANSI ONLY U	1453	1/8	( 3.0)	TTG	U
<b>PPG INDS INC; CARLISLE, PA</b>					1870	5/32	( 4.0)	TTG	U
250	1/8	( 3.0)	TTG	U	1454	3/16	( 5.0)	TTG	U
675	5/32	( 4.0)	TTG	U	1455	1/4	( 6.0)	TTG	U
249	3/16	( 5.0)	TTG	U	1456	3/8	(10.0)	TTG	U
<b>PPG INDS INC; FRESNO, CA</b>					1457	1/2	(12.0)	TTG	U
295	1/8	( 3.0)	TTG	U	1617	5/32	( 4.0)	TPG(S)	U
676	5/32	( 4.0)	TTG	U	1618	3/16	( 4.8)	TPG(S)	U
64	3/16	( 5.0)	TTG	U	<b>SWIFT GLASS CO INC; ELMIRA HEIGHTS, NY</b>				
<b>PPG INDS INC; BURLINGTON, IA</b>					1555	1/8	( 3.0)	TTG	U
1605	1/8	( 3.0)	TTG	U	1556	3/16	( 5.0)	TTG	U
1606	5/32	( 4.0)	TTG	U	1557	1/4	( 6.0)	TTG	U
1603	3/16	( 5.0)	TTG	U	1558	3/8	(10.0)	TTG	U
1604	1/4	( 6.0)	TTG	U	1559	1/2	(12.0)	TTG	U
<b>PPG INDS INC; WICHITA FALLS, TX</b>					<b>TAYLOR PRODUCTS INC; PAYNE, OH</b>				
1113	1/4	( 6.0)	TTG	ANSI ONLY U	1586	1/8	( 3.2)	TTG	U
<b>PPG INDS INC; WICHITA FALLS, TX</b>					1587	5/32	( 4.0)	TTG	U
1110	1/8	( 3.0)	TTG	U	1588	3/16	( 5.0)	TTG	U
1111	5/32	( 4.0)	TTG	U	1589	1/4	( 6.0)	TTG	U
1112	3/16	( 5.0)	TTG	U	1598	3/8	(10.0)	TTG	U
<b>ROMAG SECURITY LAMINATORS INC; GONSETT</b>					<b>TECNOGLASS; BARRANQUILLA- COLUMBIA</b>				
<del>1940</del>	<del>1/8</del>	<del>( 3.0)</del>	<del>OCG(H) DOT</del>	<del>5/96 U</del>	1993	3/16	( 5.0)	TTG	U
<b>SAFTI; SAN FRANCISCO, CA</b>					1994	1/4	( 6.0)	TTG	U
1953	1/4	( 6.0)	TTG	U	1995	3/8	(10.0)	TTG	U
1954	1/2	(12.0)	TTG	U	<b>TEMPERED GLASS INC; AUSTELL, GA</b>				
<b>SHAW GLASS CO INC; SOUTH EASTON, MA</b>					862	3/16	( 5.0)	TTG	U
1792	5/32	( 4.0)	TTG	U	863	1/4	( 6.0)	TTG	U
1871	3/16	( 5.0)	TTG	U	865	3/8	(10.0)	TTG	U
1035	1/4	( 6.0)	TTG	U	866	1/2	(12.0)	TTG	U
1036	3/8	(10.0)	TTG	U	<b>TEMPGLASS GROUP, INC; PERRYSBURG, OH</b>				
1037	1/2	(12.0)	TTG	U	1039	1/8	( 3.0)	TTG	U
1939	3/16	( 4.8)	TPG(S)	U	592	3/16	( 5.0)	TTG	U
<b>SOVIS S A; FRANCE</b>					1420	1/4	( 6.0)	TTG	U
1992	5/32	( 4.0)	TBG	U	594	3/8	(10.0)	TTG	U
1938	3/16	( 5.0)	TBG	U	595	1/2	(12.0)	TTG	U
1864	1/4	( 6.0)	TBG	U	<b>TEMPGLASS GROUP, INC.; MIAMI, FL</b>				
<b>STERLING PLUMBING GROUP; UNION CITY, TN</b>					1744	3/16	( 5.0)	TTG	U
1979	1/8	( 3.0)	TTG	U	1745	1/4	( 6.0)	TTG	U
1980	5/32	( 4.0)	TTG	U	1969	5/16	( 8.0)	TTG	U
1981	3/16	( 5.0)	TTG	U	1746	3/8	(10.0)	TTG	U
1982	1/4	( 6.0)	TTG	U	1747	1/2	(12.0)	TTG	U
1983	1/8	( 3.0)	TPG(S)	U	<b>TRACO (THREE RIVERS ALUM); RED OAK, IA</b>				
1984	3/16	( 5.0)	TPG(S)	U	1308	1/8	( 3.0)	TTG	U
<b>SUMMIT WINDOW AND PATIO DOOR; YAKIMA, WA</b>					1310	3/16	( 5.0)	TTG	U
1799	1/8	( 3.0)	TTG	U	1311	1/4	( 6.0)	TTG	U
1800	3/16	( 5.0)	TTG	U	<b>U S PRECISION GLASS; ELGIN, IL</b>				
1801	1/4	( 6.0)	TTG	U	1369	1/8	( 3.0)	TTG	U
1802	1/8	( 3.0)	TPG(S)	U	1370	5/32	( 4.0)	TTG	U
<i>Prolec, Amber Candu 6/96</i>					1371	3/16	( 5.0)	TTG	U
<i>2015 1/4 TTG U</i>					1372	1/4	( 6.0)	TTG	U
					1854	3/8	(10.0)	TTG	U
					<b>U S PRECISION GLASS; JEFFERSON, TX</b>				
					1388	1/8	( 3.2)	TPG(M)	ANSI ONLY U

SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED	SGCC NO.	INCH	(MM)	TYPE	MAX. SIZE CERTIFIED
U S PRECISION GLASS; JEFFERSON, TX					CERTIFIED PRODUCTS KEY				
1281	1/8	( 3.0)	TTG	U					
1715	5/32	( 4.0)	TTG	U					
1286	3/16	( 5.0)	TTG	U					
1287	1/4	( 6.0)	TTG	U					
U S PRECISION GLASS; LEWISBURG, OH									
188	3/16	( 4.8)	TPG(S)	U					
654	1/8	( 3.2)	TPG(M)	U					
328	3/16	( 4.8)	TPG(D)	U					
U S PRECISION GLASS; LEWISBURG, OH									
1050	1/8	( 3.0)	TTG	U					
1452	5/32	( 4.0)	TTG	U					
185	3/16	( 5.0)	TTG	U					
186	1/4	( 6.0)	TTG	U					
VEGLA VEREINIGTE GLASWERKE GMBH; AACHEN, GERMANY									
1941	3/16	( 5.0)	TTG	U					
1942	1/4	( 6.0)	TTG	U					
VIRACON INC; OWATONNA, MN									
1883	1/8	( 3.0)	OCG(H)( .037)	U					
1949	3/16	( 5.0)	OCG(H)( .030)	U					
1884	1/4	( 6.0)	OCG(H)( .037)	U					
VIRACON INC; OWATONNA, MN									
1476	1/8	( 3.0)	TTG	U					
1403	3/16	( 5.0)	TTG	U					
1404	1/4	( 6.0)	TTG	U					
1508	3/8	(10.0)	TTG	U					
1509	1/2	(12.0)	TTG	U					
1637	3/16	( 5.0)	LTG(B)( .030)	U					
1950	1/4	( 6.0)	LSP <del>OK</del>	U					
VIRGINIA GLASS PRODUCTS CORP; MARTINSVILLE, VA									
12	3/16	( 5.0)	TTG	U					
14	1/4	( 6.0)	TTG	U					
93	3/8	(10.0)	TTG	U					
94	1/2	(12.0)	TTG	U					
95	3/4	(19.0)	TTG	U					
WESTSHORE GLASS; TAMPA, FL									
1970	1/8	( 3.0)	TTG	U					
1971	5/32	( 4.0)	TTG	U					
1972	3/16	( 5.0)	TTG	U					
1973	1/4	( 6.0)	TTG	U					
1974	1/2	(12.0)	TTG	U					
1975	3/4	(19.0)	TTG	U					
1978	3/8		TTG	U					
117RERIE APRIL - MONTREAL, CA									
1996	1/8	(3.0)	TTG	U					
1997	3/16	(5.0)	TTG	U					

TTG	=	TEMPERED TRANSPARENT GLASS
TPG	=	TEMPERED PATTERNED GLASS
TBG	=	TEMPERED BENT GLASS
TBP	=	TEMPERED BENT PATTERNED GLASS
LTG	=	LAMINATED TRANSPARENT GLASS
LPG	=	LAMINATED PATTERNED GLASS
LSP	=	LAMINATED SPECIALTY PRODUCTS
OCG	=	ORGANIC COATED GLASS
SPS	=	SAFETY PLASTIC SHEET
(S)	=	SHALLOW PATTERN
(M)	=	MEDIUM PATTERN
(D)	=	DEEP PATTERN
(B)	=	POLY VINYL BUTRAL INTERLAYER MATERIAL
(L)	=	LIQUID RESIN INTERLAYER MATERIAL
(P)	=	POLYETHYLENE TERPHTHALATE INTERLAYER MATERIAL
(F)	=	FLOURINATED ETHYLENE PROPYLENE INTERLAYER MATERIAL
(H)	=	HYBRID
U	=	UNLIMITED

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS</b>			
<b>1/8 inch tempered transparent glass</b>			
ACI Distribution; Dallas, TX	1919	900	U
AFG Industries; Bridgeport, WV	1436	400	U
AFG Industries; Greenland, TN	598	300	U
AFG Industries; Kingsport, TN	1390	300	U
AFG Industries Inc; Spring Hill, KS	1702	500	U
AFGD FPD; Concord, Ontario, Canada	1485	400	U
American Flat Glass Dist; Alvarado, TX	1708	900	U
American Flat Glass Dist; Richmond, VA	1955	100	U
American Flat Glass Distrib; Fall River, MA	1518	400	U
American Flat Glass Distrib; Marietta, GA	1405	300	U
Anglass Industries; San Fernando, CA	520	ANSI ONLY 250	U
Arch Aluminum & Glass Co; Austell, GA	1765	ANSI ONLY 300	U
Arch Tempered Glass; Orlando, FL	1526	ANSI ONLY 600	U
Ardco, Inc; Chicago, IL	1041	400	U
Canadian Insul-Glass Corp; Ontario, CANADA	1872	400	U
Cardinal CG; Buford, GA	1921	CPSC ONLY 300	U
Cardinal IG; Greenfield, IA	1827	CPSC ONLY 500	U
Cardinal IG; Spring Green, WI	1831	CPSC ONLY 500	U
Cardinal TG; Tomah, WI	1804	CPSC ONLY 500	U
Commercial Insulating Glass Co; Sarasota, FL	1889	600	31" by 76"
Contour Industries; Surgoinsville, TN	1680	300	18" by 76"
Coraglass Inc; Reform, AL	1908	300	U
D & S Tempered Glass; Dallas, TX	1653	900	U
Downey Glass Co; Los Angeles, CA	1608	250	U
Floral Glass & Mirror; Hauppauge, NY	1546	400	U
Four Seasons Solar Products; Holbrook, NY	1791	275	U
Free State Glass Industries; Warrenton, VA	1590	100	U
Gardner Mirror Corporation; North Wilkesboro, NC	1931	300	U
Gemtron - Sweetwater; Sweetwater, TN	1334	300	U
The Glass Factory; Ronkonkoma, NY	1458	400	U
Guardian Fabrication; Millbury, OH	1574	ANSI ONLY 200	U
Guardian Fabrication; Rogers, AR	1355	ANSI ONLY 900	U
Guardian Fabrication; Webster, MA	300	ANSI ONLY 400	U
Guardian Industries; Carleton, MI	933	ANSI ONLY 200	U
Guardian Industries; Corsicana, TX	1248	ANSI ONLY 900	U
Guardian Industries; Fort Lauderdale, FL	1161	ANSI ONLY 600	U
Guardian Industries; Kingsburg, CA	968	ANSI ONLY 900	U
Guardian Industries; Richburg, SC	1630	ANSI ONLY 300	U
Guardian Industries; Tillsonburg, Ontario, Canada	1462	ANSI ONLY 400	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1627	ANSI ONLY 400	U
Guardian Walled Lake Fab; Walled Lake, MI	1885	ANSI ONLY 200	20" by 30"
Hamilton Glass Products; Vincennes, IN	54	200	U
Hoffer's, Inc.; Schofield, WI	1595	75	U
Marvin Windows; Warroad, MN	1689	400	U
Nashville Tempered Glass; Nashville, TN	1416	200	U
Perilstein Distributing Corp; Cheswick, PA	1784	400	U
PPG Industries; Carlisle, PA	250	400	U
PPG Industries; Fresno, CA	295	250	U
PPG Industries; Burlington, IA	1605	500	U
PPG Industries; Wichita Falls, TX	1110	900	U
Sterling Plumbing Group; Union City, TN	1979	900	U
SUMMIT WINDOW AND PATIO DOOR; Yakima, WA	1799	750	U
Sunbelt Glass, Inc; Tulsa, OK	1453	900	U
Swift Glass Co., Inc.; Elmira Heights, NY	1555	400	U
Tempglass Group, Inc; Perrysburg, OH	1039	200	U
TRACO (Three Rivers Alum.); Red Oak, IA	1308	100	U
U S Precision Glass; Elgin, IL	1369	200	U
U S Precision Glass; Jefferson, TX	1281	900	U
U S Precision Glass; Lewisburg, OH	1050	200	U
Viracon, Inc; Owatonna, MN	1476	75	U
Westshore Glass; Tampa, FL	1970	600	U
AFG Industries; Victorville, CA	1664	250	U

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS - continued</b>			
<b>1/8 inch tempered transparent glass - continued</b>			
Taylor Products, Inc.; Payne, OH	1586	400	U
<b>5/32 inch tempered transparent glass</b>			
AFG Industries; Bridgeport, WV	1624	400	U
AFG Industries; Victorville, CA	1641	250	U
AFG Industries; Greenland, TN	955	300	U
AFG Industries; Kingsport, TN	949	300	U
AFG Industries Inc; Spring Hill, KS	1703	500	U
AFGD FPD; Concord, Ontario, Canada	1486	400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1754	400	U
American Flat Glass Distrib; Marietta, GA	1967	300	U
Canadian Insul-Glass Corp; Ontario, CANADA	1873	400	U
Cardinal CG; Buford, GA	1922	CPSC ONLY 300	U
Cardinal IG; Greenfield, IA	1828	CPSC ONLY 500	U
Cardinal IG; Spring Green, WI	1832	CPSC ONLY 500	U
Cardinal TG; Tomah, WI	1805	CPSC ONLY 500	U
Coraglass Inc; Reform, AL	1909	300	U
D & S Tempered Glass; Dallas, TX	1654	900	U
Downey Glass Co; Los Angeles, CA	1609	250	U
Gardner Mirror Corporation; North Wilkesboro, NC	1932	300	U
Gemtron - Sweetwater; Sweetwater, TN	1332	300	U
Guardian Fabrication; Millbury, OH	1575	ANSI ONLY 200	U
Guardian Fabrication; Rogers, AR	1616	ANSI ONLY 900	U
Guardian Fabrication; Webster, MA	1607	ANSI ONLY 400	U
Guardian Industries; Carleton, MI	934	ANSI ONLY 200	U
Guardian Industries; Corsicana, TX	1249	ANSI ONLY 900	U
Guardian Industries; Kingsburg, CA	969	ANSI ONLY 900	U
Guardian Industries; Richburg, SC	1631	ANSI ONLY 300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1866	ANSI ONLY 400	U
Hamilton Glass Products; Vincennes, IN	1385	200	U
Hoffer's, Inc.; Schofield, WI	1862	75	U
Marvin Windows; Warroad, MN	1723	400	U
PPG Toughened Glass; Republic Of South Africa	1888	400	U
PPG Industries; Carlisle, PA	675	400	U
PPG Industries; Fresno, CA	676	250	U
PPG Industries; Burlington, IA	1606	500	U
PPG Industries; Wichita Falls, TX	1111	900	U
Shaw Glass Co Inc; South Easton, MA	1792	400	U
Sterling Plumbing Group; Union City, TN	1980	900	U
Sunbelt Glass, Inc; Tulsa, OK	1870	900	U
Taylor Products, Inc.; Payne, OH	1587	400	U
U S Precision Glass; Elgin, IL	1370	200	U
U S Precision Glass; Jefferson, TX	1715	900	U
U S Precision Glass; Lewisburg, OH	1452	200	U
Westshore Glass; Tampa, FL	1971	600	U
<b>3/16 inch tempered transparent glass</b>			
AFG Industries; Victorville, CA	1663	250	U
ACI Distribution; Greensboro, NC	1642	300	U
ACI Distribution; Dallas, TX	400	900	U
ACI Distribution; Santa Fe Springs, CA	1157	250	U
AFG Industries; Bridgeport, WV	1795	400	U
AFG Industries; Greenland, TN	220	300	U
AFG Industries; Kingsport, TN	28	300	U
AFG Industries Inc; Spring Hill, KS	1704	500	U
AFGD FPD; Concord, Ontario, Canada	1945	400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1755	400	U
American Flat GLass Dist; Alvarado, TX	1709	900	U
American Flat Glass Dist; Richmond, VA	1956	100	U
American Flat Glass Distrib; Fall River, MA	1519	400	U
American Flat Glass Distrib; Marietta, GA	1230	300	U
Anglass Industries; San Fernando, CA	999	ANSI ONLY 250	U



	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS - continued</b>				
<b>3/16 inch tempered transparent glass - continued</b>				
Arch Aluminum & Glass Co; Austell, GA	1766	ANSI ONLY	300	U
Arch Tempered Glass; Orlando, FL	1527	ANSI ONLY	600	U
Ardco, Inc; Chicago, IL	1042		400	U
Canadian Insul-Glass Corp; Ontario, CANADA	1874		400	U
Cardinal CG; Buford, GA	1923	CPSC ONLY	300	U
Cardinal IG; Greenfield, IA	1829	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1833	CPSC ONLY	500	U
Cardinal TG; Tomah, WI	1806	CPSC ONLY	500	U
Commercial Insulating Glass Co; Sarasota, FL	1890		600	31" by 76"
Contour Industries; Surgoinsville, TN	1678		300	18" by 76"
Coraglass Inc; Reform, AL	1910		300	U
D & S Tempered Glass; Dallas, TX	1655		900	U
Downey Glass Co; Los Angeles, CA	630		250	U
Efco Corp; Monett, MO	1901		100	U
Floral Glass & Mirror; Hauppauge, NY	1547		400	U
Free State Glass Industries; Warrenton, VA	1591		100	U
Gardner Mirror Corporation; North Wilkesboro, NC	1933		300	U
Gemtron - Sweetwater; Sweetwater, TN	1201		300	U
The Glass Factory; Ronkonkoma, NY	1459		400	U
Guardian Fabrication; Millbury, OH	1576	ANSI ONLY	200	U
Guardian Fabrication; Rogers, AR	1356	ANSI ONLY	900	U
Guardian Fabrication; Webster, MA	1216	ANSI ONLY	400	U
Guardian Industries; Carleton, MI	631	ANSI ONLY	200	U
Guardian Industries; Corsicana, TX	1250	ANSI ONLY	900	U
Guardian Industries; Fort Lauderdale, FL	633	ANSI ONLY	600	U
Guardian Industries; Kingsburg, CA	970	ANSI ONLY	900	U
Guardian Industries; Richburg, SC	1632	ANSI ONLY	300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1628	ANSI ONLY	400	U
Hamilton Glass Products; Vincennes, IN	1200		200	U
Hoffer's, Inc.; Schofield, WI	1596		75	U
Interpane Glass Company; Clinton, NC	1073		600	U
Marvin Windows; Warroad, MN	1690		400	U
Nashville Tempered Glass; Nashville, TN	1467		200	U
North American Glass Inds Inc; Bensenville, IL	1381		200	U
Northwestern Industries; Seattle, WA	1638		750	U
Perilstein Distributing Corp; Cheswick, PA	1785		400	U
PPG Toughened Glass; Republic Of South Africa	1912		400	20" by 20"
PPG Industries; Carlisle, PA	249		400	U
PPG Industries; Fresno, CA	64		250	U
PPG Industries; Burlington, IA	1603		500	U
PPG Industries; Wichita Falls, TX	1112		900	U
Shaw Glass Co Inc; South Easton, MA	1871		400	U
Sterling Plumbing Group; Union City, TN	1981		900	U
SUMMIT WINDOW AND PATIO DOOR; Yakima, WA	1800		750	U
Sunbelt Glass, Inc; Tulsa, OK	1454		900	U
Swift Glass Co., Inc.; Elmira Heights, NY	1556		400	U
Taylor Products, Inc.; Payne, OH	1588		400	U
TECNOGLASS; Barranquilla- Columbia	1993		600	U
Tempered Glass, Inc; Austell, GA	862		300	U
Tempglass Group, Inc; Perrysburg, OH	592		200	U
Tempglass Group, Inc.; Miami, FL	1744		600	U
TRACO (Three Rivers Alum.); Red Oak, IA	1310		100	U
U S Precision Glass; Elgin, IL	1371		200	U
U S Precision Glass; Jefferson, TX	1286		900	U
U S Precision Glass; Lewisburg, OH	185		200	U
Vegla Vereinigte Glaswerke; Aachen, GERMANY	1941		400	U
Viracon, Inc; Owatonna, MN	1403		75	U
Virginia Glass Products; Martinsville, VA	12		600	U
Westshore Glass; Tampa, FL	1972		600	U
<b>1/4 inch tempered transparent glass</b>				
ACI Distribution; Greensboro, NC	1643		300	U
ACI Distribution; Dallas, TX	402		900	U

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS - continued</b>			
<b>1/4 inch tempered transparent glass - continued</b>			
ACI Distribution; Santa Clara, CA	1496	250	U
ACI Distribution; Santa Fe Springs, CA	1535	250	U
AFG Industries; Bridgeport, WV	1794	400	U
AFG Industries; Victorville, CA	1925	250	U
AFG Industries; Greenland, TN	89	300	U
AFG Industries; Kingsport, TN	24	300	U
AFG Industries Inc; Spring Hill, KS	1705	500	U
AFGD FPD; Concord, Ontario, Canada	1489	400	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1756	400	U
American Flat Glass Dist; Alvarado, TX	1710	900	U
American Flat Glass Dist; Richmond, VA	1957	100	U
American Flat Glass Distrib; Fall River, MA	1520	400	U
American Flat Glass Distrib; Marietta, GA	1231	300	U
Anglass Industries; San Fernando, CA	1000	ANSI ONLY 250	U
Arch Aluminum & Glass Co; Austell, GA	1767	ANSI ONLY 300	U
Arch Tempered Glass; Orlando, FL	1528	ANSI ONLY 600	U
Canadian Insul-Glass Corp; Ontario, CANADA	1875	400	U
Cardinal CG; Buford, GA	1924	CPSC ONLY 300	U
Cardinal IG; Greenfield, IA	1830	CPSC ONLY 500	U
Cardinal IG; Spring Green, WI	1834	CPSC ONLY 500	U
Cardinal TG; Tomah, WI	1807	CPSC ONLY 500	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1847	400	U
Commercial Insulating Glass Co; Sarasota, FL	1891	600	31" by 76"
Contour Industries; Surgoinsville, TN	1677	300	18" by 76"
Coraglass Inc; Reform, AL	1911	300	U
D & S Tempered Glass; Dallas, TX	1656	900	U
Downey Glass Co; Los Angeles, CA	514	250	U
Efco Corp; Monett, MO	1902	100	U
Floral Glass & Mirror; Hauppauge, NY	1548	400	U
Free State Glass Industries; Warrenton, VA	1592	100	U
Gardner Mirror Corporation; North Wilkesboro, NC	1934	300	U
Gemtron - Sweetwater; Sweetwater, TN	1477	300	U
The Glass Factory; Ronkonkoma, NY	1460	400	U
Guardian Fabrication; Millbury, OH	1577	ANSI ONLY 200	U
Guardian Fabrication; Rogers, AR	1357	ANSI ONLY 900	U
Guardian Fabrication; Webster, MA	662	ANSI ONLY 400	U
Guardian Industries; Carleton, MI	131	ANSI ONLY 200	U
Guardian Industries; Corsicana, TX	1251	ANSI ONLY 900	U
Guardian Industries; Fort Lauderdale, FL	40	ANSI ONLY 600	U
Guardian Industries; Kingsburg, CA	971	ANSI ONLY 900	U
Guardian Industries; Richburg, SC	1633	ANSI ONLY 300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1629	ANSI ONLY 400	U
Hamilton Glass Products; Vincennes, IN	57	200	U
Hoffer's, Inc.; Schofield, WI	1597	75	U
Interpane Glass Company; Clinton, NC	1074	600	U
Laminated Glass Corp; Telford, PA	1879	275	U
Marvin Windows; Warroad, MN	1691	400	U
Milgard Tempering Inc; Tacoma, WA	1578	750	U
Nashville Tempered Glass; Nashville, TN	1417	200	U
North American Glass Inds Inc; Bensenville, IL	1382	200	U
Northwestern Industries; Seattle, WA	1639	750	U
Perilstein Distributing Corp; Cheswick, PA	1786	400	U
PPG Industries; Carlisle, PA	382	ANSI ONLY 400	U
PPG Industries; Burlington, IA	1604	500	U
PPG Industries; Wichita Falls, TX	1113	ANSI ONLY 900	U
SAFTI; San Francisco, CA	1953	950	U
Shaw Glass Co Inc; South Easton, MA	1035	400	U
Sterling Plumbing Group; Union City, TN	1982	900	U
SUMMIT WINDOW AND PATIO DOOR; Yakima, WA	1801	750	U
Sunbelt Glass, Inc; Tulsa, OK	1455	900	U
Swift Glass Co., Inc.; Elmira Heights, NY	1557	400	U
Taylor Products, Inc.; Payne, OH	1589	400	U
TECNOGLASS; Barranquilla- Columbia	1994	600	U
Tempered Glass, Inc; Austell, GA	863	300	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS - continued</b>				
<b>1/4 inch tempered transparent glass - continued</b>				
Tempglass Group, Inc; Perrysburg, OH	1420		200	U
Tempglass Group, Inc.; Miami, FL	1745		600	U
TRACO (Three Rivers Alum.); Red Oak, IA	1311		100	U
U S Precision Glass; Elgin, IL	1372		200	U
U S Precision Glass; Jefferson, TX	1287		900	U
U S Precision Glass; Lewisburg, OH	186		200	U
Vegla Vereinigte Glaswerke; Aachen, GERMANY	1942		400	U
Viracon, Inc; Owatonna, MN	1404		75	U
Virginia Glass Products; Martinsville, VA	14		600	U
Westshore Glass; Tampa, FL	1973		600	U
<b>5/16 inch tempered transparent glass</b>				
Gardner Mirror Corporation; North Wilkesboro, NC	1968		300	U
Guardian Industries; Corsicana, TX	1826	ANSI ONLY	900	U
Interpane Glass Company; Clinton, NC	1075		600	U
Tempglass Group, Inc.; Miami, FL	1969		600	U
<b>3/8 inch tempered transparent glass</b>				
ACI Distribution; Greensboro, NC	1644		300	U
ACI Distribution; Dallas, TX	1107	ANSI ONLY	900	U
ACI Distribution; Santa Clara, CA	1497		250	U
ACI Distribution; Santa Fe Springs, CA	1179		250	U
AFG Industries; Greenland, TN	90		300	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1757		400	U
American Flat Glass Dist; Alvarado, TX	1711		900	U
American Flat Glass Dist; Richmond, VA	1958		100	U
American Flat Glass Distrib; Fall River, MA	1521		400	U
American Flat Glass Distrib; Marietta, GA	1232		300	U
Arch Aluminum & Glass Co; Austell, GA	1768	ANSI ONLY	300	U
Arch Tempered Glass; Orlando, FL	1895	ANSI ONLY	600	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1848		400	U
D & S Tempered Glass; Dallas, TX	1657		900	U
Downey Glass Co; Los Angeles, CA	515		250	U
Floral Glass & Mirror; Hauppauge, NY	1549		400	U
Free State Glass Industries; Warrenton, VA	1593		100	U
Gardner Mirror Corporation; North Wilkesboro, NC	1935		300	U
Guardian Fabrication; Webster, MA	471	ANSI ONLY	400	U
Guardian Industries; Corsicana, TX	1253	ANSI ONLY	900	U
Guardian Industries; Richburg, SC	1634	ANSI ONLY	300	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1867	ANSI ONLY	400	U
Hoffer's, Inc.; Schofield, WI	1796		75	U
Interpane Glass Company; Clinton, NC	1076		600	U
Laminated Glass Corp; Telford, PA	1880		275	U
North American Glass Inds Inc; Bensenville, IL	1383		200	U
Perilstein Distributing Corp; Cheswick, PA	1787		400	U
Shaw Glass Co Inc; South Easton, MA	1036		400	U
Sunbelt Glass, Inc; Tulsa, OK	1456		900	U
Swift Glass Co., Inc.; Elmira Heights, NY	1558		400	U
Taylor Products, Inc.; Payne, OH	1598		400	U
TECNOGLASS; Barranquilla- Columbia	1995		600	U
Tempered Glass, Inc; Austell, GA	865		300	U
Tempglass Group, Inc; Perrysburg, OH	594		200	U
Tempglass Group, Inc.; Miami, FL	1746		600	U
U S Precision Glass; Elgin, IL	1854		200	U
Viracon, Inc; Owatonna, MN	1508		75	U
Virginia Glass Products; Martinsville, VA	93		600	U
<b>1/2 inch tempered transparent glass</b>				
ACI Distribution; Greensboro, NC	1645		300	U
ACI Distribution; Dallas, TX	1108	ANSI ONLY	900	U
ACI Distribution; Santa Clara, CA	1498		250	U

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED TRANSPARENT GLASS - continued</b>			
<b>1/2 inch tempered transparent glass - continued</b>			
ACI Distribution; Santa Fe Springs, CA	640	250	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1758	400	U
American Flat Glass Dist; Alvarado, TX	1712	900	U
American Flat Glass Dist; Richmond, VA	1959	100	U
American Flat Glass Distrib; Fall River, MA	1522	400	U
American Flat Glass Distrib; Marietta, GA	1406	300	U
Arch Aluminum & Glass Co; Austell, GA	1769	ANSI ONLY 300	U
Arch Tempered Glass; Orlando, FL	1530	ANSI ONLY 600	U
Colonial Mirror & Glass Corp; Brooklyn, NY	1929	400	U
D & S Tempered Glass; Dallas, TX	1658	900	U
Downey Glass Co; Los Angeles, CA	516	250	U
Floral Glass & Mirror; Hauppauge, NY	1550	400	U
Free State Glass Industries; Warrenton, VA	1594	100	U
Gardner Mirror Corporation; North Wilkesboro, NC	1936	300	U
The Glass Factory; Ronkonkoma, NY	1461	400	U
Guardian Fabrication; Webster, MA	1235	ANSI ONLY 400	U
Guardian Industries; Corsicana, TX	1803	ANSI ONLY 900	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1868	ANSI ONLY 400	U
Hoffer's, Inc.; Schofield, WI	1797	75	U
Interpane Glass Company; Clinton, NC	1077	600	U
Laminated Glass Corp; Telford, PA	1881	275	U
North American Glass Inds Inc; Bensenville, IL	1384	200	U
Perilstein Distributing Corp; Cheswick, PA	1788	400	U
SAFTI; San Francisco, CA	1954	950	U
Shaw Glass Co Inc; South Easton, MA	1037	400	U
Sunbelt Glass, Inc; Tulsa, OK	1457	900	U
Swift Glass Co., Inc.; Elmira Heights, NY	1559	400	U
Tempered Glass, Inc; Austell, GA	866	300	U
Tempglass Group, Inc; Perrysburg, OH	595	200	U
Tempglass Group, Inc.; Miami, FL	1747	600	U
Viracon, Inc; Owatonna, MN	1509	75	U
Virginia Glass Products; Martinsville, VA	94	600	U
Westshore Glass; Tampa, FL	1974	600	U
<b>3/4 inch tempered transparent glass</b>			
ACI Distribution; Dallas, TX	1225	ANSI ONLY 900	U
All Team Glass & Mirror Ltd; Woodbridge, Ontario, CANADA	1782	400	U
Arch Tempered Glass; Orlando, FL	1835	ANSI ONLY 600	U
D & S Tempered Glass; Dallas, TX	1965	900	U
Floral Glass & Mirror; Hauppauge, NY	1551	400	U
Gardner Mirror Corporation; North Wilkesboro, NC	1937	300	U
Virginia Glass Products; Martinsville, VA	95	600	U
Westshore Glass; Tampa, FL	1975	600	U
<b>TEMPERED PATTERNED GLASS</b>			
<b>1/8 inch tempered patterned glass (shallow)</b>			
ACI Distribution; Santa Fe Springs, CA	1861	250	U
Arch Tempered Glass; Orlando, FL	1531	ANSI ONLY 600	U
<b>1 inch tempered patterned glass (shallow)</b>			
Cardinal IG; Greenfield, IA	1841	CPSC ONLY 500	U
<b>1/8 inch tempered patterned glass (shallow)</b>			
Cardinal IG; Spring Green, WI	1844	CPSC ONLY 500	34" by 60"
Commercial Insulating Glass Co; Sarasota, FL	1892	600	31" by 76"
Contour Industries; Surgoinsville, TN	1676	300	18" by 60"
Coraglass Inc; Reform, AL	1962	300	U
D & S Tempered Glass; Dallas, TX	1659	900	U
Marvin Windows; Warroad, MN	1724	400	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED PATTERNED GLASS - continued</b>				
<b>1/8 inch tempered patterned glass (shallow) - continued</b>				
Perilstein Distributing Corp; Cheswick, PA	1789		400	U
Sterling Plumbing Group; Union City, TN	1983		900	U
SUMMIT WINDOW AND PATIO DOOR; Yakima, WA	1802		750	U
AFG Industries; Greenland, TN	587		300	U
Floral Glass & Mirror; Hauppauge, NY	1552		400	U
Gemtron - Sweetwater; Sweetwater, TN	1422		300	U
Guardian Fabrication; Rogers, AR	1358	ANSI ONLY	900	U
Guardian Industries; Corsicana, TX	1463	ANSI ONLY	900	U
Guardian Industries; Fort Lauderdale, FL	1665	ANSI ONLY	600	30" by 70"
Guardian Industries; Richburg, SC	1683	ANSI ONLY	300	U
<b>1/8 inch tempered patterned glass (medium)</b>				
AFG Industries; Kingsport, TN	1414		300	U
Downey Glass Co; Los Angeles, CA	1611		250	U
Guardian Industries; Kingsburg, CA	1303	ANSI ONLY	900	U
U S Precision Glass; Jefferson, TX	1388	ANSI ONLY	900	U
U S Precision Glass; Lewisburg, OH	654	ANSI ONLY	200	U
<b>5/32 inch tempered patterned glass (shallow)</b>				
American Flat Glass Dist; Alvarado, TX	1713		900	U
American Flat Glass Dist; Richmond, VA	1960		100	U
American Flat Glass Distrib; Marietta, GA	1428		300	U
Arch Tempered Glass; Orlando, FL	1682	ANSI ONLY	600	U
Cardinal IG; Greenfield, IA	1842	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1845	CPSC ONLY	500	U
Coraglass Inc; Reform, AL	1963		300	U
D & S Tempered Glass; Dallas, TX	1660		900	U
Gemtron - Sweetwater; Sweetwater, TN	1424		300	U
Guardian Fabrication; Rogers, AR	1359	ANSI ONLY	900	U
Guardian Industries; Corsicana, TX	1737	ANSI ONLY	900	U
Guardian Industries; Richburg, SC	1635	ANSI ONLY	300	U
Hamilton Glass Products; Vincennes, IN	1386		200	U
Sunbelt Glass, Inc; Tulsa, OK	1617		900	U
<b>5/32 inch tempered patterned glass (medium)</b>				
Guardian Industries; Kingsburg, CA	1301	ANSI ONLY	900	U
<b>3/16 inch tempered patterned glass (shallow)</b>				
ACI Distribution; Dallas, TX	1728	ANSI ONLY	900	U
AFG Industries; Greenland, TN	1139		300	U
AFG Industries; Kingsport, TN	1143		300	U
American Flat Glass Dist; Alvarado, TX	1714		900	U
American Flat Glass Dist; Richmond, VA	1961		100	U
American Flat Glass Distrib; Fall River, MA	1523		400	U
American Flat Glass Distrib; Marietta, GA	1415		300	U
Arch Tempered Glass; Orlando, FL	1562	ANSI ONLY	600	U
Cardinal IG; Greenfield, IA	1843	CPSC ONLY	500	U
Cardinal IG; Spring Green, WI	1846	CPSC ONLY	500	U
Commercial Insulating Glass Co; Sarasota, FL	1894		600	31" by 76"
Coraglass Inc; Reform, AL	1964		300	U
D & S Tempered Glass; Dallas, TX	1661		900	U
Downey Glass Co; Los Angeles, CA	935		250	U
Guardian Industries; Fort Lauderdale, FL	1318	ANSI ONLY	600	U
Guardian Industries; Kingsburg, CA	1304	ANSI ONLY	900	U
Guardian Industries; Richburg, SC	1865	ANSI ONLY	300	U
Hamilton Glass Products; Vincennes, IN	1387		200	U
Hoffer's, Inc.; Schofield, WI	1798		75	U
Marvin Windows; Warroad, MN	1701		400	U
Perilstein Distributing Corp; Cheswick, PA	1790		400	U
Shaw Glass Co Inc; South Easton, MA	1939		400	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED PATTERNED GLASS - continued</b>				
<b>3/16 inch tempered patterned glass (shallow) - continued</b>				
Sunbelt Glass, Inc; Tulsa, OK	1618		900	U
U S Precision Glass; Lewisburg, OH	188	ANSI ONLY	200	U
<b>3/16 inch tempered patterned glass (deep)</b>				
Guardian Fabrication; Rogers, AR	1394	ANSI ONLY	900	U
U S Precision Glass; Lewisburg, OH	328	ANSI ONLY	200	U
<b>3/16 inch tempered patterned glass (shallow)</b>				
Sterling Plumbing Group; Union City, TN	1984		900	U
<b>7/32 inch tempered patterned glass (shallow)</b>				
ACI Distribution; Santa Clara, CA	1495		250	U
Downey Glass Co; Los Angeles, CA	678		250	U
Floral Glass & Mirror; Hauppauge, NY	1553		400	U
Guardian Industries; Corsicana, TX	1464	ANSI ONLY	900	U
<b>1/4 inch tempered patterned glass (shallow)</b>				
Guardian Industries; Kingsburg, CA	1882	ANSI ONLY	900	U
<b>5/32 inch tempered patterned glass</b>				
PFG Toughened Glass; Republic Of South Africa	1913	ANSI ONLY	400	20 x 20
<b>SAFETY PLASTIC SHEET</b>				
<b>.080 inch through 0.125 inch acrylic</b>				
Flex-O-Glass, Inc; Dixon, IL	118	ANSI ONLY	600	U
<b>ORGANIC COATED GLASS</b>				
<b>5/32 inch organic coated glass</b>				
Guardian Inds Canada Corp; Rexdale, Ontario - Canada	1966	ANSI ONLY	400	U
<b>TEMPERED BENT TRANS. GLASS</b>				
<b>5/32 inch Tempered Bent Trans. Glass</b>				
Ardco, Inc; Chicago, IL	1563		400	U
Sovis S A; France	1992		400	U
<b>3/16 inch Tempered Bent Trans. Glass</b>				
Ardco, Inc; Chicago, IL	1564		400	U
North American Glass Inds Inc; Bensenville, IL	1808		200	U
Sovis S A; France	1938		400	U
<b>1/4 inch Tempered Bent Trans. Glass</b>				
Ardco, Inc; Chicago, IL	1565		400	U
North American Glass Inds Inc; Bensenville, IL	1809		200	U
Sovis S A; France	1864		400	U
<b>3/8 inch Tempered Bent Trans. Glass</b>				
North American Glass Inds Inc; Bensenville, IL	1536		200	U
<b>1/2 inch Tempered Bent Trans. Glass</b>				
North American Glass Inds Inc; Bensenville, IL	1533		200	U

	<u>SGCC NO.</u>		<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>LAMINATED TRANSPARENT-BUTYRAL</b>				
<b>5/32 inch laminated transparent-butyral</b>				
Guardian Inds Corp-Lewistown; Lewistown, PA	1886	ANSI ONLY	400	U
<b>3/16 inch laminated transparent-butyral</b>				
Northwestern Industries; Seattle, WA	1640		750	U
Viracon, Inc; Owatonna, MN	1637		75	U
<b>7/32 inch laminated transparent-butyral</b>				
Guardian Industries; Upper Sandusky, OH	458	ANSI ONLY	200	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1282	ANSI ONLY	400	U
Mirror Factory Inc; Plymouth, MN	1915		75	U
<b>1/4 inch laminated transparent-butyral</b>				
Globe-Amerada; Selma, AL	1668		400	U
Guardian Industries; Upper Sandusky, OH	487	ANSI ONLY	200	U
Guardian Inds Corp-Lewistown; Lewistown, PA	1946	ANSI ONLY	400	U
Laminated Glass Corp; Telford, PA	1652		275	U
<b>3/8 inch laminated transparent-butyral</b>				
Guardian Inds Corp-Lewistown; Lewistown, PA	1947	ANSI ONLY	400	U
<b>1/2 inch laminated transparent-butyral</b>				
Guardian Inds Corp-Lewistown; Lewistown, PA	1316	ANSI ONLY	400	U
<b>LAMINATED TRANSPARENT-RESIN</b>				
<b>7/32 inch laminated transparent-resin</b>				
North American Glass Inds Inc; Benton Harbor	1441		200	U
<b>1/4 inch laminated transparent-resin</b>				
Architectural Safety Glass; Ft. Pierce, FL	1914		600	U
<b>9/32 inch laminated transparent-resin</b>				
Arch Tempered Glass; Orlando, FL	1855	ANSI ONLY	600	U
<b>1/2 inch laminated transparent-resin</b>				
North American Glass Inds Inc; Benton Harbor	1699		200	U
<b>ORGANIC COATED - HYBRID</b>				
<b>1/8 inch organic coated - hybrid</b>				
Romag Security Laminators Inc; Consett	1940		975	U
Viracon Inc; Owatonna, MN	1883		75	U
<b>3/16 inch organic coated - hybrid</b>				
Viracon Inc; Owatonna, MN	1949		75	U
<b>1/4 inch organic coated - hybrid</b>				
Viracon Inc; Owatonna, MN	1884		75	U

JANUARY 1, 1996

CERTIFIED PRODUCTS - BY PRODUCT TYPE

SGCC 43

	<u>SGCC NO.</u>	<u>LAB ID</u>	<u>MAX. SIZE CERTIFIED</u>
<b>TEMPERED BENT PATTERNED GLASS</b>			
<b>5/32 inch Tempered Bent Patterned Glass (deep)</b>			
Ardco, Inc; Chicago, IL	1952	400	31 x 64
<b>3/16 inch Tempered Bent Patterned Glass (shallow)</b>			
Ardco, Inc; Chicago, IL	1951	400	31 x 64
<del><b>1/4 inch Tempered Bent Patterned Glass (medium)</b></del>			
Viracon, Inc; Owatonna, MN	1950	75	U
<i>LAMINATED SPECIALTY PRODUCT</i>			



**ACI DISTRIBUTION**  
2710 Patterson St  
Greensboro NC 27407

**AFG INDS INC**  
PO Box 929  
Kingsport TN 37662

▲▲  
TEMPERED  
16 CFR 1201-C II  
ANSI Z97.1 1984  
1/8U SGCC-1390  
AFG 006  
-----  
BS 6206 A

**ACI DISTRIBUTION**  
12900 Nicholson Rd  
PO Box 815547  
Dallas TX 75381-5547

**AFGD, DIVISION OF AFG INDS. LTD.**  
Fabricated Products Division  
75 Doney Crescent  
Concord Ontario L4K 1P6  
CANADA



**TEMPERED SAFETY GLASS**  
16CFR1201 CII  
ANSI Z97.1-1984 3/16"U  
SGCC 400

**ACI DISTRIBUTION**  
750 Walsh Ave  
Santa Clara CA 95050



**TEMPERED SAFETY GLASS**  
16 CFR 1201 CAT. II  
ANSI Z97.1-1984  
SGCC 1484 3/16 U

**ACI DISTRIBUTION**  
9010 S Norwalk Blvd  
Santa Fe Springs CA 90670



TEMPERED/TREMPÉ  
ANSI Z97.1 — 1984  
16 CFR 1201 II  
SGCC 1489 1/4 .U  
-----  
A'S 2! DOT 183 MO8  
CAN 212.1 8G

**ALL TEAM GLASS & MIRROR LTD**  
281 Hanlon Rd  
Woodbridge Ontario L4L 3R7  
CANADA

**AMERICAN FLAT GLASS DIST**  
3200 Austell Rd  
Marietta GA 30060

**AFGD**

ANSI Z97.1-1984  
16CFR 1201-CII  
SGCC 1232 3/8" U

**ANGLASS INDS INC**  
12364 Gladstone Ave  
San Fernando CA 91342

TEMPERED  
SAFETY GLASS



USA  
ANSI Z97.1 1984  
SGCC 520 1/8U

**ARCH ALUMINUM & GLASS CO**  
1470 Dale Court  
Austell GA 30001

**ARDCO INC**  
12400 S Laramie Ave  
Chicago IL 60658

**Arco TemperBent**

ANSI Z97.1-1984  
16 CFR 1201-CII  
SGCC-1563 5/32U

**CANADIAN INSUL-GLASS CORP**  
384 Exter Rd  
London Ontario N6E 2Z4  
CANADA

**ARCH TEMPERED GLASS PRODUCTS**  
3320 Maggie Blvd  
Orlando FL 32811

**CARDINAL CG**  
600 Heraeus Blvd  
Buford GA 30518

**ARCHITECTURAL SAFETY GLASS**  
337 Commercial Circle  
t Pierce FL 34951

**CARDINAL IG**  
Iowa 25 N  
PO Box 99  
Greenfield IA 50849

**CG #2 TEMPERED**  
**16CFR 1201 II**  
**SGCC-1829 3/16U**

**CARDINAL IG**  
1011 E Madison St  
Spring Green WI 53588

**CONTOUR INDUSTRIES INC**  
Phipps Bend Rd  
PO Box 69  
Surgoinsville TN 37873

**CARDINAL TG**  
1601 Rusch St  
Tomah WI 54660

**CORAGLASS INC**  
Hwy 17 South  
Reform AL 35481

**COLONIAL MIRROR & GLASS CORP**  
35 Kent Ave  
Brooklyn NY 11232

**D & S TEMPERED GLASS**  
2531 Royal Ln Suite 505  
Dallas TX 75229

*DdW*

**COMMERCIAL INSULATING GLASS CO**  
1155 Porter Rd  
Sarasota FL 34240

**DOWNEY GLASS CO**  
5631 Ferguson Dr  
Los Angeles CA 90022



**FLEX-O-GLASS INC**  
1100 N Cicero Ave  
Chicago IL 60651

**GARDNER MIRROR CORPORATION**  
600 Elkin Hwy  
North Wilkesboro NC 28659-1570

*Warpz*®

**FLEX-O-GLAZE™**  
ACRYLIC SAFETY GLAZING  
16 CFR 1201 CII 1000  
ANSI Z97.1-84 SGCC-118

**FLORAL GLASS & MIRROR INC**  
895 Motor Pkwy  
Hauppauge NY 11788

**GEMTRON - SWEETWATER**  
615 Hwy 68  
Sweetwater TN 37874

**TemPLUS**  
FLORAL GLASS & MIRROR  
TEMPERED SAFETY GLASS  
ANSI Z97.1-1984  
16 CFR 1201-I-II  
SGCC-1563 7/32 u

**TEMPERED**  
16CFR 1201 CII  
ANSI Z97.1-1984  
3/16 U - SGCC-1201/1202  
GEMTRON 131 1985

**FOUR SEASONS SOLAR PRODUCTS**  
5005 Veterans Memorial Hwy  
Holbrook NY 11741

**GLASS FACTORY INC**  
5012 Expressway Dr S  
Ronkonkoma NY 11779

**FOUR SEASONS**  
**TEMPERED**  
**SAFETY GLASS**  
**16 CFR 1201-C II**  
**ANSI Z97.1-1984**  
**SGCC-1191-1780**


**SUPER TEMPO**  
*Glass Factory*  
ANSI Z97.1-1984  
16 CFR 1201-II  
SGCC-1661-1220

**FREE STATE GLASS INDS**  
5415 Lee Highway  
Warrenton VA 22186



**GLOBE-AMERADA GLASS CO (ASSURANCE)**  
2001 Greenleaf Ave  
Elk Grove Village IL 60007

**FREE STATE GLASS**  
**TEMPERED SAFETY GLASS**  
ANSI Z97.1-1984 16 CFR 1201-I & II  
SGCC 1592 1/4" U

**LAMINATED SAFETY GLASS**

SGCC-1668  .218 u  
ANSI Z97.1-1984  
16 CFR 1201 C II  
AS1  
90

**GUARDIAN FAB INC**  
2300 Harmon Road  
Auburn Hills, MI 48326-1714

 **GUARDIAN**  
**ROGERS, AR.**  
**TEMPERED**  
**ANSI Z97.1-1984**  
**SGCC 1616 5/32U**  
-----  
**16 CFR 1201 II**  


**GUARDIAN INDS CORP**  
2300 Harmon Rd  
Auburn Hills, MI 48326-1714

 **GUARDIAN**  
**RICHBURG, S.C.**  
**ANSI Z97.1-1984**  
**SAFETY TEMPERED**  
**SGCC 1630 1/8U**  
-----  
**16 CFR 1201 II**  
**G2 09** 

**GUARDIAN INDS CANADA CORP**  
355 Attwell Drive  
Rexdale Ontario M9W 5C2  
CANADA

**HAMILTON GLASS PRODUCTS INC**  
2000 Chestnut St  
PO Box 317  
Vincennes IN 47591


**TEMPER-TUF**  
**HAMILTON GLASS**  
**VINCENNES IN**  
**ANSI Z97.1-1984**  
**1/8 U SGCC-54**  
**16 CFR 1201 C II**

**HOFFER'S INC**  
Glass Fabricating Div  
5103 Janice Ave  
Schofield WI 54476

**H-I-T**  
**TEMPERED GLASS**  
**ANSI Z97.1-1984**  
**16CFR 1201 CII**  
**SGCC 1595 1/8**

**INTERPANE GLASS COMPANY**  
E Railroad St  
PO Box 408  
Clinton NC 28328

**LAMINATED GLASS CORP**  
375 E Church Ave  
PO Box 1003  
Telford PA 18969-1003

  
**LAMINATED SAFETY GLASS**  
**16 CFR 1201 - II / ANSI Z97.1-1984**  
**SGCC 1652 1/4 U**  
-----  
**AS-1, M-21, DOT 33**

**MARVIN WINDOWS**  
PO Box 100 Hwy 11 W  
Warroad MN 56763

**MILGARD TEMPERING INC**  
1010 54th Ave E  
PO Box 11368  
Tacoma WA 98411-0368



TEMPERED SAFETY  
ANSI Z97.1 1984  
16 CFR 1201 CII  
SGCC 1578 1/4U

**NORTHWESTERN INDS INC**  
2501 W Commodore Way  
Seattle WA 98199

TEMPERED  
SAFETY GLASS




ANSI Z 97.1-1984  
16CFR 1201-II  
SGCC-1638 3/16 U


**MIRROR FACTORY INC**  
12725 16th Ave N  
Plymouth MN 55441

**PERILSTEIN DISTRIBUTING CORP**  
100 Business Center Dr  
Cheswick PA 15024

**NASHVILLE TEMPERED GLASS CORP**  
1860 Air Lane Dr  
Nashville TN 37210

**PFG TOUGHENED GLASS**  
PO Box 1046  
Copper Road New Era Springs  
Transvaal  
REPUBLIC OF SOUTH AFRICA



**NTGC**   
ANSI Z97.1-1984  
16 CFR 1201 CII  
SGCC 1416 1/8" U  
DOT 359 AS 2

**NORTH AMERICAN GLASS INDS INC**  
85 Territorial Road  
Anton Harbor MI 49022

**PPG INDS INC**  
One PPG Place  
Pittsburgh PA 15272

**PPG HERCULITE K**  
TEMPERED SAFETY GLASS  
16CFR1201 CII  
ANSI Z-97.1-1984 1/4U  
SGCC-382 6 022585

**ROMAG SECURITY LAMINATORS INC**  
 Howarth Court Whitelaw Road  
 Blaydon Haughs Industrial Estate  
 Blaydon NE21 5NH  
 ENGLAND

**STERLING PLUMBING GROUP**  
 2000 N 5th Street  
 Industrial Park  
 Union City, TN 38261

**SAFTI**  
 c/o O'Keefe's Inc.  
 75 Williams Avenue  
 San Francisco CA 94124

**SUMMIT WINDOW AND PATIO DOOR**  
 1015 E Lincoln Ave.  
 Yakima, WA 98901

**SHAW GLASS CO INC**  
 55 Bristol Dr  
 S Easton MA 02375

**SUNBELT GLASS INC**  
 8531 E 44th St  
 Tulsa OK 74145

**SOLAR TEMP.**  
**16 CFR 1201.11**

**SUNTEMP® 1-87**  
**SAFETY TEMPERED**  
**ANSI Z97.1-1984**  
**16 CFR 1201 CII**  
**SGCC-1453 1/8 U**

**ANSI Z 97.1- 1984**  
**1/4 U SGCC 1035**

**SOVIS S A**  
 c/o Euroglas Glasrep Corp  
 1 Barker Avenue  
 5th Floor  
 White Plains NY 10601

**SWIFT GLASS CO INC**  
 131 W 22nd St  
 Elmira Heights NY 14903

**TAYLOR PRODUCTS INC**  
N Laura St  
PO Box 77  
Payne OH 45880

**TRACO (THREE RIVERS ALUM)**  
71 Progress Avenue  
Cranberry Township, PA 16066-3596



**TRACO VIEW-SAFE  
TEMPERED GLASS**  
ANSI Z97.1-1984  
16 CFR 1201.11  
SGCC-1313 1/2U

**TECNOGLASS**  
10800 Biscayne Blvd  
Suite 400  
Miami FL 33161

**U S PRECISION GLASS**  
1900 Holmes Rd  
Elgin IL 60123

**TEMPERED GLASS INC**  
7160 Delta Circle  
Austell GA 30001

**VEGLA VEREINIGTE GLASWERKE GMBH**  
Kinon Sicherheitsglas GmbH  
Jülicher Straße 495 D-52070  
Aachen GERMANY

• **Tuf-flex Glass FT 1/4" U 1** •  
• **TEMPERED SAFETY GLASS** •  
• **ANSI Z97.1-1984 16 CFR 1201.11** •  
• **SGCC-321 SGCC-363** •

**EMPGLOSS GROUP, INC.**  
7851 N W Miami Court  
Miami FL 33169

**VIRACON INC**  
800 Park Dr  
PO Box 248  
Owatonna MN 55060

**TEMPGLASS, INC.**  
16 CFR 1201.11  
ANSI Z97.1 - 1984  
SGCC 1420  
1/4 - U (1)

**VIRACON**  
TEMPERED  
16 CFR 1201.11  
SGCC 1420 1/4" U  
ANSI Z97.1 1984  
1 85



**VIRGINIA GLASS PRODUCTS CORP**

PO Box 5431  
Martinsville VA 24115



← VITRERIE APRIL

**WESTSHORE GLASS**

5300 W. Knox Street  
P.O. Box 15216  
Tampa, FL 33684-5216



GARDNER MIRROR CORPORATION

P. O. BOX 1570, NORTH WILKESBORO, NORTH CAROLINA 28659-1570  
AREA CODE 910 651-9300


03/28/96

S.G.C.C.

HEATHER L. ALMEIDA,

PLEASE CHANGE THE PRIMARY MEMBER IN YOUR FILES FOR LICENSEE  
GARDNER MIRROR FROM COLIN ADAMS TO TIM HALL. MR. ADAMS RETIRED  
AND MR. HALL ASSUMED HIS POSITION. ALL CORRESPONDENCE SHOULD BE  
SENT TO MR. HALL.

THANK YOU,



TIM HALL

PLANT MANAGER

TH/js





## safety glazing certification council

INDUSTRIAL PARK • 3933 US ROUTE 11  
P.O. BOX 2040  
CORTLAND, N.Y. 13045-0950  
PHONE 607-753-6711  
FAX 607-756-9891

Date: December 18, 1995

TO: SGCC Licensees

FROM: Heather Almeida, SGCC Administrative Secretary

SUBJ: Certification Committee Listing

Attached is a copy of pages 6 & 7 of the July 1, 1995 CPD, which contains the current list of SGCC Certification Committee Members.

Please update this list with the following information:

Primary Mamber:

Richard Cariello

Fist Alternate:

William Hudgins

Second Alternate:

Anthony Cariello

We would like this information as soon as possible so that we may update the Directory.

Thank you

*Heather Almeida*



JANUARY 1, 1996

"American National Standard for Safety Glazing Materials used in Buildings -  
Safety Performance Specifications and Methods of Test: ANSI Z97.1-1984"

Copies of ANSI Z97.1-1984 may be obtained from:

American National Standards Institute  
11 W 42nd St #13thf  
New York, NY 10036-8002

"Consumer Product Safety Commission Safety Standard for Architectural Glazing  
Materials - at Title 16, Part 1201 of the Code of Federal Regulations:  
16 CFR 1201"

Copies of 16 CFR 1201 may be obtained from:

Consumer Products Safety Commission  
5401 Westbard Avenue  
Bethesda, MD 20016









**SGCC APPROVED TESTING LABORATORIES  
APPROVED FOR TESTING IN THE ANSI AND CPSC  
CERTIFICATION PROGRAMS**

- |  |  |
|--|--|
| <p>75 Architectural Testing Inc<br/>587 First St S W<br/>New Brighton MN 55112<br/>Attention: Mr Daniel P Braun<br/>Telephone: 612-636-3835<br/><b>612-636-3843</b></p> <p>100 Architectural Testing Inc<br/>130 Derry Ct<br/>York PA 17402-9405<br/>Attention: Mr David Moyer<br/>Telephone: 717-764-7700<br/><b>717-764-4129</b></p> <p>200 Bowser-Morner Inc<br/>4518 Taylorsville Rd<br/>PO Box 51<br/>Dayton OH 45401 <b>Ed Scott</b><br/>Attention: Mr Robert J Rosencrans<br/>Telephone: 513-236-8805<br/><b>513-237-9947</b></p> <p>250 Construction Consulting Laboratory <b>West</b><br/>Western Division<br/>4751 W State St Ste E<br/>Ontario CA 91762<br/>Attention: Mr Ray Charland <b>Jack Jackson</b><br/>Telephone: 909-591-1789<br/><b>909-627-9020</b></p> <p>275 ETC Laboratories<br/>40 Ajax Road<br/>Rochester NY 14624<br/>Attention: Mr David Kehrl<br/>Telephone: 716-328-7668<br/><b>716-328-7777</b></p> <p>300 ETL Testing Laboratories Inc<br/>4317-A Park Dr N W<br/>Norcross GA 30093<br/>Attention: Mr William Penue<br/>Telephone: 770-925-2444<br/><b>* - * 7294</b></p> | <p>400 ETL Testing Laboratories Inc<br/>3933 US Route 11<br/>Cortland NY 13045-0950<br/>Attention: Mr Joe Connors<br/>Telephone: 607-753-6711</p> <p>500 Maxim Technologies / <b>HUNTING DON</b> Patzig Testing Labs<br/>3922 Delaware Ave<br/>Des Moines IA 50313<br/>Attention: Mr Carl C Andreasen S E T<br/>Telephone: 515-266-5101<br/><b>515-262-1910</b></p> <p>600 Miami Testing Laboratory Inc<br/>1640 W 32nd Pl<br/>Hialeah FL 33012<br/>Attention: Mr David G. Ober<br/>Telephone: 305-822-1141<br/><b>305-825-1924</b></p> <p>750 Performance Testing Inc.<br/>4076-148th Ave N E<br/>Redmond WA 98052<br/>Attention: Mr Jon DeRose<br/>Telephone: 206-883-9788 <b>206-869-5266</b></p> <p>900 <b>MAXIM TECHNOLOGIES</b><br/>Southwestern Labs / <b>AKA</b> <del>AKA</del> <b>London</b><br/>2200 Gravel Dr<br/>Ft Worth TX 76118-7123<br/>Attention: Mr Kemp E Akeman P E<br/>Telephone: 817-284-7755<br/><b>817-589-1420</b></p> <p>950 Warnock Hersey International Inc<br/>530 Garcia Ave<br/>Pittsburg CA 94565<br/>Attention: Mr Vijay G Ruikar, P E<br/>Telephone: 510-432-7344</p> <p>975 Warnock Hersey International Inc<br/>8431 Murphy Dr<br/>PO Box 735<br/>Middleton WI 53562<br/>Attention: Nancy Kokesh<br/>Telephone: 608-836-4400</p> |
|--|--|

NOTE: The ID of the laboratory used for testing of each product is provided in the Certified Products - by Product Type section of this directory.



safety glazing certification council

3933 US Route 11

P. O. Box 2040

Cortland, NY 13045-0950

ADDRESS CORRECTION REQUESTED

POSTAGE MUST BE  
AFFIXED HERE

U. S. POSTAGE  
PAID  
BULK RATE  
PERMIT NO. 538  
BINGHAMTON, N.Y.

IF NOT MAILED IN  
BINGHAMTON, NEW YORK