

JULY 1, 1984



safety glazing certification council

certified products directory
safety glazing material used in buildings

TABLE OF CONTENTS

Meetings this year.....	page 4
Roster.....	page 5
Board of Directors.....	page 6
Pattern Glass Classification.....	page 7
Program Concept.....	page 9 (ANSI)
Certified Products (Numerically).....	page 10 (ANSI)
Certified Products (By Plant).....	page 12 (ANSI)
Certified Products (By Product).....	page 20 (ANSI)
SGCC Label Requirements.....	page 27 (ANSI)
Licensees and their typical labels.....	page 28 (ANSI)
SGCC Approved Laboratories.....	page 34 (ANSI)
Procedural Guide.....	page 35 (ANSI)
Guidelines for Certification.....	page 38 (ANSI)
ANSI Z97.1-1975.....	page 43 (ANSI)
July 1, 1984 Update.....	page 44 (ANSI)

Program Concept.....	page 45 (CPSC)
Certified Products (Numerically).....	page 46 (CPSC)
Certified Products (By Plant).....	page 48 (CPSC)
Certified Products (By Product).....	page 55 (CPSC)
SGCC Label Requirements.....	page 61 (CPSC)
Licensees and their typical labels.....	page 62 (CPSC)
SGCC Approved Laboratories.....	page 68 (CPSC)
Procedural Guide.....	page 69 (CPSC)
Guidelines for Certification.....	page 72 (CPSC)
16 CFR 1201.....	page 77 (CPSC)
July 1, 1984 Update.....	page 78 (CPSC)

© Safety Glazing Certification Council, 1984

MEETINGS OF THE CERTIFICATION COMMITTEE

The Certification Committee of the Safety Glazing Certification Council met on April 10 and 11, 1984. Interested persons may obtain minutes of this meeting by writing to the Safety Glazing Certification Council.

* * * * *

Certification in this directory is up-to-date as of July 1, 1984; however, products may be certified or certification removed from time to time. Please contact the SGCC office for the latest up-to-date information.

Requests for future copies of this directory, or any questions or comments should be directed to:

Mr. Robert A. Nance, P. E.
Administrative Manager
Safety Glazing Certification Council
1640 West 32 Place
Hialeah, Florida 33012

Telephone 305-558-1352

* * * * *

SGCC BOARD OF DIRECTORS

Representing Public Interest

Mario Cellarosi, NBS
Mrs. Jean Cornwell, Consumer
Phil Dykstra, Consumer
George L. Graf, Jr., Consumer
Mrs. Sylvia Lav, Consumer
Joseph E. Minor, Texas Tech University

Representing Industry

William C. Cooke, AFG Industries, Inc.
Richard T. McGuire, PPG Industries, Inc.
Richard L. Morrison, Ford Motor Company
Bernard Puttler, Downey Glass Company, Inc.
Paul Toltz, General Glass Corporation
Leigh T. Yates, Falconer Glass Industries, Inc.
Honorary Non-voting Member:
Norman Nitschke, Glasstech, Inc.

SGCC Officers

Leigh T. Yates, President
Richard L. Morrison, First Vice President
George L. Graf, Jr., Second Vice President
Joseph E. Minor, Secretary
William C. Cooke, Treasurer

SGCC CERTIFICATION COMMITTEE

Robert A. Moss, Chairman

Henry A. Gorry, Vice-Chairman

Licensee

AFG Industries, Inc.
Advanced Coating Technology, Inc.
Ardco, Inc.
J. E. Berkowitz, Inc.
Chamberlain-Featherlite, Inc.

Primary Member

William C. Cooke
Paul Gripshover
Andrew G. Menke
Robert Litzinger
Bob Gentry

First Alternate

Billie G. Nichols
James W. Seeser

Second Alternate

Thomas C. Carson
William Watson

Chromalloy American Corporation
Cristales Inastillables De Mexico
Downey Glass Company, Inc.
Dlubak Studios, Inc.
Falconer Glass Industries, Inc.

Jack Fazio
Roberto Guevara Velez
Jim Pinsky
Frank C. Dlubak
Richard E. Turner

Gary Strohmer
Juan Aguayo
Bernard Puttler
Thom E. Davies
Leigh T. Yates

Joseph D. Pinsky
Richard P. Joyce
Richard Stout

Flex-O-Glass, Inc.
Ford Motor Company
Fulton Glass Industries, Inc.
General Glass Corporation
Glass Tempering Service, Inc.

Harold G. Warp
Richard L. Morrison
David Farley
Paul Toltz
Virgil S. Taylor

Delbert Christensen
C. D. Goodman
Howard Bienenfeld
Randy Toltz

Robert D. Lauter

Guardian Industries Corp.
Hamilton Glass Products, Inc.
Lear Siegler, Inc.
Libbey-Owens-Ford Company
Northwestern Industries, Inc.

Henry A. Gorry
Robert A. Moss
Gary Harris
Anthony R. Shaw
Norman G. Heutmaker

R. L. Alonzo
Gary L. Tate
Robert Avers
Mark S. Suffron
Timothy J. McQuade

Cliff Monroe
Ronald Purdue

Ohio Plate Glass Company
PPG Industries, Inc.
PPG Industries Canada, Ltd.
Rotuba Extruders, Inc.
Sheffield Plastics, Inc.

Gene Gilbert
Richard T. McGuire
D. A. Clarke
Albert M. Bell
Thomas Kradel

John Barr
Charles R. Sutermeister
W. C. Clanahan
Eugene E. Drood
Bernard W. Brooks

John M. Schlueter
Richard T. McGuire

Southern Wholesale Glass, Inc.
Tempered Glass Corporation
Tempglass, Inc.
Tempglass Western, Inc.
Temp-Tech Industries, Inc.

Tom Coyne
Paul F. Tumey
Irvin D. Fintel
Robert B. Coble
Bart Semeraro

Douglas A. Long
Howard Bienenfeld
Robert Nitschke

Freddie Michael
David P. Moorhead

Texas Tempered Glass Company
Traco
Virginia Glass Products Corporation
Virginia Mirror Company, Inc.

Hugh France
Robert P. Randall
Robert L. Brown
W. C. Beeler, Jr.

Thomas D. Boicey
John Kalakos
Brooks R. Leavitt
Robert L. Brown

A. P. Stillman

Member by virtue of being a director:

National Bureau of Standards
Consumer
Consumer
Consumer
Consumer
Texas Tech University
Glasstech, Inc.

Mario Cellarosi
Mrs. Jean Cornwell
Phil Dykstra
George L. Graf, Jr.
Mrs. Sylvia Lav
Joseph E. Minor
Norman Nitschke

Members from those without

certified products:

Deposition Technology, Inc.

Martin I. Cohen

Legal Counsel:

Samuel Steen, Esquire

Auditor:

McClain and Company

Administrative Manager:

Robert A. Nance, P. E.

Administrative Staff:

Rose Goodwin
Andy Nance
Shirley Nelson

Revised: 6-30-84

SGCC BOARD OF DIRECTORS

Representing Public Interest

Mr. Mario J. Cellarosi
National Bureau of Standards
Materials Building; Room B322
Washington, D. C. 20234
Telephone 301-921-2817

Mrs. Jean Cornwell
225 Swan Lake Road
Stockbridge, Georgia 30281
Telephone 404-474-4278

Mr. Phil Dykstra
6541 West 166 Street
Tinley Park, Illinois 60477
Telephone 312-532-3294

Dr. George L. Graf, Jr.
2642 Longwood Drive
Wilmington, Delaware 19810
Telephone 302-475-3723

Mrs. Sylvia Lav
71 Southgate Circle
Massapequa Park, New York 11762
Telephone 516-798-6323

Dr. Joseph E. Minor, P. E.
Institute for Disaster Research
Texas Tech University
P. O. Box 4089
Lubbock, Texas 79409
Telephone 806-742-3476

Representing Industry

Mr. William C. Cooke
AFG Industries, Inc.
P. O. Box 929
Kingsport, Tennessee 37662
Telephone 615-245-0211

Mr. Richard T. McGuire
PPG Industries, Inc.
1000 RIDC Plaza; P. O. Box 2811
Pittsburgh, Pennsylvania 15230
Telephone 412-782-6700

Mr. Richard L. Morrison
Ford Motor Company Glass Division
300 Renaissance Center; P. O. Box 43343
Detroit, Michigan 48243
Telephone 313-446-4184

Mr. Bernard Puttler
Downey Glass Company, Inc.
5631 Ferguson Drive
Los Angeles, California 90022
Telephone 213-685-4730

Mr. Paul Toltz
General Glass Corporation
P. O. Box 38711
Denver, Colorado 80238
Telephone 303-371-5511

Mr. Leigh T. Yates
Falconer Glass Industries, Inc.
500 South Work Street
Falconer, New York 14733
Telephone 716-665-6422

Honorary Non-Voting
Life Time Member
Mr. Norman Nitschke
Glasstech, Inc.
Ampoint
995 Fourth Street
Perrysburg, Ohio 43551
Telephone 419-661-9500

CLASSIFIED TEMPERED GLASS PATTERNS

1/8 inch shallow				
(01) P-516	(02) Luxlite	(03) Factrolite	(09) Spraylite	(32) Muralex
(34) Velvex	(36) Ribbed	(37) Aquatex	(38) Finetex	(39) Industrex
(82) Pattern 62	(83) Pointex	(86) Showerlite	(87) Heliolite	(117) Solatex
(120) Sunadex	(147) Solatex I	(150) Solatex II		
1/8 inch medium				
(04) Rattan	(05) Cotswold	(06) Patchwork	(07) Burlap	(08) Smooth Rough
(11) Flemish	(31) Skytex	(33) Seashell	(35) Flax	(52) Pattern 73
(56) Syenite	(57) Pattern 229	(154) Rain		
1/8 inch deep				
(10) Autumn				
5/32 inch shallow				
(59) Luxlite	(60) Factrolite	(64) Spraylite	(70) Muralex	(72) Velvex
(74) Ribbed	(75) Aquatex	(76) Finetex	(81) Pattern 6	(88) Pattern 100
(118) Solatex	(121) Sunadex	(123) P-516	(124) Heliolite	(126) Pattern 62
(127) Mistron Ace	(128) Showerlite	(148) Solatex I	(151) Solatex II	(153) Flax
(156) Clar 104	(157) Model 10	(158) Pontilhado		
5/32 inch medium				
(61) Cotswold	(62) Burlap	(63) Smooth Rough	(66) Flemish	(69) Skytex
(71) Seashell	(73) Flax	(77) Pattern 73	(78) Syenite	(79) Pattern 229
(80) Pattern 76	(130) Cathedral	(146) Pattern 28	(155) Rain	
5/32 inch deep				
(65) Autumn	(67) Oceanic	(68) Roundel		
3/16 inch shallow				
(50) Pattern 62	(51) P-516	(54) Showerlite	(116) Heliolite	(119) Solatex
(122) Sunadex	(125) Spraylite	(131) Industrex	(132) Velvex	(133) Aquatex
(134) Pattern 100	(135) Pattern 6	(136) Burlap	(137) Factrolite	(138) Satinlite
(139) Pluralite	(140) Flax	(141) Skytex	(142) Chinchilla	(149) Solatex I
(152) Solatex II	(159) Model 10			
3/16 inch medium				
(58) Pattern 76	(143) Seashell	(144) Syenite	(145) Flemish	
3/16 inch deep				
(12) Oceanic	(13) Roundel	(41) Lozenge		
210 shallow				
(89) Velvex	(90) Muralex	(91) Industrex	(92) Aquatex	(93) Pattern 100
(94) Pattern 6	(95) Pattern 62	(96) Spraylite	(97) Burlap	(98) Factrolite
(99) Satinlite	(100) Luxlite	(101) J-3	(102) P-516	(103) Smooth Rough
(105) Cascade	(106) Pluralite	(108) Flax	(110) Skytex	(115) Chinchilla
210 medium				
(107) Seashell	(109) Beadex	(111) Syenite	(112) Flemish	(113) Textured Linex
210 deep				
(104) Lozenge	(114) Broadlite			
7/32 inch shallow				
(14) Velvex	(15) Muralex	(16) Industrex	(17) Aquatex	(18) Pattern 100
(19) Pattern 6	(20) Pattern 62	(21) Spraylite	(22) Burlap	(23) Factrolite
(24) Satinlite	(25) Luxlite	(26) J-3	(27) P-516	(28) Smooth Rough
(30) Cascade	(42) Pluralite	(44) Flax	(46) Skytex	(55) Textured Plate
(84) Chinchilla	(129) Orange Peel			
7/32 inch medium				
(43) Seashell	(45) Beadex	(47) Syenite	(48) Flemish	(49) Textured Linex
7/32 inch deep				
(29) Lozenge	(53) Broadlite			

PROGRAM CONCEPT

The safety of the public is paramount. Manufacturers of safety glazing products, building code administrators and others responsible for the safety of the public, recognizing the need for a common standard for safety glazing materials, jointly established the Safety Glazing Certification Council (SGCC) in 1971.

The Safety Glazing Certification Council is a non-profit organization which has established and maintains a program to administer periodic testing as outlined in American National Standard Z97.1-1975, an internationally recognized standard for safety glazing in buildings. This standard subjects glazing materials to a practical test to determine that if they are broken by human contact, they break in a manner that would minimize the likelihood of cutting or piercing injury. SGCC's responsibilities are threefold: to assure a periodic testing program is maintained; to approve and register the form of the manufacturer's label; and to withdraw the manufacturer's authority to use that label if its products do not meet ANSI Z97.1-1975 standards.

Management and control of the program is vested in a board of directors, half representing industry and half representing public interest. The public interest representatives are empowered to veto any action regardless of the number present at a meeting. This insures against industry dominance of SGCC actions. The organization is operated in compliance with the American National Standard Practice for Certification Procedures Z34.1-1947 (R1982).

The program uses independent testing laboratories under the supervision of a qualified administrator who is a professional engineer. He is unaffiliated with any manufacturer of safety glazing materials and is hired by and responsible to the Safety Glazing Certification Council. The manufacturer of the products listed herein has certified that the labeled materials comply with the safety characteristics established by ANSI Z97.1-1975. The compliance of the manufacturer with the requirements of that standard is being checked periodically by an independent testing laboratory under the supervision of SGCC.

Every manufacturer of safety glazing material is eligible and encouraged to apply for certification. However, his products are not accepted and certified until an independent laboratory test indicates compliance with the standard. Once certified, each product is assigned a SGCC certification number to identify it and the factory at which it is made. Then, at least twice a year, SGCC independently selects samples during unannounced visits to the manufacturing plant or randomly from the market place to ensure continued adherence to the standard. Based on these evaluation reports SGCC authorizes continued use of the certification label and the product listing published in this directory.

The directory is divided into three basic listings: the first is by numerical sequence of certified product numbers listing the manufacturer holding that number; the second is of manufacturers listed alphabetically by plants and the approved products manufactured at those plants; the third is by products listing all manufacturers and their plants approved for each product. There is also an alphabetical listing by manufacturers illustrating a typical label of that manufacturer. The table of contents lists various procedural and administrative information, as well as information as to where officers and directors may be located.

Information from SGCC concerning a statement of procedures or copies of the minutes are available to manufacturers, public interest groups and individuals, upon request.

CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC- 12 Virginia Glass	SGCC- 350 LOF Glass	SGCC- 638 ACI Glass Products
SGCC- 14 Virginia Glass	SGCC- 351 LOF Glass	SGCC- 639 ACI Glass Products
SGCC- 19 LOF Glass	SGCC- 352 LOF Glass	SGCC- 640 ACI Glass Products
SGCC- 24 AFG Industries	SGCC- 373 LOF Glass	SGCC- 641 ACI Glass Products
SGCC- 28 AFG Industries	SGCC- 374 LOF Glass	SGCC- 654 Ohio Plate Glass
SGCC- 40 Guardian Industries	SGCC- 375 LOF Glass	SGCC- 662 Guardian Industries
SGCC- 41 Guardian Industries	SGCC- 382 PPG Industries	SGCC- 669 Texas Tempered
SGCC- 54 Hamilton Glass	SGCC- 386 LOF Glass	SGCC- 675 PPG Industries
SGCC- 57 Hamilton Glass	SGCC- 390 Tuf-flex Glass	SGCC- 676 PPG Industries
SGCC- 60 PPG Industries	SGCC- 391 Tuf-flex Glass	SGCC- 678 Downey Glass
SGCC- 61 PPG Industries	SGCC- 392 Tuf-flex Glass	SGCC- 701 Northwestern Industries
SGCC- 64 PPG Industries	SGCC- 396 Ford Motor Company	SGCC- 702 Northwestern Industries
SGCC- 70 PPG Industries	SGCC- 397 Ford Motor Company	SGCC- 733 Northwestern Industries
SGCC- 89 AFG Industries	SGCC- 400 PPG Industries	SGCC- 704 Northwestern Industries
SGCC- 90 AFG Industries	SGCC- 402 PPG Industries	SGCC- 707 Northwestern Industries
SGCC- 93 Virginia Glass	SGCC- 449 LOF Glass	SGCC- 709 Falconer Glass
SGCC- 94 Virginia Glass	SGCC- 454 PPG Industries	SGCC- 711 Falconer Glass
SGCC- 95 Virginia Glass	SGCC- 455 PPG Industries	SGCC- 712 Falconer Glass
SGCC- 102 PPG Industries	SGCC- 458 Guardian Industries	SGCC- 920 Northwestern Industries
SGCC- 118 Flex-O-Glass	SGCC- 464 LOF Glass	SGCC- 921 Tuf-flex Glass
SGCC- 131 Guardian Industries	SGCC- 471 Guardian Industries	SGCC- 927 PPG Industries
SGCC- 137 Texas Tempered	SGCC- 474 PPG Industries	SGCC- 933 Guardian Industries
SGCC- 141 AFG Industries	SGCC- 475 PPG Industries	SGCC- 934 Guardian Industries
SGCC- 150 LOF Glass	SGCC- 482 Tuf-flex Glass	SGCC- 935 Downey Glass
SGCC- 151 LOF Glass	SGCC- 483 Tuf-flex Glass	SGCC- 949 AFG Industries
SGCC- 160 Guardian Industries	SGCC- 487 Guardian Industries	SGCC- 952 PPG Industries
SGCC- 173 Sheffield Plastics	SGCC- 514 Downey Glass	SGCC- 955 AFG Industries
SGCC- 185 Ohio Plate Glass	SGCC- 515 Downey Glass	SGCC- 968 Guardian Industries
SGCC- 186 Ohio Plate Glass	SGCC- 516 Downey Glass	SGCC- 969 Guardian Industries
SGCC- 188 Ohio Plate Glass	SGCC- 520 Anglass Industries	SGCC- 970 Guardian Industries
SGCC- 194 PPG Industries	SGCC- 544 LOF Glass	SGCC- 971 Guardian Industries
SGCC- 195 PPG Industries	SGCC- 545 LOF Glass	SGCC- 979 Tempglass Eastern
SGCC- 209 PPG Industries Canada	SGCC- 562 Ohio Plate Glass	SGCC- 981 Tempglass Eastern
SGCC- 219 PPG Industries	SGCC- 586 Chamberlain	SGCC- 982 Tempglass Eastern
SGCC- 220 AFG Industries	SGCC- 587 AFG Industries	SGCC- 986 Temp-Tech
SGCC- 249 PPG Industries	SGCC- 592 Tempglass	SGCC- 987 Tempglass Eastern
SGCC- 250 PPG Industries	SGCC- 593 Tempglass	SGCC- 999 Anglass Industries
SGCC- 251 PPG Industries Canada	SGCC- 594 Tempglass	SGCC-1000 Anglass Industries
SGCC- 263 Guardian Industries	SGCC- 595 Tempglass	SGCC-1002 Downey Glass
SGCC- 295 PPG Industries	SGCC- 598 AFG Industries	SGCC-1004 Guardian Industries
SGCC- 300 Guardian Industries	SGCC- 603 Downey Glass	SGCC-1034 Shaw Glass
SGCC- 316 Rotuba Extruders	SGCC- 604 Downey Glass	SGCC-1035 Shaw Glass
SGCC- 320 Tuf-flex Glass	SGCC- 605 Downey Glass	SGCC-1036 Shaw Glass
SGCC- 321 Tuf-flex Glass	SGCC- 606 Downey Glass	SGCC-1037 Shaw Glass
SGCC- 322 Tuf-flex Glass	SGCC- 607 Downey Glass	SGCC-1039 Tempglass
SGCC- 323 Tuf-flex Glass	SGCC- 608 Downey Glass	SGCC-1041 Ardco
SGCC- 328 Ohio Plate Glass	SGCC- 609 Downey Glass	SGCC-1042 Ardco
SGCC- 337 Tempered Glass	SGCC- 617 Guardian Industries	SGCC-1044 Tempglass Southern
SGCC- 338 Tempered Glass	SGCC- 630 Downey Glass	SGCC-1045 Tempglass Southern
SGCC- 341 Ford Motor Company	SGCC- 631 Guardian Industries	SGCC-1046 Tempglass Southern
SGCC- 342 Ford Motor Company	SGCC- 633 Guardian Industries	SGCC-1049 Ardco
SGCC- 348 Tempered Glass		

CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC-1050 Ohio Plate Glass	SGCC-1223 ACI Glass Products	SGCC-1310 Traco
SGCC-1058 Tempglass Eastern	SGCC-1224 Tuf-flex Glass	SGCC-1311 Traco
SGCC-1059 Tempglass Eastern	SGCC-1225 PPG Industries	SGCC-1312 Traco
SGCC-1062 Hehr International	SGCC-1226 ACI Glass Products	SGCC-1313 Traco
SGCC-1067 PPG Industries	SGCC-1230 Southern Wholesale	SGCC-1314 Guardian Industries
SGCC-1071 Shaw Glass	SGCC-1231 Southern Wholesale	SGCC-1315 Falconer-Lewistown
SGCC-1073 LOF Glass	SGCC-1232 Southern Wholesale	SGCC-1316 Falconer-Lewistown
SGCC-1074 LOF Glass	SGCC-1235 Guardian Industries	SGCC-1318 Guardian Industries
SGCC-1075 LOF Glass	SGCC-1236 Virginia Glass	SGCC-1321 Tuf-flex Glass
SGCC-1076 LOF Glass	SGCC-1238 Glass Tempering Service	SGCC-1323 Ardco
SGCC-1077 LOF Glass	SGCC-1241 Tuf-flex Glass	SGCC-1324 Falconer Glass
SGCC-1078 LOF Glass	SGCC-1247 PPG Industries Canada	SGCC-1325 PPG Industries
SGCC-1079 LOF Glass	SGCC-1248 Guardian Industries	SGCC-1326 Fulton Glass
SGCC-1089 Tempglass, Ltd.	SGCC-1249 Guardian Industries	SGCC-1328 Tempered Glass
SGCC-1090 Tempglass, Ltd.	SGCC-1250 Guardian Industries	SGCC-1330 Falconer Glass
SGCC-1095 Tempglass, Ltd.	SGCC-1251 Guardian Industries	SGCC-1332 Gemtron
SGCC-1107 PPG Industries	SGCC-1252 Guardian Industries	SGCC-1334 Gemtron
SGCC-1108 PPG Industries	SGCC-1253 Guardian Industries	SGCC-1336 PPG Industries
SGCC-1110 PPG Industries	SGCC-1257 Northwestern Industries	SGCC-1337 Amworth Industries
SGCC-1111 PPG Industries	SGCC-1258 Northwestern Industries	SGCC-1338 Tempglass Eastern
SGCC-1112 PPG Industries	SGCC-1259 Tempglass Eastern	SGCC-1339 Falconer Glass
SGCC-1113 PPG Industries	SGCC-1260 Amworth Industries	SGCC-1340 Glass Tempering Service
SGCC-1118 Tempered Glass	SGCC-1265 Howe-Martz	SGCC-1341 Colonial
SGCC-1120 PPG Industries Canada	SGCC-1266 Howe-Martz	SGCC-1342 Amworth Industries
SGCC-1123 Fulton Glass	SGCC-1268 Howe-Martz	SGCC-1343 Lear Siegler
SGCC-1124 Fulton Glass	SGCC-1269 Howe-Martz	SGCC-1344 Howe-Martz
SGCC-1125 Fulton Glass	SGCC-1270 Howe-Martz	SGCC-1345 Accutemp Glass
SGCC-1126 Fulton Glass	SGCC-1271 J. E. Berkowitz	SGCC-1347 Dlubak Studios
SGCC-1127 Fulton Glass	SGCC-1272 J. E. Berkowitz	SGCC-1348 Dlubak Studios
SGCC-1139 AFG Industries	SGCC-1273 J. E. Berkowitz	SGCC-1349 Dlubak Studios
SGCC-1143 AFG Industries	SGCC-1274 J. E. Berkowitz	SGCC-1350 Dlubak Studios
SGCC-1147 Tempered Glass	SGCC-1275 Virginia Glass	SGCC-1352 Falconer Glass
SGCC-1157 ACI Glass Products	SGCC-1276 J. E. Berkowitz	SGCC-1354 Tempglass, Ltd.
SGCC-1159 Texas Tempered	SGCC-1277 Advanced Coating Tech.	SGCC-1355 Gateway Industries
SGCC-1161 Guardian Industries	SGCC-1280 Falconer Glass	SGCC-1356 Gateway Industries
SGCC-1165 Colonial	SGCC-1281 Ohio Plate Glass	SGCC-1357 Gateway Industries
SGCC-1166 Colonial	SGCC-1282 Falconer-Lewistown	SGCC-1358 Gateway Industries
SGCC-1167 Colonial	SGCC-1284 Falconer-Lewistown	SGCC-1359 Gateway Industries
SGCC-1173 Lear Siegler	SGCC-1286 Ohio Plate Glass	SGCC-1361 Sunglas Products
SGCC-1176 ACI Glass Products	SGCC-1287 Ohio Plate Glass	SGCC-1362 Sunglas Products
SGCC-1179 Hamilton Glass	SGCC-1292 San Jacinto	SGCC-1363 Sunglas Products
SGCC-1180 General Glass	SGCC-1293 San Jacinto	SGCC-1369 Elgin Precision Glass
SGCC-1181 General Glass	SGCC-1294 San Jacinto	SGCC-1371 Elgin Precision Glass
SGCC-1182 General Glass	SGCC-1295 San Jacinto	SGCC-1372 Elgin Precision Glass
SGCC-1192 Texas Tempered	SGCC-1296 San Jacinto	SGCC-1373 Tempglass, Ltd.
SGCC-1200 Hamilton Glass	SGCC-1298 PPG Industries	SGCC-1374 Sunglas Products
SGCC-1201 Gemtron	SGCC-1299 Shaw Glass	SGCC-1376 Chamberlain
SGCC-1204 Tuf-flex Glass	SGCC-1301 Guardian Industries	SGCC-1377 Chamberlain
SGCC-1216 Guardian Industries	SGCC-1303 Guardian Industries	SGCC-1378 Chamberlain
SGCC-1219 Tempglass Southern	SGCC-1304 Guardian Industries	SGCC-1379 Hordis Brothers
SGCC-1221 PPG Industries	SGCC-1308 Traco	SGCC-1380 Hordis Brothers

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

ACI Glass Products, Inc.; Santa Fe Springs, California

SGCC-1223	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1176	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1157	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 638	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 639	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 640	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1226	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 641	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

AFG Industries, Inc.; Greenland, Tennessee

SGCC- 598	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 955	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 220	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 89	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 90	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 587	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1139	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

AFG Industries, Inc.; Kingsport, Tennessee

SGCC- 949	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 28	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 24	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 141	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1143	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Accutemp Glass Company; San Antonio, Texas

SGCC-1345	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
-----------	-----	---------------	----------------------------	----------------

Advanced Coating Technology, Inc.; Franklin, Tennessee

SGCC-1277	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
-----------	-----	---------------	----------------------------	----------------

Amworth Industries Corporation; Renedo, Spain

SGCC-1342	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1260	5/32	inch (4.0 mm)	tempered pattern glass (m)	Unlimited size

Amworth Industries Corporation; Sao Paulo, Brazil

SGCC-1337	5/32	inch (4.0 mm)	tempered pattern glass (m)	Unlimited size
-----------	------	---------------	----------------------------	----------------

Anglass Industries, Inc.; San Fernando, California

SGCC- 520	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 999	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1000	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Ardco, Inc.; Chicago, Illinois

SGCC-1041	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1323	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1042	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1049	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

J. E. Berkowitz, Inc.; Westville, New Jersey

SGCC-1276	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1271	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1272	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1273	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1274	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

ANSI

12 SGCC; JULY 1, 1984

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

Chamberlain Manufacturing Corporation; Malvern, Arkansas
 SGCC- 586 1/8 inch (3.0 mm) tempered transparent glass
 SGCC-1376 5/32 inch (4.0 mm) tempered transparent glass
 SGCC-1377 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1378 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Colonial Mirror and Glass Corporation; Brooklyn, New York
 SGCC-1165 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1166 3/8 inch (10.0 mm) tempered transparent glass
 SGCC-1167 1/2 inch (12.0 mm) tempered transparent glass
 SGCC-1341 3/4 inch (19.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Dlubak Studios, Inc.; Freeport, Pennsylvania
 SGCC-1348 3/16 inch (5.0 mm) laminated transparent glass (0.030)
 SGCC-1347 1/4 inch (6.0 mm) laminated transparent glass (0.030)
 SGCC-1349 3/8 inch (10.0 mm) laminated transparent glass (0.030)
 SGCC-1350 1/2 inch (12.0 mm) laminated transparent glass (0.030)

34" by 48"
 Unlimited size
 Unlimited size
 Unlimited size

Downey Glass Company, Inc.; Downey, California
 SGCC- 603 1/8 inch (3.0 mm) tempered transparent glass
 SGCC-1002 5/32 inch (4.0 mm) tempered transparent glass
 SGCC- 606 3/16 inch (5.0 mm) tempered transparent glass
 SGCC- 609 1/4 inch (6.0 mm) tempered transparent glass
 SGCC- 604 1/8 inch (3.2 mm) tempered pattern glass (s)
 SGCC- 605 1/8 inch (3.2 mm) tempered pattern glass (m)
 SGCC- 607 3/16 inch (4.8 mm) tempered pattern glass (s)
 SGCC- 608 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Downey Glass Company, Inc.; Los Angeles, California
 SGCC- 630 3/16 inch (5.0 mm) tempered transparent glass
 SGCC- 514 1/4 inch (6.0 mm) tempered transparent glass
 SGCC- 515 3/8 inch (10.0 mm) tempered transparent glass
 SGCC- 516 1/2 inch (12.0 mm) tempered transparent glass
 SGCC- 935 3/16 inch (4.8 mm) tempered pattern glass (s)
 SGCC- 678 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Elgin Precision Glass Company, Inc.; Elgin, Illinois
 SGCC-1369 1/8 inch (3.0 mm) tempered transparent glass
 SGCC-1371 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1372 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size

Falconer-Lewistown, Inc.; Lewistown, Pennsylvania
 SGCC-1282 7/32 inch (5.5 mm) laminated transparent glass (0.015)
 SGCC-1284 1/4 inch (6.0 mm) laminated transparent glass (0.015)
 SGCC-1315 3/8 inch (10.0 mm) laminated transparent glass (0.015)
 SGCC-1316 1/2 inch (12.0 mm) laminated transparent glass (0.015)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Falconer Glass Industries, Inc.; Falconer, New York
 SGCC-1339 5/32 inch (4.0 mm) tempered transparent glass
 SGCC-1352 3/16 inch (5.0 mm) tempered transparent glass
 SGCC- 709 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1280 3/8 inch (10.0 mm) tempered transparent glass
 SGCC- 711 1/2 inch (12.0 mm) tempered transparent glass
 SGCC-1324 5/8 inch (16.0 mm) tempered transparent glass
 SGCC- 712 3/4 inch (19.0 mm) tempered transparent glass
 SGCC-1330 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

Flex-O-Glass, Inc.; Dixon, Illinois
SGCC- 118 0.080 inch through 0.125 inch smooth extruded acrylic

Unlimited size

Ford Motor Company; Dearborn, Michigan

SGCC- 341 1/8 inch (3.0 mm) tempered transparent glass
SGCC- 396 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 342 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 397 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size

Fulton Glass Industries, Inc.; Red Oak, Georgia

SGCC-1123 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1124 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1125 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1126 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1127 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1326 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

Gateway Industries; Rogers, Arkansas

SGCC-1355 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1356 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1357 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1358 1/8 inch (3.2 mm) tempered pattern glass (s)
SGCC-1359 5/32 inch (4.0 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

Gemtron Corporation; Sweetwater, Tennessee

SGCC-1334 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1332 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1201 3/16 inch (5.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

General Glass Corporation; Denver, Colorado

SGCC-1180 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1181 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1182 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

Glass Tempering Service, Inc.; Detroit, Michigan

SGCC-1238 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1340 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
34" by 72"

Guardian Industries Corp.; Carleton, Michigan

SGCC- 933 1/8 inch (3.0 mm) tempered transparent glass
SGCC- 934 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 631 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 131 1/4 inch (6.0 mm) tempered transparent glass
SGCC- 160 3/8 inch (10.0 mm) tempered transparent glass
SGCC- 263 1/2 inch (12.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

Guardian Industries Corp.; Corsicana, Texas

SGCC-1248 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1249 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1250 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1251 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1252 5/16 inch (8.0 mm) tempered transparent glass
SGCC-1253 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1314 5/32 inch (4.0 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

ANSI

14 SGCC; JULY 1, 1984

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

Guardian Industries Corp.; Fort Lauderdale, Florida

SGCC-1161	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 633	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 40	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 41	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1004	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1318	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 617	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Guardian Industries Corp.; Kingsburg, California

SGCC- 968	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 969	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 970	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 971	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1303	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1301	5/32	inch (4.0 mm)	tempered pattern glass (m)	Unlimited size
SGCC-1304	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Guardian Industries Corp.; Upper Sandusky, Ohio

SGCC- 458	7/32	inch (5.5 mm)	laminated transparent glass (0.030)	Unlimited size
SGCC- 487	1/4	inch (6.0 mm)	laminated transparent glass (0.030)	Unlimited size

Guardian Industries Corp.; Webster, Massachusetts

SGCC- 300	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1216	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 662	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 471	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1235	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Hamilton Glass Products, Inc.; Vincennes, Indiana

SGCC- 54	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1200	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 57	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1179	210	inch (5.3 mm)	tempered pattern glass (s)	Unlimited size

Hehr International, Inc.; Chesaning, Michigan

SGCC-1062	1/8	inch (3.0 mm)	tempered transparent glass	32" by 60"
-----------	-----	---------------	----------------------------	------------

Hordis Brothers, Inc.; Warrenton, Missouri

SGCC-1379	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1380	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size

Howe-Martz Glass Company; Detroit, Michigan

SGCC-1265	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1266	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1268	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1269	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1270	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1344	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

LOF Glass; Clinton, North Carolina

SGCC-1073	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1074	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1075	5/16	inch (8.0 mm)	tempered transparent glass	Unlimited size
SGCC-1076	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size

Continued next page.

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM CERTIFIED SIZE

SGCC-1077	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1078	5/8	inch (16.0 mm)	tempered transparent glass	Unlimited size
SGCC-1079	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size

LOF Glass; Laurinburg, North Carolina

SGCC- 350	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 545	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 351	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 352	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 373	5/16	inch (8.0 mm)	tempered transparent glass	Unlimited size
SGCC- 374	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 375	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

LOF Glass; Rossford, Ohio

SGCC- 386	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 19	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 464	5/16	inch (8.0 mm)	tempered transparent glass	Unlimited size
SGCC- 449	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 150	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 544	5/8	inch (16.0 mm)	tempered transparent glass	Unlimited size
SGCC- 151	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1173	7/32	inch (5.5 mm)	laminated transparent glass (0.015)	Unlimited size
SGCC-1343	3/16	inch (5.0 mm)	laminated pattern glass (0.030) (s)	Unlimited size

Northwestern Industries, Inc.; Seattle, Washington

SGCC- 701	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 702	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 703	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 704	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1257	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1258	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 920	5/32	inch (4.0 mm)	tempered pattern glass (m)	Unlimited size
SGCC- 707	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Ohio Plate Glass Company; Jefferson, Texas

SGCC-1281	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1286	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1287	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Ohio Plate Glass Company; Lewisburg, Ohio

SGCC-1050	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 185	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 186	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 654	1/8	inch (3.2 mm)	tempered pattern glass (m)	Unlimited size
SGCC- 188	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 328	3/16	inch (4.8 mm)	tempered pattern glass (d)	Unlimited size
SGCC- 562	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

PPG Industries, Inc.; Carlisle, Pennsylvania

SGCC- 250	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 675	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 249	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 382	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

ANSI

16 SGCC; JULY 1, 1984

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

PPG Industries, Inc.; Crestline, Ohio

SGCC- 60 1/8 inch (3.0 mm) tempered transparent glass
SGCC- 927 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 102 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

PPG Industries, Inc.; Dallas, Texas

SGCC- 400 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 402 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1221 5/16 inch (8.0 mm) tempered transparent glass
SGCC-1107 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1108 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1225 3/4 inch (19.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

PPG Industries, Inc.; Ford City, Pennsylvania

SGCC- 61 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 70 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size

PPG Industries, Inc.; Fresno, California

SGCC- 295 1/8 inch (3.0 mm) tempered transparent glass
SGCC- 676 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 64 3/16 inch (5.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

PPG Industries, Inc.; Hunt Valley, Maryland

SGCC- 454 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 455 1/4 inch (6.0 mm) tempered transparent glass
SGCC- 474 3/8 inch (10.0 mm) tempered transparent glass
SGCC- 475 1/2 inch (12.0 mm) tempered transparent glass
SGCC- 952 3/4 inch (19.0 mm) tempered transparent glass
SGCC-1325 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

PPG Industries, Inc.; Miami, Florida

SGCC- 195 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 194 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1067 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1336 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1298 3/16 inch (4.8 mm) tempered pattern glass (s)
SGCC- 219 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

PPG Industries, Inc.; Wichita Falls, Texas

SGCC-1110 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1111 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1112 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1113 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size

PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada

SGCC- 251 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1120 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 209 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1247 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size

Rotuba Extruders, Inc.; Linden, New Jersey

SGCC- 316 0.080 inch and greater thicknesses smooth extruded acrylic

Unlimited size

San Jacinto Glass Company; Houston, Texas

SGCC-1292 1/8 inch (3.0 mm) tempered transparent glass

Unlimited size

Continued next page.

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM CERTIFIED SIZE

SGCC-1293 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1294 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1295 3/8 inch (10.0 mm) tempered transparent glass
 SGCC-1296 1/2 inch (12.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Shaw Glass Company, Inc.; South Easton, Massachusetts

SGCC-1034 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1035 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1036 3/8 inch (10.0 mm) tempered transparent glass
 SGCC-1037 1/2 inch (12.0 mm) tempered transparent glass
 SGCC-1299 3/16 inch (4.8 mm) tempered pattern glass (s)
 SGCC-1071 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Sheffield Plastics, Inc.; Sheffield, Massachusetts

SGCC- 173 0.080 inch through 0.125 inch smooth extruded acrylic

Unlimited size

Southern Wholesale Glass, Inc.; Marietta, Georgia

SGCC-1230 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1231 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1232 3/8 inch (10.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size

Sunglas Products, Inc.; Claremore, Oklahoma

SGCC-1361 5/32 inch (4.0 mm) tempered transparent glass
 SGCC-1362 3/16 inch (5.0 mm) tempered transparent glass
 SGCC-1363 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1374 3/8 inch (10.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Temp-Tech Industries, Inc.; Chicago, Illinois

SGCC- 986 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size

Tempered Glass Corporation; Tampa, Florida

SGCC-1147 3/16 inch (5.0 mm) tempered transparent glass
 SGCC- 337 1/4 inch (6.0 mm) tempered transparent glass
 SGCC- 348 3/8 inch (10.0 mm) tempered transparent glass
 SGCC- 338 1/2 inch (12.0 mm) tempered transparent glass
 SGCC-1328 3/16 inch (4.8 mm) tempered pattern glass (s)
 SGCC-1118 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Tempglass, Inc.; Perrysburg, Ohio

SGCC-1039 1/8 inch (3.0 mm) tempered transparent glass
 SGCC- 592 3/16 inch (5.0 mm) tempered transparent glass
 SGCC- 593 1/4 inch (6.0 mm) tempered transparent glass
 SGCC- 594 3/8 inch (10.0 mm) tempered transparent glass
 SGCC- 595 1/2 inch (12.0 mm) tempered transparent glass

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Tempglass, Ltd.; Weston, Ontario, Canada

SGCC-1354 1/8 inch (3.0 mm) tempered transparent glass
 SGCC-1095 1/4 inch (6.0 mm) tempered transparent glass
 SGCC-1089 3/8 inch (10.0 mm) tempered transparent glass
 SGCC-1090 1/2 inch (12.0 mm) tempered transparent glass
 SGCC-1373 5/32 inch (4.0 mm) tempered pattern glass (s)

Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size
 Unlimited size

Tempglass Eastern, Inc.; Norcross, Georgia


SGCC- 979 1/8 inch (3.0 mm) tempered transparent glass
 SGCC-1259 5/32 inch (4.0 mm) tempered transparent glass
 Continued next page.

Unlimited size
 Unlimited size

ANSI

18 SGCC; JULY 1, 1984

HEHR INTERNATIONAL, INC.
1103 West Pearl Street
Chesaning, Michigan 48616

 **SAFETY**
DOT 269
AS3 M491
SOLID TEMPERED
.125-L
ANSI-Z97.1-1975
16CFR1201-II
SGCC-1062

HORDIS BROTHERS, INC.
P. O. Box 368
Warrenton, Missouri 63383


TENTATIVE LABEL

HORDIS BROTHERS
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1379 1/8 U

HOWE-MARTZ GLASS COMPANY
14291 Meyers Road
Detroit, Michigan 48227

FLO H TUF
TEMPERED SAFETY GLASS
16 CFR 1201 CII
ANSI Z97.1-1975 1/4U
SGCC 1268

LOF GLASS
LIBBEY-OWENS-FORD COMPANY
811 Madison Avenue
P. O. Box 799
Toledo, Ohio 43695

 **TUF-FLEX® FT 1/4"-U B**
TEMPERED SAFETY GLASS
ANSI Z 97.1-1975 SGCC 352
16 CFR 1201-I,II SGCC 847

LEAR SIEGLER, INC.
P. O. Box 1879
Wichita, Kansas 67201

 **SAFELITE® SGCC-1173**
LAMINATED 7/32 U
ANSI Z97.1-1975

NORTHWESTERN INDUSTRIES, INC.
2501 West Commodore Way
Seattle, Washington 98199


TEMPERED
SAFETY GLASS

SGCC- 701 1/8 -U
ANSI Z97.1-1975
16CFR1201CII
CGSB-12-GP-I

OHIO PLATE GLASS COMPANY
P. O. Box 671
Lewisburg, Ohio 45338

TEMPERED
SGCC 105
OHIO PLATE
3/16"-U 16CFR1201-II
ANSI Z97.1-1975
12 03 HL

PPG INDUSTRIES, INC.
1000 RIDC Plaza
P. O. Box 2811
Pittsburgh, Pennsylvania 15230

 **HERCULITE K**
TEMPERED SAFETY GLASS
16CFR1201 CII
ANSI Z-97.1-1975 1/8"U
SGCC-295 156H 367H

PPG INDUSTRIES CANADA, LTD.
1299 20th Street, East
Owen Sound, Ontario, Canada N4K 2C3

PPG HERCULITE K
TEMPERED TREMPÉ
CAN2-12.1 DOT 165
.....

16 CFR 1201 C11
ANSI Z97.1-1975
SGCC-209 5.0mm U
840181

ROTUBA EXTRUDERS, INC.
1401 Park Avenue South
Linden, New Jersey 07036

ROTUBAGLAZ® 16 CFR 1201, I/II
ACRYLIC SAFETY GLAZING
ANSI Z97.1-1975
SGCC-316 .080U

SAN JACINTO GLASS COMPANY
900 Broadway
Houston, Texas 77012

Starlite

HORIZONTALLY TEMPERED
ANSI Z97.1-1975
16 CFR 1201 II
SGCC 1292 1/8" U
SAN JACINTO GLASS CO
HOUSTON, TEXAS

SHAW GLASS COMPANY, INC.
55 Bristol Drive
South Easton, Massachusetts 02375

SOLAR TEMP.
16 CFR 1201 II

ANSI Z 97.1 1975
1/4 U SGCC 1035

SHEFFIELD PLASTICS, INC.
Salisbury Road
Sheffield, Massachusetts 01257

ACRY-PANE
ANSI Z97.1-1975
16 CFR 1201 II
SGCC 173
K2497 .095U

SOUTHERN WHOLESALE GLASS, INC.
3200 Austell Road
Marietta, Georgia 30060



SOUTHERN TEMP.
ANSI Z97.1-1975
16 CFR 1201-CII
SGCC 1230 3/16" U

SUNGLAS PRODUCTS, INC.
c/o Ford Motor Company Glass Division
300 Renaissance Center; P. O. Box 43343
Detroit, Michigan 48243



FORD TEMPERED
SAFETY GLASS
ANSI Z97.1-1975
SGCC-1374/1375
16 CFR 1201, II
4E 3/8 U

TEMP-TECH INDUSTRIES, INC.
6166 South Sayre
Chicago, Illinois 60638

TEMPERED GLASS
ETC 16 CFR 1201 C II
MHC ANSI Z97.1-1975
PIH SGCC 986-1/4" U

TEMPERED GLASS CORPORATION
6900 Adamo Drive
Tampa, Florida 33619

TEMCO
SGCC-338 .500U
SGCC-834
16 CFR 1201-II
ANSI Z97.1 1975

TEMPGLASS, INC.
Ampoint
291 M Street
Perrysburg, Ohio 43551

TEMPGLASS, INC.
16 CFR 1201 (II)
ANSI Z97.1-1975
SGCC 594
3/8" U (1)

TEMPGLASS, LTD.
131 Ormont Drive
Weston, Ontario, Canada M9L 2S3



TEMPGLASS LTD.
16 CFR 1201-II
ANSI Z97 1-1975
SGCC 1095-1/4"u

TEMPGLASS EASTERN, INC.
Blueridge Industrial Park
P. O. Box 928
Norcross, Georgia 30071

TEMPGLASS
EASTERN
ANSI Z97.1-1975
16 CFR 1201-II
SGCC-979 1/8"U
03 83

TEMPGLASS SOUTHERN, INC.
1101 Fountain Parkway
Grand Prairie, Texas 75050

TEMPGLASS SOUTHERN
ANSI Z97.1 - 1975
SGCC 1046 1/2" U
16 CFR 1201 - 11

TEXAS TEMPERED GLASS COMPANY
1331 West Belt Drive North
Houston, Texas 77024

TENTATIVE LABEL

TEXAS TEMPERED
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-669 1/2 U

TRACO
Cranberry Industrial Park
P. O. Box 805
Warrendale, Pennsylvania 15095



TRACO VIEW-SAFE
TEMPERED GLASS
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1308 1/8U

TUF-FLEX GLASS
LIBBEY-OWENS-FORD COMPANY
P. O. Box 799
Toledo, Ohio 43695

TENTATIVE LABEL

TUF-FLEX
Tempered Safety Glass
ANSI Z97.1-1975
SGCC-320 3/16 U

VIRGINIA GLASS PRODUCTS CORPORATION
P. O. Box 5431
Martinsville, Virginia 24115



* * * * *

SGCC APPROVED TESTING LABORATORIES

Bowser-Morner, Inc.
420 Davis Avenue; Box 51
Dayton, Ohio 45401
Attention: Mr. Robert J. Rosencrans
Telephone 513-253-8805

Miami Testing Laboratory, Inc.
1640 West 32 Place
Hialeah, Florida 33012
Attention: Mr. James W. Bailey
Telephone 305-822-1141

ETL Testing Laboratories, Inc.
5855 P Oakbrook Parkway
Norcross, Georgia 30093
Attention: Mr. Burr Bachler
Telephone 404-446-7294

Patzig Testing Laboratories Company, Inc.
3922 Delaware Avenue
Des Moines, Iowa 50313
Attention: Mr. Byron A. Marks, P. E.
Telephone 515-266-5101

ETL Testing Laboratories, Inc.
Route 11 Industrial Park
Cortland, New York 13045
Attention: Mr. Claude F. Robb
Telephone 607-753-6711

Southwestern Laboratories
2900 Cullen Street; P. O. Box 1379
Fort Worth, Texas 76101
Attention: Mr. Wayne Tessener
Telephone 817-332-5181

Inspection and Research Laboratory, Inc.
4749 West State Street; Building H
Ontario, California 91761
Attention: Mr. W. Bradford Smith
Telephone 714-591-1789

United States Testing Company, Inc.
1415 Park Avenue
Hoboken, New Jersey 07030
Attention: Mr. James E. Fuller
Telephone 201-792-2400

**SAFETY GLAZING CERTIFICATION COUNCIL
CERTIFICATION PROGRAM FOR
SAFETY GLAZING MATERIALS USED IN BUILDINGS**

FOREWORD

Acceptance of a certified product containing safety glazing materials comes with the conviction that such certification assures a high level of safety and quality and that the integrity of the identifying mark or certification label is being reliably maintained by a competent certifying agency.

The provisions of American National Standard Z97.1 provide a sound technical basis for the required high level of safety. With the addition of independent administration plus periodic, routine sampling and product evaluation, a program of product certification is developed in accordance with the accepted American National Standards as contained in American National Standard Z34.1. The Certification Program described here is predicated upon the concept of independent and impartial administration of the certification procedures which are incorporated in the SGCC license agreement.

To insure administration of the Certification Program in a uniform and equitable manner, this Procedural Guide has been prepared for the information and guidance of the licensees.

It should be noted that the SGCC License Agreement is the governing document for operation of the Certification Program. This Procedural Guide, which is not an extension of that document, serves merely to describe the administrative procedure and routine operation of the Certification Program.

GENERAL INFORMATION

THE CERTIFICATION CONCEPT

The SGCC Certification Program is based on the conviction that no standard of safety or quality is good without the continuous adherence of the licensees to that standard.

To buyers, specifiers, code officials and users, the SGCC certification label offers the manufacturer's assurance that his safety glazing material has been produced in conformance to American National Standard Z97.1 covering safety glazing materials used in buildings.

Many state laws, municipal ordinances and building codes require that all glazing installed in certain pre-defined hazardous locations comply with the ANSI standard. This standard, promulgated by the American National Standards Institute, requires certification in accordance with ANSI Z34.1 prior to labeling safety glazing materials as conforming to ANSI Z97.1.

WHO CAN BECOME A LICENSEE?

Every manufacturer of safety glazing materials is eligible, on a voluntary basis, to participate.

WHO CONDUCTS THE PROGRAM?

The Safety Glazing Certification Council, a non-profit corporation, is the sponsor of this certification program. SGCC supervises the certification program under which the administrator periodically checks and reports compliance of the manufacturers of products having the SGCC certification label with the requirements of ANSI Z97.1.

ADMINISTRATION

Certification Services Corporation (CSC), is the independent Administrator of the certification program. CSC maintains the SGCC office of certification and handles the routine day to day business. All transactions are done in the name of SGCC.

HOW CAN YOU BECOME A LICENSEE?

The following must be accomplished before SGCC can certify an item of safety glazing material:

a) The manufacturer signs two copies of the SGCC License Agreement (including notarization of the Affidavit, Appendix A) and sends these to SGCC. SGCC will countersign both copies and return one to the manufacturer.

b) The manufacturer directs the testing laboratory to send to SGCC one copy of a valid test report from an official SGCC recognized testing laboratory indicating full and complete compliance with the specifications, namely ANSI Z97.1. (This is the "initial" or "prototype" testing and the sample is furnished by the manufacturer directly to any one of the SGCC recognized independent commercial testing laboratories, which the manufacturer selects.)

c) The manufacturer sends to SGCC the six-month certification fee for each item which is to be certified.

After receipt of all of the above items, SGCC sends to the licensee a notice of product certification which includes a SGCC certification number. This number must be incorporated into the permanent label to be affixed on each piece of certified safety glazing material. The certified item will then be listed in the next published certified products directory.

HOW THE CERTIFICATION PROGRAM WORKS

The American National Standards Institute sets safety standards and safety glazing materials must meet or exceed applicable ANSI standards before they can be certified by SGCC. Specifications for safety glazing materials used in buildings are developed and reviewed at least every five years by ANSI.

SGCC recognized independent testing laboratories conduct all tests. All laboratories, whose test reports are utilized by this certification program, shall be approved by the SGCC certification committee. Initial or prototype tests are performed at the testing laboratory selected by the licensee. Routine evaluation samples are tested by the testing laboratory selected by the administrator.

ADMINISTRATOR AUTHORIZES CERTIFICATION

As sole judge of compliance with applicable standards, the administrator authorizes a product which has been approved to be listed in the certified products directory.

Licensees label safety glazing material within the limits of the product size tested. If 34 by 76 inches is the initial or prototype test size, then certification is extended to all sizes and the label contains a letter U, designating such unlimited size. The letter L, contained within the label, denotes that certification is limited to the width and length of the initial or prototype test size.

PRODUCTS LISTED IN CERTIFIED PRODUCTS DIRECTORY

Approved products are listed in the certified products directory, which is published at least every six months. It is sent to door, sash and building products manufacturers, glazing contractors, home builders, architects, regulatory agencies and code-making groups, etc. Directory listings contain the licensee's name, plant location, product description and a copy of the actual label that is permanently marked upon each piece of certified safety glazing material.

The administrator samples certified glazing material from the licensee's inventory once every six months.

An approved testing laboratory determines compliance of these samples with the specifications. Tests are made either at the place of manufacture or at the laboratory selected by the administrator from the approved list. Results of each test are mailed promptly to the licensee by the administrator.

COMPLIANCE SAFEGUARDS

HOW IS COMPLIANCE ASSURED?

Any certified product found in the course of routine sampling and evaluation not to be in compliance with the specifications, is subject to having certification removed. The licensee is given a 30-day grace period in which to demonstrate to the satisfaction of the administrator that his product is in compliance. If he does not, certification is automatically terminated at the end of the 30-day period.

CHALLENGING A CERTIFIED PRODUCT

Complaints of non-compliance from any source will be investigated promptly by SGCC upon receipt of the complaint in writing along with an appropriate surety deposit. A minimum surety deposit of \$1,000 will be required for each complaint of non-compliance. The surety deposit will be assessed at the rate of \$350 per man day plus the reasonable costs of travel and the maintenance entailed in resolving such incidents. Refunds of part or all of the surety deposit will be made when applicable. All costs involved will be paid from the complainant's surety deposit, unless the

investigation proves non-compliance, in which case all costs will be borne by the licensee found to be in non-compliance.

WITHDRAWAL OF CERTIFIED PRODUCT

Any product which has been certified may be voluntarily withdrawn from the certification program by the licensee at any time.

COSTS

WHAT DOES THE PROGRAM COST?

The licensee pays all projected fees to SGCC on a six-month basis, in advance. A licensee is invoiced for each item that is certified and listed separately in the certified products Directory. The invoice will include the fees for future routine evaluation testing.

Initial certification for each item will be for a period of six months. However, the next invoice to a licensee will have the fees prorated to the nearest whole month in such a manner that participation in the certification program will be on a January 1 to July 1 and July 1 to January 1 basis.

PROGRAM COSTS:

\$610 administrative fee plus \$30 contingency fund fee per six months plus necessary laboratory fees for the first item at a plant for the ANSI program.

\$86 administrative fee plus \$15 contingency fund fee per six months plus necessary laboratory fees for each subsequent item at the same plant for the ANSI program.

\$751 administrative fee plus \$30 contingency fund fee per six months plus necessary laboratory fees for the first item at a plant for the composite program.

\$103 administrative fee plus \$15 contingency fund fee per six months plus necessary laboratory fees for each subsequent item at the same plant for the composite program.

CERTIFICATION PROGRAM DOCUMENTS AND AGREEMENTS

LICENSE AGREEMENT

This agreement, incorporating independent program administration and routine, periodic independent sampling and evaluation, governs the relationship between SGCC and the licensee.

Future amendments or revisions to the license agreement will be recommended by the SGCC certification committee and enacted by the SGCC board of directors.

EFFECTIVE DATE, DURATION AND TERMINATION

The license agreement becomes effective on the date of its execution; has an initial duration of six months (adjustable to a January 1 to July 1 or a July 1 to January 1 basis), and is automatically renewed for successive, additional periods of six months, unless either party gives notice at least sixty days prior to the date of expiration that cancellation is requested or unless revoked by SGCC for causes set forth in the document.

Upon proper execution and acceptance by SGCC the preissued certification number bond informs a licensee of the exact mark of an item to be certified in the future. Thus he can purchase the proper marking equipment before the item is actually certified. If the licensee marks this number upon production prior to actual certification the bond is forfeited to SGCC.

Upon proper execution and acceptance by SGCC the test release bond permits the continuation of certification of an item even though the production facilities are shut down. If the licensee does not notify SGCC within one week of the resumption of production the bond is forfeited to SGCC.

ADMINISTRATIVE SERVICE AGREEMENT

This agreement, entered into by SGCC and Certification Services Corporation, governs the relationship between SGCC and CSC, the independent administrator. In general, it provides that the administrator:

- a) samples certified products routinely
- b) has the right to witness any and all testing required by the program
- c) reviews all test reports in order to determine compliance of the certified product with the specifications
- d) inspects and approves all in-plant and test laboratory test facilities for use in this certification program (test laboratories are "recognized" or approved by the SGCC certification committee)
- e) publishes and mails the SGCC certified products directory on or about each January 1 and July 1
- f) handles all routine clerical duties of SGCC with respect to certification matters
- g) acts as SGCC treasurer, invoicing licensees, maintaining a bank account and dispersing funds (fiscal reports are made to the SGCC certification committee)
- h) furnishes all testing except for prototype tests
- i) attends all scheduled meetings of the SGCC certification committee and
- j) in all of its actions acts in the name of SGCC.

PROCEDURAL GUIDE

This guide outlines program procedures in accordance with the provisions of the license agreement and the administrative service agreement, for the guidance of those concerned with the procedural details of the certification program. It covers the steps to be taken in any given procedural situation in the interest of equitable and uniform treatment of licensees and the preservation of the integrity of the certification program.

CERTIFIED PRODUCTS DIRECTORY

This directory is the one document and publication that is normally in the public's eye and contains a listing of the certified safety glazing materials of each licensee.

CERTIFICATION LABEL

This certification mark is permanently affixed to each piece of certified safety glazing material by the licensee. It contains a number that refers to the listing in the certified products directory. The listing then provides a complete product description including the company name, plant location, etc.

PROGRAM RESPONSIBILITY

The SGCC board of directors has overall responsibility for the well being and acceptance of the certification program by the industry, building officials and the public. It also bears corporate legal responsibility.

The SGCC certification committee has the responsibility for the general procedure and policy pertaining to operation of the certification program. As a part thereof, it:

- a) establishes certification "guidelines"
- b) determines the applicability of the specifications in a specific situation where a question is raised by a licensee or the administrator
- c) approves test laboratories
- d) determines which of the specifications are to be designated effective for the purposes of product certification and the date or dates on which they become effective
- e) recommends to the SGCC board of directors changes to be made in the license agreement.

COMMUNICATIONS

In all matters concerning the administration and implementation of the SGCC certification program, correspondence may be directed to any of the following:

Mr. Leigh T. Yates, SGCC President
c/o Falconer Glass Industries, Inc.
500 South Work Street
Falconer, New York 14733

Telephone 716-665-6422

Mr. Robert A. Moss, Chairman
SGCC Certification Committee
c/o Hamilton Glass Products, Inc.
2000 Chestnut Street
P. O. Box 317
Vincennes, Indiana 47591

Telephone 812-882-2680

Mr. Robert A. Nance, P. E.
SGCC Administrative Manager
1640 West 32 Place
Hialeah, Florida 33012

Telephone 305-558-1352

CERTIFICATION GUIDELINES AND INTERPRETATIONS

For guidance in certifying safety glazing materials the SGCC certification committee has adopted the following:

GENERAL

G.1

Participation in the certification program will be on a January 1 to July 1 and July 1 to January 1 basis. Charges will be prorated to the nearest whole month based on the date of approval of certification.

G.2

Tests for initial compliance of safety glazing materials to ANSI Z97.1-1975 will be accepted from any testing laboratory approved by the SGCC certification committee.

G.3

Paragraph (1) Section 4.1.3 of ANSI Z97.1-1975 is intended to apply to laminated, wired and organic coated glass only. Paragraph (2) is intended to apply to tempered glass only. Paragraph (3) is intended to apply to plastics only. Paragraph (4) is intended to apply to any safety glazing material.

G.4

For insulating glass units to be considered safety glazing material, each light in the construction must be of safety glazing material.

G.5

The SGCC item number when used as part of a permanent label designates the name of the licensee (participant) and also the location of the manufacturing plant since the certified products directory which lists the item number and pertinent data is published twice a year.

G.6

a) All test specimens, except for prototype samples, must be marked with the correct SGCC permanent label prior to testing in order to be considered a valid sample. The administrator shall construe the absence of a correct permanent label as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.

b) The laboratory shall verify that the label has the correct SGCC number, designation of the ANSI standard, nominal thickness, and certified size designation (U or L).

For labeling purposes, a demarcation line shall separate those standards covered by the SGCC number from any other standards the licensee wishes to reference.

c) The testing laboratory is to advise the administrator of any specimen that does not in fact bear the correct SGCC permanent label and will be instructed by the administrator not to test but hold the sample.

d) The administrator will inform the licensee of the situation and direct (by letter) the testing laboratory to commence testing no later than 30 days hence. Until that time the testing laboratory is instructed to make these specimens available to the

licensee at their convenience (the specimens are to remain at the testing laboratory) in order that the licensee may point out or show them that in fact the SGCC permanent label is correct or agree that in fact the correct SGCC permanent label is not present. In cases of any dispute between the licensee and the testing laboratory the decision of the administrator shall be final. The licensee shall not mark specimens after receipt at the testing laboratory.

e) As of January 1, 1978 the SGCC permanent label must contain ANSI Z97.1-1975 in order to be considered a correct permanent label for purposes of Guideline G.6.

f) For exterior plastics the SGCC permanent label must contain ANSI Z97.1a-1977. (See Guideline P.E.1.)

G.7

Safety glazing materials for which certification is requested for indoor use only shall be subjected to the provisions of section 4.1 (impact tests) and 4.5 (aging tests) of ANSI Z97.1-1975 irrespective of the composition or construction of the glazing material. Like products and materials produced in the same manner as samples submitted for test shall be legibly and permanently marked in one corner with the words "Indoor Use Only" and the SGCC identification number.

G.8

After initial compliance with a sample size as stated in Table 1, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided by Table 1, ANSI Z97.1-1975 are exposed to selection for testing.

G.9

Specimen sizes up to 34 inches by 77 inches shall be valid samples when independently obtained by the administrator for purposes of routine evaluation.

G.10

In cases where the administrator samples and identifies specimens for routine evaluation on the licensee's premises or requests licensee's samples when none are available at the time of sampling:

a) The licensee be permitted 6 weeks in which to effect delivery of said specimens to the administrator's designated testing laboratory.

b) Failure to act as specified above shall be construed by the administrator as failure of the said specimens to comply with the specifications and the administrator shall act as provided for in license agreement A.6.

G.11

In cases where a routine evaluation sample fails to comply with the specifications:

a) Written notice and an invoice shall be sent to the licensee by the administrator stating that within 30 days from the date of such notice the licensee must submit a retest sample to the testing laboratory designated by the administrator.

Certification shall be removed if the sample and payment are not received within the allotted 30 days or if the sample submitted fails to comply with the specifications.

b) Within 3 months the administrator shall obtain an additional random sample for evaluation (in addition to the routine evaluation sample obtained twice a year). The administrator shall be certain that this additional sample is of recent production.

c) At the option of the administrator, specimens submitted under a) above shall be either prototype size and pattern or identical to those previously sampled and of recent production.

d) Certification shall be removed if the additional random sample obtained in b) above fails to comply with the Specifications.

e) All costs related to G.11 are to be borne by the licensee.

G.12

If a licensee who manufactures a certified product outside the 48 contiguous states feels that in a particular instance that he will be unable to act as provided for in paragraph a) of SGCC Guideline G.11, he should notify the administrator. The administrator will then contact the chairman of the certification committee for a decision as to what action is to be taken.

G.13

In cases where a certified item is produced infrequently or in small quantities so as to make it difficult for the administrator to obtain routine evaluation samples, the licensee shall notify the administrator at least two weeks in advance of any production of such item.

G.14

The administrator shall remove certification from all of any licensee's products for failure to pay any monies due to SGCC within 30 days of invoice date. (Reference license agreement A.2, A.12 and B.6.)

G.15

In the situation where a licensee desires to recertify a product that previously had certification removed because of failure to comply with the specifications (label and thickness tolerances excepted), the product shall be routinely sampled four times during the first year. The costs involved shall be paid by the licensee.

G.16

The nominal thickness designations in SGCC authorized permanent labels for safety glazing materials may be shown in metric units. The thickness will be expressed in millimeters, limited to two decimal places, and will have the suffix "mm".

G.17

All safety glazing materials that are not symmetrical from surface to surface shall be impacted two specimens on one side and two specimens on the other side.

G.18

Certified and permanently labeled safety glazing materials such as laminated glass, wired glass, rigid plastic or organic coated glass may be cut into smaller pieces by a distributor or installer after manufacture and it is not practical for each such smaller piece to bear a manufacturer's permanent label when finally installed in a building. When this is the case, then the distributor or installer shall apply a permanent label to each piece, which states

his name and certifies that he cut the piece from material that was properly labeled in accordance with the requirements of SGCC.

For the purpose of this guideline, a permanent label is defined as one that will remain permanently legible and would be destroyed in attempts to remove it from the product.

G.19

The semi-annual invoicing date for certification fees shall be April 1 and October 1 of each year and the administrator is instructed to take those steps necessary to remove certification from licensees for failure of payment prior to closing date of the certified products directory.

G.20

For certification purposes a panel of glazing material composed of multiple components (such as leaded glass) may be tested and interpreted as a unit.

G.21

A preissued SGCC certification number shall be issued by the administrator upon receipt of a properly executed license agreement and a properly executed bond form in the amount of \$10,000. The preissued SGCC certification number, if not used by the licensee, will be terminated twelve months from the date of issue. The condition of the bond is such that if the licensee does not label any safety glazing material with the preissued certification number prior to formal certification then the bond shall be void.

G.22

In the case of wired glass, plastics and organic coated glass certification of a patterned product may be extended to cover other patterns provided:

a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.

b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1975 for each alternate pattern proposed.

c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification covering patterned products, any such patterns available may be selected by the administrator for routine sampling and testing.

In the case where a routine evaluation sample covered under a blanket certification fails to comply with the specifications the situation requires that that particular product be submitted for the retest sample required by Guideline G.11a and also that that particular product be sampled by the administrator for the additional sample required by Guideline G.11b.

G.23

There may be instances when a production facility is temporarily inoperative. This could be caused by, but not limited to, equipment repair or replacement, labor difficulties, energy or material shortages or economic considerations. As a consequence, samples for routine testing may not be available for long periods. The

licensee may desire to retain certification during the shutdown period. This shall be done as follows:

a) Prior to or within 2 weeks after the shutdown, the licensee shall inform the SGCC administrator by certified mail.

b) The SGCC administrator will immediately supply the licensee with test release bond forms for submission by the licensee. A separate bond shall be submitted for each certified product affected.

c) Within 2 weeks after receipt of the bond forms, the licensee shall submit them to the SGCC administrator.

d) During the period covered by the bond the licensee shall retain certification, contingent upon payment of normal certification fees and meeting all other licensee obligations. Bonds will terminate 90 days after acceptance by SGCC but may be renewed by the licensee any number of times. Renewal is an obligation of the licensee and requires all steps listed herein.

e) Within one week after re-activation of the production facility the licensee shall 1) notify the SGCC administrator by certified mail and 2) submit samples from the first weeks production to an SGCC approved laboratory for testing. In cases where more than one certified product is produced with the same equipment, samples of each must be furnished for testing within the first month. These will be considered as the routine samples for retesting for the six months period during which they are submitted.

f) Failure of the licensee to comply with any of the preceding shall be the basis for removal of certification from the affected products.

G.24

When a licensee's production equipment will not produce a size of 34 by 76 inches and the licensee wishes to certify a) a size whose smaller dimension exceeds 34 inches, material shall be tested whose smaller dimension is 34 inches or b) a size whose larger dimension exceeds 76 inches, material shall be tested whose larger dimension is 76 inches.

G.25

When a licensee specifically and voluntarily desires to use a SGCC permanent label on their product that denotes compliance with ANSI Z97.1-1966, ANSI Z97.1-1972 and ANSI Z97.1-1975 or combination thereof, that they notify SGCC in writing of the certified item that they desire to so mark. SGCC will, at the request of the licensee, conduct compliance tests to ANSI Z97.1-1966, ANSI Z97.1-1972 and ANSI Z97.1-1975 or combination thereof. A single set of four test specimens will be impacted to determine impact test requirements of all standards. Upon successful completion of compliance tests the safety glazing materials are permanently labeled and listed in the SGCC certified products directory as having met the requirements of 1966, 1972 and 1975 versions or combination thereof of the ANSI Z97.1 standard. Any costs involved shall be paid by the licensee.

G.26

Any label that can be removed intact shall not be considered permanent and is not acceptable to SGCC.

G.27

A licensee, by executing a supplementary license agreement, can elect to be in both 16 CFR 1201 and ANSI Z97.1-1975 programs under one SGCC number

provided the licensee submits four specimens to be impact tested to ANSI Z97.1-1975 and one specimen to be impact tested to 16 CFR 1201 (all safety glazing materials that are not symmetrical from surface to surface, shall be impacted one specimen on one side and one specimen on the other side for 16 CFR 1201). If any one specimen of the composite sample fails, the entire composite sample will be considered to have failed to comply with both specifications.

G.28

The administrator shall construe noncompliance with thickness tolerances as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.

G.29

For the purposes of certification, the thickness requirements of Federal Specification DD-G-451d shall apply.

G.30

For certification purposes, the minimum thickness shall be 0.092 and the maximum thickness shall be 0.108 inches for 0.100 inch glass.

G.31

For certification purposes, the nominal thickness of single strength pattern glass shall be 0.094 inches and thickness tolerances shall be plus 0.047 inches and minus 0.015 inches.

TEMPERED TRANSPARENT GLASS

T.1

Certification of either flat glass or patterned glass will not cover the other except as noted in Guideline T.2. (Flat glass designates ground and polished plate, float and sheet glass.)

T.2

Polished plate glass and the rough plate glass blank from which it is produced will be considered to be of equal nominal thickness. Certification of tempered flat glass will therefore be interpreted as including tempered rough plate blank.

T.3

Certification of regular tempered glass will also cover tinted, heat absorbing and coated glasses of the same nominal thickness. Glasses of the same nominal thickness with a ceramic material applied as a continuous or partial coating to one or more surfaces prior to tempering are also covered.

T.4

In cases where certified glass is normally not available for sampling, the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

T.5

Certification of any nominal thickness of tempered safety plate, float or sheet glass will also cover the other two types. ANSI Z97.1 does not require the permanent label on tempered safety glass to specify which type of glass is used. Nor is it required that

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

SGCC- 981	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 982	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1058	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1059	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 987	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1338	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Tempglass Southern, Inc.; Grand Prairie, Texas

SGCC-1219	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1044	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1045	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1046	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Texas Tempered Glass Company; Houston, Texas

SGCC-1192	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 137	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 669	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1159	7/32	inch (5.5 mm)	laminated transparent glass (0.030)	Unlimited size

Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania

SGCC-1308	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1310	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1311	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1312	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1313	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Tuf-flex Glass; Atlanta, Georgia

SGCC- 320	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 321	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 322	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 323	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Tuf-flex Glass; Irving, Texas

SGCC- 921	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 390	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 391	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 392	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1321	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Tuf-flex Glass; Union City, California

SGCC-1241	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1204	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 482	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 483	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1224	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Virginia Glass Products Corporation; Martinsville, Virginia

SGCC-1236	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 12	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 14	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 93	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 94	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 95	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size
SGCC-1275	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

TEMPERED TRANSPARENT GLASS

1/8 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1223	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 598	Unlimited size
Anglass Industries, Inc.; San Fernando, California	SGCC- 520	Unlimited size
Ardco, Inc.; Chicago, Illinois	SGCC-1041	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1276	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC- 586	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 603	Unlimited size
Elgin Precision Glass Company, Inc.; Elgin, Illinois	SGCC-1369	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 341	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1355	Unlimited size
Gemtron Corporation; Sweetwater, Tennessee	SGCC-1334	Unlimited size
Guardian Industries Corp.; Carleton, Michigan	SGCC- 933	Unlimited size
Guardian Industries Corp.; Corsicana, Texas	SGCC-1248	Unlimited size
Guardian Industries Corp.; Fort Lauderdale, Florida	SGCC-1161	Unlimited size
Guardian Industries Corp.; Kingsburg, California	SGCC- 968	Unlimited size
Guardian Industries Corp.; Webster, Massachusetts	SGCC- 300	Unlimited size
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC- 54	Unlimited size
Hehr International, Inc.; Chesaning, Michigan	SGCC-1062	32" by 60"
Hordis Brothers, Inc.; Warrenton, Missouri	SGCC-1379	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 350	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 701	Unlimited size
Ohio Plate Glass Company; Jefferson, Texas	SGCC-1281	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-1050	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC- 250	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 60	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 295	Unlimited size
PPG Industries, Inc.; Wichita Falls, Texas	SGCC-1110	Unlimited size
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada	SGCC- 251	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1292	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC-1039	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1354	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 979	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1308	Unlimited size

5/32 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1176	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 955	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 949	Unlimited size
Amworth Industries Corporation; Renedo, Spain	SGCC-1342	Unlimited size
Ardco, Inc.; Chicago, Illinois	SGCC-1323	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC-1376	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC-1002	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1339	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 396	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1123	Unlimited size
Gemtron Corporation; Sweetwater, Tennessee	SGCC-1332	Unlimited size
General Glass Corporation; Denver, Colorado	SGCC-1180	Unlimited size
Guardian Industries Corp.; Carleton, Michigan	SGCC- 934	Unlimited size
Guardian Industries Corp.; Corsicana, Texas	SGCC-1249	Unlimited size
Guardian Industries Corp.; Kingsburg, California	SGCC- 969	Unlimited size
Hordis Brothers, Inc.; Warrenton, Missouri	SGCC-1380	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1265	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 545	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

5/32 inch tempered transparent glass-continued

Northwestern Industries, Inc.; Seattle, Washington
PPG Industries, Inc.; Carlisle, Pennsylvania
PPG Industries, Inc.; Fresno, California
PPG Industries, Inc.; Wichita Falls, Texas
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada
Sunglas Products, Inc.; Claremore, Oklahoma
Tempglass Eastern, Inc.; Norcross, Georgia
Virginia Glass Products Corporation; Martinsville, Virginia

SGCC- 702 Unlimited size
SGCC- 675 Unlimited size
SGCC- 676 Unlimited size
SGCC-1111 Unlimited size
SGCC-1120 Unlimited size
SGCC-1361 Unlimited size
SGCC-1259 Unlimited size
SGCC-1236 Unlimited size

3/16 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California
AFG Industries, Inc.; Greenland, Tennessee
AFG Industries, Inc.; Kingsport, Tennessee
Anglass Industries, Inc.; San Fernando, California
Ardco, Inc.; Chicago, Illinois
J. E. Berkowitz, Inc.; Westville, New Jersey
Chamberlain Manufacturing Corporation; Malvern, Arkansas
Downey Glass Company, Inc.; Downey, California
Downey Glass Company, Inc.; Los Angeles, California
Elgin Precision Glass Company, Inc.; Elgin, Illinois
Falconer Glass Industries, Inc.; Falconer, New York
Ford Motor Company; Dearborn, Michigan
Fulton Glass Industries, Inc.; Red Oak, Georgia
Gateway Industries; Rogers, Arkansas
Gemtron Corporation; Sweetwater, Tennessee
General Glass Corporation; Denver, Colorado
Guardian Industries Corp.; Carleton, Michigan
Guardian Industries Corp.; Corsicana, Texas
Guardian Industries Corp.; Fort Lauderdale, Florida
Guardian Industries Corp.; Kingsburg, California
Guardian Industries Corp.; Webster, Massachusetts
Hamilton Glass Products, Inc.; Vincennes, Indiana
Howe-Martz Glass Company; Detroit, Michigan
LOF Glass; Clinton, North Carolina
LOF Glass; Laurinburg, North Carolina
LOF Glass; Rossford, Ohio
Northwestern Industries, Inc.; Seattle, Washington
Ohio Plate Glass Company; Jefferson, Texas
Ohio Plate Glass Company; Lewisburg, Ohio
PPG Industries, Inc.; Carlisle, Pennsylvania
PPG Industries, Inc.; Crestline, Ohio
PPG Industries, Inc.; Dallas, Texas
PPG Industries, Inc.; Ford City, Pennsylvania
PPG Industries, Inc.; Fresno, California
PPG Industries, Inc.; Hunt Valley, Maryland
PPG Industries, Inc.; Miami, Florida
PPG Industries, Inc.; Wichita Falls, Texas
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada
San Jacinto Glass Company; Houston, Texas
Shaw Glass Company, Inc.; South Easton, Massachusetts
Southern Wholesale Glass, Inc.; Marietta, Georgia
Sunglas Products, Inc.; Claremore, Oklahoma
Tempered Glass Corporation; Tampa, Florida
Tempglass, Inc.; Perrysburg, Ohio

SGCC-1157 Unlimited size
SGCC- 220 Unlimited size
SGCC- 28 Unlimited size
SGCC- 999 Unlimited size
SGCC-1042 Unlimited size
SGCC-1271 Unlimited size
SGCC-1377 Unlimited size
SGCC- 606 Unlimited size
SGCC- 630 Unlimited size
SGCC-1371 Unlimited size
SGCC-1352 Unlimited size
SGCC- 342 Unlimited size
SGCC-1124 Unlimited size
SGCC-1356 Unlimited size
SGCC-1201 Unlimited size
SGCC-1181 Unlimited size
SGCC- 631 Unlimited size
SGCC-1250 Unlimited size
SGCC- 633 Unlimited size
SGCC- 970 Unlimited size
SGCC-1216 Unlimited size
SGCC-1200 Unlimited size
SGCC-1266 Unlimited size
SGCC-1073 Unlimited size
SGCC- 351 Unlimited size
SGCC- 386 Unlimited size
SGCC- 703 Unlimited size
SGCC-1286 Unlimited size
SGCC- 185 Unlimited size
SGCC- 249 Unlimited size
SGCC- 927 Unlimited size
SGCC- 400 Unlimited size
SGCC- 61 Unlimited size
SGCC- 64 Unlimited size
SGCC- 454 Unlimited size
SGCC- 195 Unlimited size
SGCC-1112 Unlimited size
SGCC- 209 Unlimited size
SGCC-1293 Unlimited size
SGCC-1034 Unlimited size
SGCC-1230 Unlimited size
SGCC-1362 Unlimited size
SGCC-1147 Unlimited size
SGCC- 592 Unlimited size

ANSI

JULY 1, 1984; SGCC 21

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

3/16 inch tempered transparent glass-continued

Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 981	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1219	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC-1192	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1310	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 320	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 921	Unlimited size
Tuf-flex Glass; Union City, California	SGCC-1241	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 12	Unlimited size

1/4 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 638	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 89	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 24	Unlimited size
Accutemp Glass Company; San Antonio, Texas	SGCC-1345	Unlimited size
Advanced Coating Technology, Inc.; Franklin, Tennessee	SGCC-1277	Unlimited size
Anglass Industries, Inc.; San Fernando, California	SGCC-1000	Unlimited size
Ardco, Inc.; Chicago, Illinois	SGCC-1049	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1272	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC-1378	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1165	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 609	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 514	Unlimited size
Elgin Precision Glass Company, Inc.; Elgin, Illinois	SGCC-1372	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 709	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 397	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1125	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1357	Unlimited size
General Glass Corporation; Denver, Colorado	SGCC-1182	Unlimited size
Glass Tempering Service, Inc.; Detroit, Michigan	SGCC-1238	Unlimited size
Guardian Industries Corp.; Carleton, Michigan	SGCC- 131	Unlimited size
Guardian Industries Corp.; Corsicana, Texas	SGCC-1251	Unlimited size
Guardian Industries Corp.; Fort Lauderdale, Florida	SGCC- 40	Unlimited size
Guardian Industries Corp.; Kingsburg, California	SGCC- 971	Unlimited size
Guardian Industries Corp.; Webster, Massachusetts	SGCC- 662	Unlimited size
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC- 57	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1268	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1074	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 352	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 19	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 704	Unlimited size
Ohio Plate Glass Company; Jefferson, Texas	SGCC-1287	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC- 186	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC- 382	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 102	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC- 402	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 70	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 455	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC- 194	Unlimited size
PPG Industries, Inc.; Wichita Falls, Texas	SGCC-1113	Unlimited size
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada	SGCC-1247	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1294	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1035	Unlimited size
Southern Wholesale Glass, Inc.; Marietta, Georgia	SGCC-1231	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1363	Unlimited size

ANSI

22 SGCC; JULY 1, 1984

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

1/4 inch tempered transparent glass-continued		
Temp-Tech Industries, Inc.; Chicago, Illinois	SGCC- 986	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 337	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 593	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1095	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 982	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1044	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC- 137	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1311	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 321	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 390	Unlimited size
Tuf-flex Glass; Union City, California	SGCC-1204	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 14	Unlimited size

5/16 inch tempered transparent glass		
Guardian Industries Corp.; Corsicana, Texas	SGCC-1252	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1075	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 373	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 464	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-1221	Unlimited size

3/8 inch tempered transparent glass		
ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 639	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 90	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1273	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1166	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 515	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1280	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1126	Unlimited size
Guardian Industries Corp.; Carleton, Michigan	SGCC- 160	Unlimited size
Guardian Industries Corp.; Corsicana, Texas	SGCC-1253	Unlimited size
Guardian Industries Corp.; Fort Lauderdale, Florida	SGCC- 41	Unlimited size
Guardian Industries Corp.; Webster, Massachusetts	SGCC- 471	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1269	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1076	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 374	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 449	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC-1257	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-1107	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 474	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC-1067	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1295	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1036	Unlimited size
Southern Wholesale Glass, Inc.; Marietta, Georgia	SGCC-1232	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1374	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 348	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 594	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1089	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1058	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1045	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1312	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 322	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 391	Unlimited size
Tuf-flex Glass; Union City, California	SGCC- 482	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 93	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

1/2 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 640	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1274	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1167	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 516	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 711	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1127	Unlimited size
Guardian Industries Corp.; Carleton, Michigan	SGCC- 263	Unlimited size
Guardian Industries Corp.; Fort Lauderdale, Florida	SGCC-1004	Unlimited size
Guardian Industries Corp.; Webster, Massachusetts	SGCC-1235	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1270	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1077	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 375	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 150	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC-1258	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-1108	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 475	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC-1336	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1296	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1037	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 338	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 595	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1090	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1059	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1046	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC- 669	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1313	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 323	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 392	Unlimited size
Tuf-flex Glass; Union City, California	SGCC- 483	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 94	Unlimited size

5/8 inch tempered transparent glass

Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1324	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1078	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 544	Unlimited size

3/4 inch tempered transparent glass

Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1341	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 712	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1079	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 151	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-1225	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 952	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 95	Unlimited size

TEMPERED PATTERN GLASS

1/8 inch tempered pattern glass (shallow patterns)

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1226	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 587	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 141	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 604	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1358	Unlimited size
Guardian Industries Corp.; Kingsburg, California	SGCC-1303	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 987	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM CERTIFIED SIZE

1/8 inch tempered pattern glass (medium patterns) Downey Glass Company, Inc.; Downey, California Ohio Plate Glass Company; Lewisburg, Ohio	SGCC- 605 SGCC- 654	Unlimited size Unlimited size
5/32 inch tempered pattern glass (shallow patterns) Gateway Industries; Rogers, Arkansas Guardian Industries Corp.; Corsicana, Texas Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1359 SGCC-1314 SGCC-1373	Unlimited size Unlimited size Unlimited size
5/32 inch tempered pattern glass (medium patterns) Amworth Industries Corporation; Renedo, Spain Amworth Industries Corporation; Sao Paulo, Brazil Guardian Industries Corp.; Kingsburg, California Northwestern Industries, Inc.; Seattle, Washington	SGCC-1260 SGCC-1337 SGCC-1301 SGCC- 920	Unlimited size Unlimited size Unlimited size Unlimited size
3/16 inch tempered pattern glass (shallow patterns) AFG Industries, Inc.; Greenland, Tennessee AFG Industries, Inc.; Kingsport, Tennessee Downey Glass Company, Inc.; Downey, California Downey Glass Company, Inc.; Los Angeles, California Falconer Glass Industries, Inc.; Falconer, New York Fulton Glass Industries, Inc.; Red Oak, Georgia Glass Tempering Service, Inc.; Detroit, Michigan Guardian Industries Corp.; Fort Lauderdale, Florida Guardian Industries Corp.; Kingsburg, California Howe-Martz Glass Company; Detroit, Michigan Ohio Plate Glass Company; Lewisburg, Ohio PPG Industries, Inc.; Hunt Valley, Maryland PPG Industries, Inc.; Miami, Florida Shaw Glass Company, Inc.; South Easton, Massachusetts Tempered Glass Corporation; Tampa, Florida Tempglass Eastern, Inc.; Norcross, Georgia Tuf-flex Glass; Irving, Texas Virginia Glass Products Corporation; Martinsville, Virginia	SGCC-1139 SGCC-1143 SGCC- 607 SGCC- 935 SGCC-1330 SGCC-1326 SGCC-1340 SGCC-1318 SGCC-1304 SGCC-1344 SGCC- 188 SGCC-1325 SGCC-1298 SGCC-1299 SGCC-1328 SGCC-1338 SGCC-1321 SGCC-1275	Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size 34" by 72" Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size
3/16 inch tempered pattern glass (deep patterns) Ohio Plate Glass Company; Lewisburg, Ohio	SGCC- 328	Unlimited size
210 inch tempered pattern glass (shallow patterns) Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC-1179	Unlimited size
7/32 inch tempered pattern glass (shallow patterns) ACI Glass Products, Inc.; Santa Fe Springs, California Downey Glass Company, Inc.; Downey, California Downey Glass Company, Inc.; Los Angeles, California Guardian Industries Corp.; Fort Lauderdale, Florida Northwestern Industries, Inc.; Seattle, Washington Ohio Plate Glass Company; Lewisburg, Ohio PPG Industries, Inc.; Miami, Florida Shaw Glass Company, Inc.; South Easton, Massachusetts Tempered Glass Corporation; Tampa, Florida Tuf-flex Glass; Union City, California	SGCC- 641 SGCC- 608 SGCC- 678 SGCC- 617 SGCC- 707 SGCC- 562 SGCC- 219 SGCC-1071 SGCC-1118 SGCC-1224	Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

LAMINATED GLASS

3/16 inch laminated transparent glass

Dlubak Studios, Inc.; Freeport, Pennsylvania

SGCC-1348 34" by 48"

7/32 inch laminated transparent glass

Falconer-Lewistown, Inc.; Lewistown, Pennsylvania

SGCC-1282 Unlimited size

Guardian Industries Corp.; Upper Sandusky, Ohio

SGCC- 458 Unlimited size

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1173 Unlimited size

Texas Tempered Glass Company; Houston, Texas

SGCC-1159 Unlimited size

1/4 inch laminated transparent glass

Dlubak Studios, Inc.; Freeport, Pennsylvania

SGCC-1347 Unlimited size

Falconer-Lewistown, Inc.; Lewistown, Pennsylvania

SGCC-1284 Unlimited size

Guardian Industries Corp.; Upper Sandusky, Ohio

SGCC- 487 Unlimited size

3/8 inch laminated transparent glass

Dlubak Studios, Inc.; Freeport, Pennsylvania

SGCC-1349 Unlimited size

Falconer-Lewistown, Inc.; Lewistown, Pennsylvania

SGCC-1315 Unlimited size

1/2 inch laminated transparent glass

Dlubak Studios, Inc.; Freeport, Pennsylvania

SGCC-1350 Unlimited size

Falconer-Lewistown, Inc.; Lewistown, Pennsylvania

SGCC-1316 Unlimited size

LAMINATED PATTERN GLASS

3/16 inch laminated pattern glass (shallow patterns)

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1343 Unlimited size

SAFETY PLASTIC SHEET

0.080 inch and greater thicknesses acrylic

Rotuba Extruders, Inc.; Linden, New Jersey

SGCC- 316 Unlimited size

0.080 through 0.125 inch acrylic

Flex-O-Glass, Inc.; Dixon, Illinois

SGCC- 118 Unlimited size

Sheffield Plastics, Inc.; Sheffield, Massachusetts

SGCC- 173 Unlimited size

* * * * *

ANSI

26 SGCC; JULY 1, 1984

SGCC LABEL REQUIREMENTS

The SGCC certification label must be permanently marked on each piece of safety glazing material or else it is not covered by the SGCC certification program. The labels reproduced in this certified products directory are typical of those that you will find on each piece of safety glazing material.

The permanent label must contain the SGCC number, ANSI Z97.1-1975, the nominal thickness and the letter U or L indicating certified size.

For labeling purposes, a line of demarcation shall separate those standards covered by the SGCC number from any other standards the licensee wishes to reference.

For purposes of Guideline G.6 "SGCC-xxx/yyy" shall be the only correct designation other than "SGCC-xxx" and "SGCC-yyy" when an identical item is in both the ANSI and CPSC programs. (See examples below.)

"After having successfully passed the appropriate tests, like products and materials produced in the same manner as samples submitted per test shall be legibly and permanently marked in one corner with . . . the characters "ANSI Z97.1-1975 - INDOOR USE ONLY" and shall be marked also with the manufacturer's distinctive mark or designation." Quoted from ANSI Z97.1-1975.

"Organic-coated glass materials shall be permanently marked on the organic coating with a label, including the phrase, "GLAZE THIS SIDE IN" to indicate to the installer, inspector or user which side of the organic-coated glass should be exposed to the elements if there is a specific side that should be exposed." Quoted from ANSI Z97.1-1975.

The permanent label must contain identification of the plant in which the product was made and the name or trade mark of the licensee. (The SGCC number does this by reference to this certified products directory.)

The permanent label must be affixed to certified products only at the time and place of manufacture.

The permanent label must be affixed only to safety glazing materials of the licensee's own manufacture, which are certified in the SGCC program.

The permanent label must not be sold, transferred or otherwise disposed of in any manner other than being affixed to the licensee's certified production.

The permanent label must not be affixed to any product from which certification has been withdrawn or which is produced with a process basically different from the one used when certification was obtained.

EXAMPLES:

ANSI Z97.1-1975
16 CFR 1201 II
SGCC-123/691 1/4 U


ANSI Z97.1-1975 SGCC-123 1/4 U
16 CFR 1201 II SGCC-691

ACI GLASS PRODUCTS, INC.
9010 South Norwalk Boulevard
Santa Fe Springs, California 90670

CAL TEMP

ANSI-Z 97.1-1975
16 CFR 1201 CAT. II
1/4 U-SGCC-638
SFS-1

AMWORTH INDUSTRIES CORPORATION
1655 Palm Beach Lakes Boulevard
Suite 1000
West Palm Beach, Florida 33401



AIC
ANSI Z97.1-1975
SGCC - 1260
5/32 U

AFG INDUSTRIES, INC.
P. O. Box 929
Kingsport, Tennessee 37662

▲
▲
▲
TEMPERED
16 CFR 1201.CII
ANSI Z97.1 1975
1/4U SGCC-24
AFG 001

ANGLASS INDUSTRIES, INC.
12364 Gladstone Avenue
San Fernando, California 91342



ANSI Z97.1-1975
SGCC-520 1/8U

ACCUTEMP GLASS COMPANY
Route 10; Box 82P
San Antonio, Texas 78216

TENTATIVE LABEL

ACCUTEMP
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1345 1/4 U

ARDCO, INC.
12400 South Laramie Avenue
Chicago, Illinois 60658

ardco
TEMPER - GARD
ANSI Z97.1-1975
SGCC-1041 1/8U

ADVANCED COATING TECHNOLOGY, INC.
306 Beasley Drive
Franklin, Tennessee 37064

ACT
ANSI-Z97.1-1975
16 CFR-1201-II
S.G.C.C. 1277 1/4"-U

J. E. BERKOWITZ, INC.
Delsea Drive and Harvard Avenue
Westville, New Jersey 08093

TEMPERFECT
J E BERKOWITZ, INC.
ANSI Z 97.1 1975
16 CFR 1201 I & II
SGCC - 1272 1/4"U

CHAMBERLAIN MANUFACTURING CORPORATION
P. O. Box H
Hot Springs, Arkansas 71901

SAFETY PANE

TEMPERED SAFETY GLASS
ANSI Z97.1-1975 SGCC 586 1/8U
16 CFR 1201 I & II

ELGIN PRECISION GLASS COMPANY, INC.
1200 Abbott Drive
Elgin, Illinois 60120

EPG

ANSI Z97.1-1975
16 CFR 1201 CII
SGCC 1369 1/8U

COLONIAL MIRROR AND GLASS CORPORATION
142 19 Street
Brooklyn, New York 11232

COLONIAL MIRROR & GLASS CORP.
SAFETY TEMPERED GLASS
GLAS STEEL 1/2" U
ANSI-Z-97-1-1975
16 CFR 1201-I, II, -SGCC-1167

FALCONER-LEWISTOWN, INC.
One Belle Avenue
Lewistown, Pennsylvania 17044

FALCONER

Safetec 

LAMINATED
ANSI Z97.1-1975
SGCC #1284 1/4U
7-84

DLUBAK STUDIOS, INC.
116 Sipes Road
Freeport, Pennsylvania 16229

DLUBAK STUDIOS
LAMINATED GLASS
ANSI Z97.1-1975
SGCC-1350 1/2U

FALCONER GLASS INDUSTRIES, INC.
500 South Work Street
Falconer, New York 14733

FALCONER GLASS IND., INC.
DURASAFE 1/4" U
TEMPERED SAFETY GLASS
ANSI Z97.1-1975
16 CFR 1201 CII SGCC 709



DOWNEY GLASS COMPANY, INC.
5631 Ferguson Drive
Los Angeles, California 90022

ful-temp



SGCC-603 .125U
ANSI-Z97.1 1975
16 CFR 1201 II
SGCC - 805

FLEX-O-GLASS, INC.
1100 North Cicero Avenue
Chicago, Illinois 60651


Warpa

FLEX-O-GLAZE™
ACRYLIC SAFETY GLAZING
16 CFR 1201 CII
.100U
ANSI Z97.1-75 SGCC-118

FORD MOTOR COMPANY GLASS DIVISION
300 Renaissance Center; P. O. Box 43343
Detroit, Michigan 48243



GENERAL GLASS CORPORATION
P. O. Box 38711
Denver, Colorado 80238



FULTON GLASS INDUSTRIES, INC.
5225 Welcome All Road
Red Oak, Georgia 30272

FULTONTEMP
SGCC 1134 1/2" U
16 CFR 1201-II
SGCC 1127
ANSI Z97.1 1975



GLASS TEMPERING SERVICE, INC.
14285 Wyoming Street
Detroit, Michigan 48238


GTs
SAFETY TEMPERED
ANSI Z971-1975
16 CFR 1201 II
SGCC-1238 1/4 U

GATEWAY INDUSTRIES
1414 South First Street
Rogers, Arkansas 72756

GW1
TEMPERED
ANSI Z97.1-1975
16CFR1201-II
SGCC-1355 1/8 U
DOT 272 AS2 MI



GUARDIAN INDUSTRIES CORP.
43043 West Nine Mile Road
Northville, Michigan 48167



GEMTRON CORPORATION
New Highway 68; P. O. Box 416
Sweetwater, Tennessee 37874

✦
TEMPERED
16CFR 1201 CII
ANSI Z97.1 1975
3/16 U - SGCC - 1201/1202
GEMTRON 013 1981

HAMILTON GLASS PRODUCTS, INC.
2000 Chestnut Street; P. O. BOX 317
Vincennes, Indiana 47591

TEMPER TUF
HAMILTON GLASS PRODUCTS
ANSI Z97.1 - 1975
1/4 U SGCC - 57
16 CFR 1201 C II

the test specimens be identified in this regard.

T.6

Prototype test shall be conducted on bent specimens sampled from normal production run. The specimen size shall have a surface area of at least 50 percent of the maximum size for which certification is desired. Routine tests may be performed on bent specimens or flat specimens fabricated using the same tempering furnace. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side of the curved edges. Impact shall be on the convex surface.

TEMPERED PATTERN GLASS

TP.1

For the purposes of certification, the nominal thickness of patterned, figured, or rough rolled glass are the common fractions found in DD-G-451d. The permanent label must contain this fraction or a metric or decimal dimension within the tolerance of this thickness as published in DD-G-451d.

The patterns in each thickness will be classified as to the ratio of minimum to maximum thickness as follows:

<u>Pattern depth class</u>	<u>Ratio</u>
Shallow pattern glass	0.90 or above
Medium pattern glass	0.80 through 0.89
Deep pattern glass	0.79 or below

Certification will be by nominal thickness and pattern depth class. Any pattern in a certified thickness and pattern depth class is certified.

New or unlisted patterns must be submitted to the pattern subcommittee for classification and file, prior to certification. After measurement, the new pattern will be assigned to a pattern depth class.

In the case of 5/32 inch tempered pattern glass refer to DD-G-1403b because this thickness is not included in DD-G-451d.

Certification of deep also covers medium and shallow patterns of the same nominal thickness.

Certification of medium also covers shallow patterns of the same nominal thickness.

TP.2

The maximum thickness shall be recorded when measuring the thickness of pattern glass.

TP.3

For tempered pattern glass, one specimen must be weighed and the weight of ten square inches determined from the weight, width and height of that specimen to use for test purposes.

TP.4

For certification purposes, the nominal thickness of 210 tempered pattern glass shall be 0.210 inches and thickness tolerances shall be plus 0.031 inches and minus 0.016 inches.

TP.5

When medium pattern glass is not available for routine sampling, the licensee submitted specimens must be a medium pattern (a shallow pattern is not acceptable).

TP.6

When deep pattern glass is not available for routine sampling, the licensee submitted specimens must be a deep pattern (shallow or medium patterns are not acceptable).

LAMINATED GLASS

L.1

Certification of regular laminated glass will also cover tinted, heat absorbing and coated glasses, both flat and bent of the same nominal thickness.

L.2

In cases where certified laminated glass is normally not available for sampling the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

L.3

Certification of 7/32 inch laminated glass also covers SS/DS and vice versa.

L.4

When a laminated glass is certified, other laminated glasses having the same thickness or thicknesses of glass and a greater thickness of plastic interlayer will be considered to be of equal nominal thickness and will be included in the certification.

L.5

Laminated safety glass need not be identified by type of base glass.

L.6

Thickness of the plastic interlayer shall be measured by the SGCC standard method.

L.7

For certification purposes the following thickness tolerances shall be used: Thickness tolerance shall apply only to the overall thickness. The plus tolerance shall be the sum of all the individual plus tolerances of each layer of the laminate. The minus tolerance shall be the sum of all of the individual minus tolerances of each layer of the laminate. Polyurethane interlayer shall have a thickness tolerance of plus or minus 0.015 inches.

The tolerance of the polyvinylbutyral (PVB) shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.002 and a minus tolerance of 0.004 inches.

L.8

When a laminated annealed glass is certified, other laminated glasses having the same thickness or thicknesses of heat strengthened or tempered glass and the same or greater thickness of plastic interlayer of the same chemical composition will be considered to be included in the certification.

L.9

When laminated glass is not available for routine sampling, the licensee submitted specimens must contain the identical thickness plastic interlayer that was contained in the prototype specimens.

WIRED GLASS

W.1

Certification of one polished wired glass may be applied to other polished wired glasses provided:

a) The glass thickness of the candidate glass is nominally equal to the thickness of the glass that is certified.

b) The wire diameter of the candidate glass is at least as great as the wire diameter in the glass that is certified.

c) The spacing of the wires in the candidate glass is no greater than the spacing of the wires in the glass that is certified.

d) SGCC has been presented with a test report indicating compliance of the candidate glass with the impact test requirements of ANSI Z97.1-1975.

After admission under the blanket certification covering wired glasses all wired glasses so certified must be exposed to random sampling at each examination although only one will probably be selected for testing.

PLASTICS - GENERAL

P.1

Certification of one tint or color of rigid plastic will also cover other tints, colors, flat configurations or bent and formed configurations.

P.2

For certifying all plastics covering a range of thicknesses, prototype impact tests are required of the minimum thickness and also of the maximum thickness (except that 0.250 inch thickness would be tested if the maximum thickness exceeds 0.250 inches). Only one certification number will be issued and shall be marked upon all thicknesses. Routine evaluation samples are to be selected by the administrator from any of the certified thicknesses.

P.3

The following thickness tolerances shall be used for certification purposes:

Outdoor use plastic materials Class 1. Cast acrylic. (Including continuously cast sheet): As specified in Federal Specification LP-391, latest issue.

Outdoor use plastic materials Class 2. Extruded acrylic: As specified in Federal Specification LP-507, latest issue.

Outdoor use plastic materials Class 3. Extruded polycarbonate: As specified in Military Specification MIL-P-46144, latest issue.

Indoor use plastic materials Class 1: Plus or minus 10 percent of nominal thickness.

P.4

The maximum thickness shall be recorded when measuring the thickness of patterned plastics.

P.5

Certification of either smooth plastic or patterned plastic will not cover the other.

PLASTICS - EXTERIOR USE

PE.1

Sheet plastics for exterior use must comply with ANSI Z97.1a-1977.

PE.2

Certification of plastics for exterior use shall be permitted prior to completion of ANSI Z97.1-1975 weathering tests (paragraph 4.3) provided that a considered expert opinion states that the infrared spectrogram indicates that the plastic is an acrylic or UV inhibited polycarbonate of proven weatherability. Certification shall be removed if compliance with the weathering test is not demonstrated within six months of the certification date.

PE.3

For all plastics requiring UV weathering tests an infrared spectrogram shall be obtained of all prototype weathering specimens. An infrared spectrogram shall be obtained of all routine evaluation samples and shall be compared with that of the prototype in lieu of conducting weathering test. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

PE.4

When initial Charpy unnotched specimens do not break, then notched specimens shall be used for both initial and exposed Charpy impact testing. The specimens shall be notched prior to UV exposure and the notched surface shall be exposed to the UV.

PLASTICS - INDOOR USE ONLY

PI.1

Sheet plastics used in indoor applications only, do not have to comply with paragraph 4.3 of ANSI Z97.1-1975 (UV Weathering) but must comply with paragraph 4.5.

PI.2

The permanent label authorized by SGCC must include "Indoor Use Only".

PI.3

For all indoor plastics requiring aging tests, an infrared spectrogram shall be obtained of all prototype aging specimens. An infrared spectrogram shall be obtained of all routine re-evaluation samples and shall be compared with that of the prototype in lieu of conducting aging tests. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

LEADED PATTERNED ANNEALED GLASS

LG.1

Certification of one leaded patterned glass (annealed) may be extended to cover other patterns (on the glass surface) provided:

a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.

b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1975 for

each alternate pattern proposed.

c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

d) After admission under blanket certification covering leaded patterned glass (annealed), any such patterns available may be selected by the administrator for routine sampling.

LG.2

Certification of one diamond shaped leaded patterned glass (annealed) may be extended to cover other sizes of diamonds provided:

a) All aspects of the product except diamond size is the same as the certified product.

b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1975 for each alternate size diamond proposed.

c) The certification committee is provided with a 6 by 6 inch or a proper and representative sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification, any such size diamond available may be selected by the

administrator for routine testing.

LG.3

For leaded diamond patterned glass (annealed) the tolerance for diagonal came center dimensions shall be plus or minus 12 percent.

Prototype samples must have diagonal came center dimensions 10 percent greater than nominal. Diamond size listed in the certified products directory shall be nominal dimensions.

ORGANIC COATED GLASS

AG.1

Thickness of the applied plastic coating shall be measured by the SGCC standard method.

AG.2

The SGCC authorized permanent label, which complies with Guideline G.26 must be imprinted upon or applied to a surface of the plastic for all plastic coated annealed glasses.

AG.3

Prototype test shall be conducted on bent specimens of the surface area at least 50 percent of the maximum size for which certification is desired. Routine tests may be conducted on flat or bent specimens. The test apparatus shall be modified to clamp the vertical straight edges and to support the concave side for the curved edges. Two specimens shall have organic coating on the concave surface and two on the convex surface. Impact shall be on the convex surface.

* * * * *

ANSI Z97.1-1975 Safety Performance Specifications and Methods of Test for Safety Glazing Materials Used in Buildings

The purpose of ANSI Z97.1-1975 is to prescribe the functional properties of safety glazing materials so that they can be used in any place in buildings for which they possess the requisite characteristics. Intended to serve as a convenient reference for building officials, this important document is designed to provide a basis for standards that may be incorporated in federal, state and local regulations.

Copies of ANSI Z97.1-1975 may be obtained from:

American National Standards Institute
1430 Broadway
New York, New York 10018

ADDITIONS:

Chamberlain Manufacturing Corporation; Malvern, Arkansas

SGCC-1376	5/32	inch tempered transparent glass	Unlimited size
SGCC-1377	3/16	inch tempered transparent glass	Unlimited size
SGCC-1378	1/4	inch tempered transparent glass	Unlimited size

Elgin Precision Glass Company, Inc.; Elgin, Illinois

SGCC-1369	1/8	inch tempered transparent glass	Unlimited size
SGCC-1371	3/16	inch tempered transparent glass	Unlimited size
SGCC-1372	1/4	inch tempered transparent glass	Unlimited size

Gateway Industries; Rogers, Arkansas

SGCC-1355	1/8	inch tempered transparent glass	Unlimited size
SGCC-1356	3/16	inch tempered transparent glass	Unlimited size
SGCC-1357	1/4	inch tempered transparent glass	Unlimited size
SGCC-1358	1/8	inch tempered pattern glass (s)	Unlimited size
SGCC-1359	5/32	inch tempered pattern glass (s)	Unlimited size

Hordis Brothers, Inc.; Warrenton, Missouri

SGCC-1379	1/8	inch tempered transparent glass	Unlimited size
SGCC-1380	5/32	inch tempered transparent glass	Unlimited size

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1360	3/16	inch laminated transparent glass (0.030)	Unlimited size
-----------	------	--	----------------

Sunglas Products, Inc.; Claremore, Oklahoma

SGCC-1361	5/32	inch tempered transparent glass	Unlimited size
SGCC-1362	3/16	inch tempered transparent glass	Unlimited size
SGCC-1363	1/4	inch tempered transparent glass	Unlimited size
SGCC-1374	3/8	inch tempered transparent glass	Unlimited size

Tempglass, Ltd.; Weston, Ontario, Canada

SGCC-1373	5/32	inch tempered pattern glass (s)	Unlimited size
-----------	------	---------------------------------	----------------

DELETIONS:

Cristales Inastillables De Mexico, S.A.; Mexico City, Mexico

SGCC-1300	1/4	inch laminated transparent glass	Unlimited size
-----------	-----	----------------------------------	----------------

Glass Tempering Service, Inc.; Detroit, Michigan

SGCC-1237	3/16	inch tempered transparent glass	Unlimited size
-----------	------	---------------------------------	----------------

PPG Industries, Inc.; Fresno, California

SGCC- 73	1/4	inch tempered transparent glass	Unlimited size
----------	-----	---------------------------------	----------------

PPG Industries, Inc.; Hunt Valley, Maryland

SGCC- 456	7/32	inch tempered pattern glass (s)	Unlimited size
-----------	------	---------------------------------	----------------

Tempglass Western, Inc.; Fremont, California

SGCC-1234	1/8	inch tempered transparent glass	Unlimited size
-----------	-----	---------------------------------	----------------

Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania

SGCC-1309	5/32	inch tempered transparent glass	Unlimited size
-----------	------	---------------------------------	----------------

Tuf-flex Glass; Elmhurst, Illinois

SGCC- 257	3/16	inch tempered transparent glass	Unlimited size
SGCC- 229	1/4	inch tempered transparent glass	Unlimited size
SGCC- 258	3/8	inch tempered transparent glass	Unlimited size
SGCC- 270	1/2	inch tempered transparent glass	Unlimited size

Virginia Glass Products Corporation; Martinsville, Virginia

SGCC- 92	7/32	inch tempered pattern glass (s)	Unlimited size
----------	------	---------------------------------	----------------

The safety of the public is paramount. Manufacturers of safety glazing products, building code administrators and others responsible for the safety of the public, recognizing the need for a common standard for safety glazing materials, jointly established the Safety Glazing Certification Council (SGCC) in 1971.

The Safety Glazing Certification Council is a non-profit organization which has established and maintains a program to administer periodic testing to the 16 CFR 1201 standard, a recognized standard for safety glazing in buildings. This standard subjects glazing materials to a practical test to determine that if they are broken by human contact, they break in a manner that would minimize the likelihood of cutting or piercing injury. SGCC's responsibilities are threefold: to assure a periodic testing program is maintained; to approve and register the form of the manufacturer's label; and to withdraw the manufacturer's authority to use that label if its products do not meet 16 CFR 1201 standards.

Management and control of the program is vested in a board of directors, half representing industry and half representing public interest. The public interest representatives are empowered to veto any action regardless of the number present at a meeting. This insures against industry dominance of SGCC actions. The organization is operated in compliance with the American National Standard Practice for Certification Procedures Z34.1-1947 (R1982).

The program uses independent testing laboratories under the supervision of a qualified administrator who is a professional engineer. He is unaffiliated with any manufacturer of safety glazing materials and is hired by and responsible to the Safety Glazing Certification Council. The manufacturer of the products listed herein has certified that the labeled materials comply with the safety characteristics established by 16 CFR 1201. The compliance of the manufacturer with the requirements of that standard is being checked periodically by an independent testing laboratory under the supervision of SGCC.

Every manufacturer of safety glazing material is eligible and encouraged to apply for certification. However, his products are not accepted and certified until an independent laboratory test indicates compliance with the standard. Once certified, each product is assigned a SGCC certification number to identify it and the factory at which it is made. Then, at least twice a year, SGCC independently selects samples during unannounced visits to the manufacturing plant or randomly from the market place to ensure continued adherence to the standard. Based on these evaluation reports SGCC authorizes continued use of the certification label and the product listing published in this directory.

The directory is divided into three basic listings: the first is by numerical sequence of certified product numbers listing the manufacturer holding that number; the second is of manufacturers listed alphabetically by plants and the approved products manufactured at those plants; the third is by products listing all manufacturers and their plants approved for each product. There is also an alphabetical listing by manufacturers illustrating a typical label of that manufacturer. The table of contents lists various procedural and administrative information, as well as information as to where officers and directors may be located.

Information from SGCC concerning a statement of procedures or copies of the minutes are available to manufacturers, public interest groups and individuals, upon request.

CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC- 12 Virginia Glass	SGCC- 806 Downey Glass
SGCC- 14 Virginia Glass	SGCC- 807 Downey Glass
SGCC- 24 AFG Industries	SGCC- 808 Downey Glass
SGCC- 28 AFG Industries	SGCC- 809 Downey Glass
SGCC- 54 Hamilton Glass	SGCC- 810 Downey Glass
SGCC- 57 Hamilton Glass	SGCC- 811 Downey Glass
SGCC- 60 PPG Industries	SGCC- 812 Downey Glass
SGCC- 61 PPG Industries	SGCC- 813 Downey Glass
SGCC- 64 PPG Industries	SGCC- 814 Downey Glass
SGCC- 70 PPG Industries	SGCC- 815 Downey Glass
SGCC- 89 AFG Industries	SGCC- 817 Downey Glass
SGCC- 90 AFG Industries	SGCC- 832 Tempered Glass
SGCC- 93 Virginia Glass	SGCC- 833 Tempered Glass
SGCC- 94 Virginia Glass	SGCC- 834 Tempered Glass
SGCC- 95 Virginia Glass	SGCC- 844 LOF Glass
SGCC- 118 Flex-O-Glass	SGCC- 845 LOF Glass
SGCC- 137 Texas Tempered	SGCC- 846 LOF Glass
SGCC- 141 AFG Industries	SGCC- 847 LOF Glass
SGCC- 173 Sheffield Plastics	SGCC- 848 LOF Glass
SGCC- 185 Ohio Plate Glass	SGCC- 849 LOF Glass
SGCC- 186 Ohio Plate Glass	SGCC- 850 LOF Glass
SGCC- 194 PPG Industries	SGCC- 854 LOF Glass
SGCC- 195 PPG Industries	SGCC- 855 LOF Glass
SGCC- 209 PPG Industries Canada	SGCC- 856 LOF Glass
SGCC- 220 AFG Industries	SGCC- 857 LOF Glass
SGCC- 249 PPG Industries	SGCC- 858 LOF Glass
SGCC- 250 PPG Industries	SGCC- 859 LOF Glass
SGCC- 251 PPG Industries Canada	SGCC- 860 LOF Glass
SGCC- 295 PPG Industries	SGCC- 862 Tuf-flex Glass
SGCC- 316 Rotuba Extruders	SGCC- 863 Tuf-flex Glass
SGCC- 400 PPG Industries	SGCC- 865 Tuf-flex Glass
SGCC- 402 PPG Industries	SGCC- 866 Tuf-flex Glass
SGCC- 454 PPG Industries	SGCC- 872 Tuf-flex Glass
SGCC- 455 PPG Industries	SGCC- 873 Tuf-flex Glass
SGCC- 586 Chamberlain	SGCC- 874 Tuf-flex Glass
SGCC- 587 AFG Industries	SGCC- 879 Tuf-flex Glass
SGCC- 592 Tempglass	SGCC- 881 Tuf-flex Glass
SGCC- 593 Tempglass	SGCC- 882 Tuf-flex Glass
SGCC- 594 Tempglass	SGCC- 912 Vidrierias De Llodio
SGCC- 595 Tempglass	SGCC- 913 Vidrierias De Llodio
SGCC- 598 AFG Industries	SGCC- 920 Northwestern Industries
SGCC- 638 ACI Glass Products	SGCC- 927 PPG Industries
SGCC- 639 ACI Glass Products	SGCC- 949 AFG Industries
SGCC- 640 ACI Glass Products	SGCC- 955 AFG Industries
SGCC- 641 ACI Glass Products	SGCC- 979 Tempglass Eastern
SGCC- 669 Texas Tempered	SGCC- 981 Tempglass Eastern
SGCC- 675 PPG Industries	SGCC- 982 Tempglass Eastern
SGCC- 676 PPG Industries	SGCC- 986 Temp-Tech
SGCC- 701 Northwestern Industries	SGCC- 987 Tempglass Eastern
SGCC- 702 Northwestern Industries	SGCC-1003 Downey Glass
SGCC- 703 Northwestern Industries	SGCC-1010 Tuf-flex Glass
SGCC- 704 Northwestern Industries	SGCC-1034 Shaw Glass
SGCC- 707 Northwestern Industries	SGCC-1035 Shaw Glass
SGCC- 709 Falconer Glass	SGCC-1036 Shaw Glass
SGCC- 711 Falconer Glass	SGCC-1037 Shaw Glass
SGCC- 712 Falconer Glass	SGCC-1039 Tempglass
SGCC- 727 Ford Motor Company	SGCC-1044 Tempglass Southern
SGCC- 728 Ford Motor Company	SGCC-1045 Tempglass Southern
SGCC- 729 Ford Motor Company	SGCC-1046 Tempglass Southern
SGCC- 730 Ford Motor Company	SGCC-1050 Ohio Plate Glass
SGCC- 805 Downey Glass	

CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC-1058 Tempglass Eastern	SGCC-1272 J. E. Berkowitz
SGCC-1059 Tempglass Eastern	SGCC-1273 J. E. Berkowitz
SGCC-1062 Hehr International	SGCC-1274 J. E. Berkowitz
SGCC-1071 Shaw Glass	SGCC-1275 Virginia Glass
SGCC-1080 LOF Glass	SGCC-1276 J. E. Berkowitz
SGCC-1081 LOF Glass	SGCC-1277 Advanced Coating Technology
SGCC-1082 LOF Glass	SGCC-1280 Falconer Glass
SGCC-1083 LOF Glass	SGCC-1281 Ohio Plate Glass
SGCC-1084 LOF Glass	SGCC-1286 Ohio Plate Glass
SGCC-1085 LOF Glass	SGCC-1287 Ohio Plate Glass
SGCC-1086 LOF Glass	SGCC-1292 San Jacinto
SGCC-1089 Tempglass, Ltd.	SGCC-1293 San Jacinto
SGCC-1090 Tempglass, Ltd.	SGCC-1294 San Jacinto
SGCC-1095 Tempglass, Ltd.	SGCC-1295 San Jacinto
SGCC-1110 PPG Industries	SGCC-1296 San Jacinto
SGCC-1111 PPG Industries	SGCC-1299 Shaw Glass
SGCC-1112 PPG Industries	SGCC-1305 Virginia Mirror
SGCC-1114 Downey Glass	SGCC-1306 Virginia Mirror
SGCC-1120 PPG Industries Canada	SGCC-1307 Virginia Mirror
SGCC-1130 Fulton Glass	SGCC-1308 Traco
SGCC-1131 Fulton Glass	SGCC-1310 Traco
SGCC-1132 Fulton Glass	SGCC-1311 Traco
SGCC-1134 Fulton Glass	SGCC-1312 Traco
SGCC-1139 AFG Industries	SGCC-1313 Traco
SGCC-1143 AFG Industries	SGCC-1322 Tuf-flex Glass
SGCC-1148 Tempered Glass	SGCC-1324 Falconer Glass
SGCC-1149 Tuf-flex Glass	SGCC-1327 Fulton Glass
SGCC-1157 ACI Glass Products	SGCC-1329 Tempered Glass
SGCC-1159 Texas Tempered	SGCC-1330 Falconer Glass
SGCC-1165 Colonial	SGCC-1331 Vidrierias De Llodio
SGCC-1166 Colonial	SGCC-1333 Gemtron
SGCC-1167 Colonial	SGCC-1335 Gemtron
SGCC-1176 ACI Glass Products	SGCC-1338 Tempglass Eastern
SGCC-1179 Hamilton Glass	SGCC-1339 Falconer Glass
SGCC-1180 General Glass	SGCC-1340 Glass Tempering Service
SGCC-1181 General Glass	SGCC-1341 Colonial
SGCC-1182 General Glass	SGCC-1343 Lear Siegler
SGCC-1192 Texas Tempered	SGCC-1344 Howe-Martz
SGCC-1200 Hamilton Glass	SGCC-1345 Accutemp Glass
SGCC-1202 Gemtron	SGCC-1352 Falconer Glass
SGCC-1205 Tuf-flex Glass	SGCC-1353 Vidrierias De Llodio
SGCC-1210 Tempered Glass	SGCC-1354 Tempglass, Ltd.
SGCC-1211 Vidrierias De Llodio	SGCC-1355 Gateway Industries
SGCC-1212 Fulton Glass	SGCC-1356 Gateway Industries
SGCC-1219 Tempglass Southern	SGCC-1357 Gateway Industries
SGCC-1223 ACI Glass Products	SGCC-1358 Gateway Industries
SGCC-1226 ACI Glass Products	SGCC-1359 Gateway Industries
SGCC-1230 Southern Wholesale	SGCC-1365 Sunglas Products
SGCC-1231 Southern Wholesale	SGCC-1366 Sunglas Products
SGCC-1232 Southern Wholesale	SGCC-1367 Sunglas Products
SGCC-1236 Virginia Glass	SGCC-1369 Elgin Precision Glass
SGCC-1238 Glass Tempering Service	SGCC-1371 Elgin Precision Glass
SGCC-1257 Northwestern Industries	SGCC-1372 Elgin Precision Glass
SGCC-1258 Northwestern Industries	SGCC-1373 Tempglass, Ltd.
SGCC-1259 Tempglass Eastern	SGCC-1375 Sunglas Products
SGCC-1265 Howe-Martz	SGCC-1376 Chamberlain
SGCC-1266 Howe-Martz	SGCC-1377 Chamberlain
SGCC-1268 Howe-Martz	SGCC-1378 Chamberlain
SGCC-1269 Howe-Martz	SGCC-1379 Hordis Brothers
SGCC-1270 Howe-Martz	SGCC-1380 Hordis Brothers
SGCC-1271 J. E. Berkowitz	

ACI Glass Products, Inc.; Santa Fe Springs, California

SGCC-1223	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1176	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1157	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 638	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 639	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 640	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1226	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 641	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

AFG Industries, Inc.; Greenland, Tennessee

SGCC- 598	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 955	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 220	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 89	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 90	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 587	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1139	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

AFG Industries, Inc.; Kingsport, Tennessee

SGCC- 949	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 28	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 24	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 141	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1143	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Accutemp Glass Company; San Antonio, Texas

SGCC-1345	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
-----------	-----	---------------	----------------------------	----------------

Advanced Coating Technology, Inc.; Franklin, Tennessee

SGCC-1277	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
-----------	-----	---------------	----------------------------	----------------

J. E. Berkowitz, Inc.; Westville, New Jersey

SGCC-1276	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1271	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1272	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1273	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1274	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Chamberlain Manufacturing Corporation; Malvern, Arkansas

SGCC- 586	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1376	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1377	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1378	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Colonial Mirror and Glass Corporation; Brooklyn, New York

SGCC-1165	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1166	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1167	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1341	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size

Downey Glass Company, Inc.; Downey, California

SGCC- 805	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1003	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size

Continued next page.

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

SGCC- 806	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 807	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 808	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 809	1/8	inch (3.2 mm)	tempered pattern glass (m)	Unlimited size
SGCC- 810	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 811	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Downey Glass Company, Inc.; Los Angeles, California

SGCC- 812	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 813	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 814	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 815	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1114	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
SGCC- 817	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Elgin Precision Glass Company, Inc.; Elgin, Illinois

SGCC-1369	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1371	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1372	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Falconer Glass Industries, Inc.; Falconer, New York

SGCC-1339	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1352	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 709	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1280	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 711	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1324	5/8	inch (16.0 mm)	tempered transparent glass	Unlimited size
SGCC- 712	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size
SGCC-1330	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Flex-O-Glass, Inc.; Dixon, Illinois

SGCC- 118	0.080 inch through 0.125 inch	smooth extruded acrylic	Unlimited size
-----------	-------------------------------	-------------------------	----------------

Ford Motor Company; Dearborn, Michigan

SGCC- 727	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 728	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 729	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 730	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Fulton Glass Industries, Inc.; Red Oak, Georgia

SGCC-1130	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC-1131	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1132	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1212	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1134	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1327	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Gateway Industries; Rogers, Arkansas

SGCC-1355	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1356	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1357	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1358	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1359	5/32	inch (4.0 mm)	tempered pattern glass (s)	Unlimited size

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

Gemtron Corporation; Sweetwater, Tennessee

SGCC-1335 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1333 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1202 3/16 inch (5.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

General Glass Corporation; Denver, Colorado

SGCC-1180 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1181 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1182 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

Glass Tempering Service, Inc.; Detroit, Michigan

SGCC-1238 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1340 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
34" by 72"

Hamilton Glass Products, Inc.; Vincennes, Indiana

SGCC- 54 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1200 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 57 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1179 210 inch (5.3 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size

Hehr International, Inc.; Chesaning, Michigan

SGCC-1062 1/8 inch (3.0 mm) tempered transparent glass

32" by 60"

Hordis Brothers, Inc.; Warrenton, Missouri

SGCC-1379 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1380 5/32 inch (4.0 mm) tempered transparent glass

Unlimited size
Unlimited size

Howe-Martz Glass Company; Detroit, Michigan

SGCC-1265 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1266 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1268 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1269 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1270 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1344 3/16 inch (4.8 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

LOF Glass; Clinton, North Carolina

SGCC-1080 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1081 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1082 5/16 inch (8.0 mm) tempered transparent glass
SGCC-1083 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1084 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1085 5/8 inch (16.0 mm) tempered transparent glass
SGCC-1086 3/4 inch (19.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

LOF Glass; Laurinburg, North Carolina

SGCC- 844 1/8 inch (3.0 mm) tempered transparent glass
SGCC- 845 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 846 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 847 1/4 inch (6.0 mm) tempered transparent glass
SGCC- 848 5/16 inch (8.0 mm) tempered transparent glass
SGCC- 849 3/8 inch (10.0 mm) tempered transparent glass
SGCC- 850 1/2 inch (12.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

LOF Glass; Rossford, Ohio

SGCC- 854	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 855	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 856	5/16	inch (8.0 mm)	tempered transparent glass	Unlimited size
SGCC- 857	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 858	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 859	5/8	inch (16.0 mm)	tempered transparent glass	Unlimited size
SGCC- 860	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1343	3/16	inch (5.0 mm)	laminated pattern glass (0.030) (s)	Unlimited size
-----------	------	---------------	-------------------------------------	----------------

Northwestern Industries, Inc.; Seattle, Washington

SGCC- 701	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 702	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 703	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 704	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1257	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1258	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 920	5/32	inch (4.0 mm)	tempered pattern glass (m)	Unlimited size
SGCC- 707	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Ohio Plate Glass Company; Jefferson, Texas

SGCC-1281	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1286	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1287	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Ohio Plate Glass Company; Lewisburg, Ohio

SGCC-1050	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 185	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 186	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

PPG Industries, Inc.; Carlisle, Pennsylvania

SGCC- 250	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 675	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 249	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size

PPG Industries, Inc.; Crestline, Ohio

SGCC- 60	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 927	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size

PPG Industries, Inc.; Dallas, Texas

SGCC- 400	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 402	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

PPG Industries, Inc.; Ford City, Pennsylvania

SGCC- 61	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 70	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

PPG Industries, Inc.; Fresno, California

SGCC- 295	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 676	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 64	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

PPG Industries, Inc.; Hunt Valley, Maryland

SGCC- 454 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 455 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size

PPG Industries, Inc.; Miami, Florida

SGCC- 195 3/16 inch (5.0 mm) tempered transparent glass
SGCC- 194 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size
Unlimited size

PPG Industries, Inc.; Wichita Falls, Texas

SGCC-1110 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1111 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1112 3/16 inch (5.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada

SGCC- 251 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1120 5/32 inch (4.0 mm) tempered transparent glass
SGCC- 209 3/16 inch (5.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

Rotuba Extruders, Inc.; Linden, New Jersey

SGCC- 316 0.080 inch and greater thicknesses smooth extruded acrylic

Unlimited size

San Jacinto Glass Company; Houston, Texas

SGCC-1292 1/8 inch (3.0 mm) tempered transparent glass
SGCC-1293 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1294 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1295 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1296 1/2 inch (12.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

Shaw Glass Company, Inc.; South Easton, Massachusetts

SGCC-1034 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1035 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1036 3/8 inch (10.0 mm) tempered transparent glass
SGCC-1037 1/2 inch (12.0 mm) tempered transparent glass
SGCC-1299 3/16 inch (4.8 mm) tempered pattern glass (s)
SGCC-1071 7/32 inch (5.6 mm) tempered pattern glass (s)

Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size
Unlimited size

Sheffield Plastics, Inc.; Sheffield, Massachusetts

SGCC- 173 0.080 inch through 0.125 inch smooth extruded acrylic

Unlimited size

Southern Wholesale Glass, Inc.; Marietta, Georgia

SGCC-1230 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1231 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1232 3/8 inch (10.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size

Sunglas Products, Inc.; Claremore, Oklahoma

SGCC-1365 5/32 inch (4.0 mm) tempered transparent glass
SGCC-1366 3/16 inch (5.0 mm) tempered transparent glass
SGCC-1367 1/4 inch (6.0 mm) tempered transparent glass
SGCC-1375 3/8 inch (10.0 mm) tempered transparent glass

Unlimited size
Unlimited size
Unlimited size
Unlimited size

Temp-Tech Industries, Inc.; Chicago, Illinois

SGCC- 986 1/4 inch (6.0 mm) tempered transparent glass

Unlimited size

Tempered Glass Corporation; Tampa, Florida

SGCC-1148	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 832	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 833	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 834	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1329	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1210	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size

Tempglass, Inc.; Perrysburg, Ohio

SGCC-1039	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 592	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 593	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 594	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 595	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Tempglass, Ltd.; Weston, Ontario, Canada

SGCC-1354	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1095	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1089	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1090	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1373	5/32	inch (4.0 mm)	tempered pattern glass (s)	Unlimited size

Tempglass Eastern, Inc.; Norcross, Georgia

SGCC- 979	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1259	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 981	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 982	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1058	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1059	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 987	1/8	inch (3.2 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1338	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size

Tempglass Southern, Inc.; Grand Prairie, Texas

SGCC-1219	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1044	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1045	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1046	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Texas Tempered Glass Company; Houston, Texas

SGCC-1192	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 137	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 669	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1159	7/32	inch (5.5 mm)	laminated transparent glass (0.030)	Unlimited size

Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania

SGCC-1308	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC-1310	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1311	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC-1312	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC-1313	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size

Tuf-flex Glass; Atlanta, Georgia

SGCC- 862	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 863	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size

Continued next page.

CERTIFIED PRODUCTS - ALPHABETICAL BY PLANT

MAXIMUM
CERTIFIED SIZE

SGCC- 865	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 866	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
Tuf-flex Glass; Irving, Texas				
SGCC-1010	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 872	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 873	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 874	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1322	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
Tuf-flex Glass; Union City, California				
SGCC- 879	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC-1205	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 881	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 882	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC-1149	7/32	inch (5.6 mm)	tempered pattern glass (s)	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain				
SGCC-1211	1/8	inch (3.0 mm)	tempered transparent glass	Unlimited size
SGCC- 912	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 913	7/32	inch (5.5 mm)	tempered transparent glass	Unlimited size
SGCC-1331	5/32	inch (4.0 mm)	tempered pattern glass (s)	Unlimited size
SGCC-1353	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia				
SGCC-1236	5/32	inch (4.0 mm)	tempered transparent glass	Unlimited size
SGCC- 12	3/16	inch (5.0 mm)	tempered transparent glass	Unlimited size
SGCC- 14	1/4	inch (6.0 mm)	tempered transparent glass	Unlimited size
SGCC- 93	3/8	inch (10.0 mm)	tempered transparent glass	Unlimited size
SGCC- 94	1/2	inch (12.0 mm)	tempered transparent glass	Unlimited size
SGCC- 95	3/4	inch (19.0 mm)	tempered transparent glass	Unlimited size
SGCC-1275	3/16	inch (4.8 mm)	tempered pattern glass (s)	Unlimited size
Virginia Mirror Company, Inc.; Martinsville, Virginia				
SGCC-1305	1/8	inch (3.0 mm)	annealed glass mirror; scrim backed	Unlimited size
SGCC-1306	5/32	inch (4.0 mm)	annealed glass mirror; scrim backed	Unlimited size
SGCC-1307	3/16	inch (5.0 mm)	annealed glass mirror; scrim backed	Unlimited size

* * * * *

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM CERTIFIED SIZE

TEMPERED TRANSPARENT GLASS

1/8 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1223	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 598	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1276	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC- 586	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 805	Unlimited size
Elgin Precision Glass Company, Inc.; Elgin, Illinois	SGCC-1369	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 727	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1355	Unlimited size
Gemtron Corporation; Sweetwater, Tennessee	SGCC-1335	Unlimited size
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC- 54	Unlimited size
Hehr International, Inc.; Chesaning, Michigan	SGCC-1062	32 by 60
Hordis Brothers, Inc.; Warrenton, Missouri	SGCC-1379	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 844	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 701	Unlimited size
Ohio Plate Glass Company; Jefferson, Texas	SGCC-1281	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-1050	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC- 250	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 60	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 295	Unlimited size
PPG Industries, Inc.; Wichita Falls, Texas	SGCC-1110	Unlimited size
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada	SGCC- 251	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1292	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC-1039	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1354	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 979	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1308	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC-1211	Unlimited size

5/32 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1176	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 955	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 949	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC-1376	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC-1003	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1339	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 728	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1130	Unlimited size
Gemtron Corporation; Sweetwater, Tennessee	SGCC-1333	Unlimited size
General Glass Corporation; Denver, Colorado	SGCC-1180	Unlimited size
Hordis Brothers, Inc.; Warrenton, Missouri	SGCC-1380	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1265	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 845	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 702	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC- 675	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 676	Unlimited size
PPG Industries, Inc.; Wichita Falls, Texas	SGCC-1111	Unlimited size
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada	SGCC-1120	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1365	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1259	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC-1236	Unlimited size

3/16 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1157	Unlimited size
--	-----------	----------------

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

3/16 inch tempered transparent glass-continued

AFG Industries, Inc.; Greenland, Tennessee	SGCC- 220	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 28	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1271	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC-1377	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 806	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 812	Unlimited size
Elgin Precision Glass Company, Inc.; Elgin, Illinois	SGCC-1371	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1352	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 729	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1131	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1356	Unlimited size
Gemtron Corporation; Sweetwater, Tennessee	SGCC-1202	Unlimited size
General Glass Corporation; Denver, Colorado	SGCC-1181	Unlimited size
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC-1200	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1266	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1080	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 846	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 854	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 703	Unlimited size
Ohio Plate Glass Company; Jefferson, Texas	SGCC-1286	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC- 185	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC- 249	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 927	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC- 400	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 61	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 64	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 454	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC- 195	Unlimited size
PPG Industries, Inc.; Wichita Falls, Texas	SGCC-1112	Unlimited size
PPG Industries Canada, Ltd.; Owen Sound, Ontario, Canada	SGCC- 209	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1293	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1034	Unlimited size
Southern Wholesale Glass, Inc.; Marietta, Georgia	SGCC-1230	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1366	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC-1148	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 592	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 981	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1219	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC-1192	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1310	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 862	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC-1010	Unlimited size
Tuf-flex Glass; Union City, California	SGCC- 879	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC- 912	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 12	Unlimited size

7/32 inch tempered transparent glass

Vidrierias De Llodio, S. A.; Alava, Spain	SGCC- 913	Unlimited size
---	-----------	----------------

1/4 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 638	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 89	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 24	Unlimited size
Accutemp Glass Company; San Antonio, Texas	SGCC-1345	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM CERTIFIED SIZE

1/4 inch tempered transparent glass-continued

Advanced Coating Technology, Inc.; Franklin, Tennessee	SGCC-1277	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1272	Unlimited size
Chamberlain Manufacturing Corporation; Malvern, Arkansas	SGCC-1378	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1165	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 807	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 813	Unlimited size
Elgin Precision Glass Company, Inc.; Elgin, Illinois	SGCC-1372	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 709	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC- 730	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1132	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1357	Unlimited size
General Glass Corporation; Denver, Colorado	SGCC-1182	Unlimited size
Glass Tempering Service, Inc.; Detroit, Michigan	SGCC-1238	Unlimited size
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC- 57	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1268	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1081	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 847	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 855	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 704	Unlimited size
Ohio Plate Glass Company; Jefferson, Texas	SGCC-1287	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC- 186	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC- 402	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 70	Unlimited size
PPG Industries, Inc.; Hunt Valley, Maryland	SGCC- 455	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC- 194	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1294	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1035	Unlimited size
Southern Wholesale Glass, Inc.; Marietta, Georgia	SGCC-1231	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1367	Unlimited size
Temp-Tech Industries, Inc.; Chicago, Illinois	SGCC- 986	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 832	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 593	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1095	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 982	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1044	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC- 137	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1311	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 863	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 872	Unlimited size
Tuf-flex Glass; Union City, California	SGCC-1205	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 14	Unlimited size

5/16 inch tempered transparent glass

LOF Glass; Clinton, North Carolina	SGCC-1082	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 848	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 856	Unlimited size

3/8 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 639	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 90	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1273	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1166	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 814	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1280	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

3/8 inch tempered transparent glass-continued

Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1212	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1269	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1083	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 849	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 857	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC-1257	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1295	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1036	Unlimited size
Southern Wholesale Glass, Inc.; Marietta, Georgia	SGCC-1232	Unlimited size
Sunglas Products, Inc.; Claremore, Oklahoma	SGCC-1375	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 833	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 594	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1089	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1058	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1045	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1312	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 865	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 873	Unlimited size
Tuf-flex Glass; Union City, California	SGCC- 881	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 93	Unlimited size

1/2 inch tempered transparent glass

ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 640	Unlimited size
J. E. Berkowitz, Inc.; Westville, New Jersey	SGCC-1274	Unlimited size
Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1167	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 815	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 711	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1134	Unlimited size
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1270	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1084	Unlimited size
LOF Glass; Laurinburg, North Carolina	SGCC- 850	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 858	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC-1258	Unlimited size
San Jacinto Glass Company; Houston, Texas	SGCC-1296	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1037	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC- 834	Unlimited size
Tempglass, Inc.; Perrysburg, Ohio	SGCC- 595	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1090	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1059	Unlimited size
Tempglass Southern, Inc.; Grand Prairie, Texas	SGCC-1046	Unlimited size
Texas Tempered Glass Company; Houston, Texas	SGCC- 669	Unlimited size
Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania	SGCC-1313	Unlimited size
Tuf-flex Glass; Atlanta, Georgia	SGCC- 866	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC- 874	Unlimited size
Tuf-flex Glass; Union City, California	SGCC- 882	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 94	Unlimited size

5/8 inch tempered transparent glass

Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1324	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1085	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 859	Unlimited size

3/4 inch tempered transparent glass

Colonial Mirror and Glass Corporation; Brooklyn, New York	SGCC-1341	Unlimited size
---	-----------	----------------

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM CERTIFIED SIZE

3/4 inch tempered transparent glass-continued		
Falconer Glass Industries, Inc.; Falconer, New York	SGCC- 712	Unlimited size
LOF Glass; Clinton, North Carolina	SGCC-1086	Unlimited size
LOF Glass; Rossford, Ohio	SGCC- 860	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 95	Unlimited size

TEMPERED PATTERN GLASS

1/8 inch tempered pattern glass (shallow patterns)		
ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC-1226	Unlimited size
AFG Industries, Inc.; Greenland, Tennessee	SGCC- 587	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC- 141	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 808	Unlimited size
Gateway Industries; Rogers, Arkansas	SGCC-1358	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC- 987	Unlimited size

1/8 inch tempered pattern glass (medium patterns)		
Downey Glass Company, Inc.; Downey, California	SGCC- 809	Unlimited size

5/32 inch tempered pattern glass (shallow patterns)		
Gateway Industries; Rogers, Arkansas	SGCC-1359	Unlimited size
Tempglass, Ltd.; Weston, Ontario, Canada	SGCC-1373	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC-1331	Unlimited size

5/32 inch tempered pattern glass (medium patterns)		
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 920	Unlimited size

3/16 inch tempered pattern glass (shallow patterns)		
AFG Industries, Inc.; Greenland, Tennessee	SGCC-1139	Unlimited size
AFG Industries, Inc.; Kingsport, Tennessee	SGCC-1143	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 810	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC-1114	Unlimited size
Falconer Glass Industries, Inc.; Falconer, New York	SGCC-1330	Unlimited size
Fulton Glass Industries, Inc.; Red Oak, Georgia	SGCC-1327	Unlimited size
Glass Tempering Service, Inc.; Detroit, Michigan	SGCC-1340	34 by 72
Howe-Martz Glass Company; Detroit, Michigan	SGCC-1344	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1299	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC-1329	Unlimited size
Tempglass Eastern, Inc.; Norcross, Georgia	SGCC-1338	Unlimited size
Tuf-flex Glass; Irving, Texas	SGCC-1322	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC-1353	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC-1275	Unlimited size

210 inch tempered pattern glass (shallow patterns)		
Hamilton Glass Products, Inc.; Vincennes, Indiana	SGCC-1179	Unlimited size

7/32 inch tempered pattern glass (shallow patterns)		
ACI Glass Products, Inc.; Santa Fe Springs, California	SGCC- 641	Unlimited size
Downey Glass Company, Inc.; Downey, California	SGCC- 811	Unlimited size
Downey Glass Company, Inc.; Los Angeles, California	SGCC- 817	Unlimited size
Northwestern Industries, Inc.; Seattle, Washington	SGCC- 707	Unlimited size
Shaw Glass Company, Inc.; South Easton, Massachusetts	SGCC-1071	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC-1210	Unlimited size
Tuf-flex Glass; Union City, California	SGCC-1149	Unlimited size

CERTIFIED PRODUCTS - BY PRODUCT TYPE

MAXIMUM
CERTIFIED SIZE

LAMINATED GLASS

7/32 inch laminated transparent glass

Texas Tempered Glass Company; Houston, Texas

SGCC-1159 Unlimited size

LAMINATED PATTERN GLASS

3/16 inch laminated pattern glass (shallow patterns)

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1343 Unlimited size

SAFETY PLASTIC SHEET

0.080 inch and greater thicknesses acrylic

Rotuba Extruders, Inc.; Linden, New Jersey

SGCC- 316 Unlimited size

0.080 through 0.125 inch acrylic

Flex-O-Glass, Inc.; Dixon, Illinois

Sheffield Plastics, Inc.; Sheffield, Massachusetts

SGCC- 118 Unlimited size

SGCC- 173 Unlimited size

ANNEALED GLASS MIRROR

1/8 inch annealed glass mirror; scrim backed

Virginia Mirror Company, Inc.; Martinsville, Virginia

SGCC-1305 Unlimited size

5/32 inch annealed glass mirror; scrim backed

Virginia Mirror Company, Inc.; Martinsville, Virginia

SGCC-1306 Unlimited size

3/16 inch annealed glass mirror; scrim backed

Virginia Mirror Company, Inc.; Martinsville, Virginia

SGCC-1307 Unlimited size

* * * * *

SGCC LABEL REQUIREMENTS

The SGCC certification label must be permanently marked on each piece of safety glazing material or else it is not covered by the SGCC certification program. The labels reproduced in this certified products directory are typical of those that you will find on each piece of safety glazing material.

The label shall contain the correct SGCC number, the nominal thickness and reference to the 16 CFR 1201 standard in the following minimum form: 16 CFR 1201 and the category to which it pertains. Acceptable examples include: 16 CFR 1201 I and II, 16 CFR 1201 I or II, 16 CFR 1201 I & II, 16 CFR 1201 CAT I & II, 16 CFR 1201 C I & II, 16 CFR 1201 C I and 16 CFR 1201 C II.

For labeling purposes, a line of demarcation shall separate those standards covered by the SGCC number from any other standards the licensee wishes to reference.

For purposes of Guideline G.6 "SGCC-xxx/yyy" shall be the only correct designation other than "SGCC-xxx" and "SGCC-yyy" when an identical item is in both the ANSI and CPSC programs. (See examples below.)

"Any glazing material that for accelerated environmental durability tests meets only the requirements of 1201.4 (e)(ii)(c) entitled "Plastic (indoor service)" shall bear the statement "INDOOR USE ONLY" as a part of the permanent label." Quoted from 16 CFR 1201.

"Organic-coated glass that has been tested for environmental exposure from one side only must bear a permanent label on the coating stating "GLAZE THIS SIDE IN" and shall bear in the central 50 percent of the surface in letters at least 1/4 inch high: "SEE PERMANENT LABEL FOR IMPORTANT MOUNTING INSTRUCTIONS". The latter message shall be attached to either side of the glazing by any means which shall ensure the message will remain in place until installation." Quoted from 16 CFR 1201.

The permanent label must contain identification of the plant in which the product was made and the name or trade mark of the licensee. (The SGCC number does this by reference to this certified products directory.)

The permanent label must be affixed to certified products only at the time and place of manufacture.

The permanent label must be affixed only to safety glazing materials of the licensee's own manufacture, which are certified in the SGCC program.

The permanent label must not be sold, transferred or otherwise disposed of in any manner other than being affixed to the licensee's certified production.

The permanent label must not be affixed to any product from which certification has been withdrawn or which is produced with a process basically different from the one used when certification was obtained.

EXAMPLES:

16 CFR 1201 II
ANSI Z97.1-1975
SGCC-123/691 1/4 U

ANSI Z97.1-1975 SGCC-123 1/4 U
16 CFR 1201 II SGCC-691


ACI GLASS PRODUCTS, INC.
9010 South Norwalk Boulevard
Santa Fe Springs, California 90670

CAL TEMP
ANSI-Z 97.1—1975
16 CFR 1201 CAT. II
1/4 U—SGCC-638
SFS-1

J. E. BERKOWITZ, INC.
Delsea Drive and Harvard Avenue
Westville, New Jersey 08093

TEMPERFECT
J E BERKOWITZ, INC.
ANSI Z 97.1 1975
16 CFR 1201 I & II
SGCC - 1272 1/4"U

AFG INDUSTRIES, INC.
P. O. Box 929
Kingsport, Tennessee 37662


TEMPERED
16 CFR 1201.CII
ANSI Z97.1 1975
1/4U SGCC-24
AFG OOI

CHAMBERLAIN MANUFACTURING CORPORATION
P. O. Box H
Hot Springs, Arkansas 71901

SAFETY PANE
TEMPERED SAFETY GLASS
ANSI Z97.1-1975 SGCC 586 1/8U
16 CFR 1201 I & II

ACCUTEMP GLASS COMPANY
Route 10; Box 82P
San Antonio, Texas 78216


TENTATIVE LABEL

ACCUTEMP
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1345 1/4 U

COLONIAL MIRROR AND GLASS CORPORATION
142 19 Street
Brooklyn, New York 11232

COLONIAL MIRROR & GLASS CORP.
SAFETY TEMPERED GLASS
GLAS STEEL 1/2" U
ANSI-Z-97-1-1975
16 CFR 1201-I, II,-SGCC-1167

ADVANCED COATING TECHNOLOGY, INC.
306 Beasley Drive
Franklin, Tennessee 37064


ANSI-Z97.1-1975
16 CFR-1201-II
S.G.C.C. 1277 1/4"-U

DOWNEY GLASS COMPANY, INC.
5631 Ferguson Drive
Los Angeles, California 90022


SGCC-603 .125U
ANSI-Z97.1 1975
16 CFR 1201 II
SGCC - 805


ELGIN PRECISION GLASS COMPANY, INC.
1200 Abbott Drive
Elgin, Illinois 60120

EPT
ANSI Z97.1-1975
16 CFR 1201 CII
SGCC 1369 1/80

FULTON GLASS INDUSTRIES, INC.
5225 Welcome All Road
Red Oak, Georgia 30272

FULTONTEMP
SGCC 1134 1/2" U
16 CFR 1201-II
SGCC 1127
ANSI Z97.1 1975


FALCONER GLASS INDUSTRIES, INC.
500 South Work Street
Falconer, New York 14733

 FALCONER GLASS IND., INC.
DURASAFE 1/4" U
TEMPERED SAFETY GLASS
ANSI Z97.1-1975
16 CFR 1201 CII SGCC 709

GATEWAY INDUSTRIES
1414 South First Street
Rogers, Arkansas 72756

GW1
TEMPERED
ANSI Z97.1-1975
16CFR1201-II
SGCC-1335 1/80
DOT 272 AS2 MI

FLEX-O-GLASS, INC.
1100 North Cicero Avenue
Chicago, Illinois 60651


FLEX-O-GLAZE™
ACRYLIC SAFETY GLAZING
16 CFR 1201 CII
.100 U
ANSI Z97.1-75 SGCC-118


GEMTRON CORPORATION
New Highway 68; P. O. Box 416
Sweetwater, Tennessee 37874

+
TEMPERED
16CFR 1201 CII
ANSI Z97.1 1975
3/16 U - SGCC-1201/1202
GEMTRON O13 1981

FORD MOTOR COMPANY GLASS DIVISION
300 Renaissance Center; P. O. Box 43343
Detroit, Michigan 48243


FORD TEMPERED
SAFETY GLASS
ANSI Z97.1-1975
SGCC-342/729
16CFR 1201, II
86
3/16 U

GENERAL GLASS CORPORATION
P. O. Box 38711
Denver, Colorado 80238

 GENERAL GLASS CORP.
FLATTEMP™
DENVER
3/16"U SGCC-1181
ANSI Z97.1-1975 16CFR1201-I,II

GLASS TEMPERING SERVICE, INC.
14285 Wyoming Street
Detroit, Michigan 48238

GTS

SAFETY TEMPERED
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1238 1/4 U

HOWE-MARTZ GLASS COMPANY
14291 Meyers Road
Detroit, Michigan 48227

FLO H TUF


TEMPERED SAFETY GLASS
16 CFR 1201 CII
ANSI Z97.1-1975 1/4U
SGCC 1268

HAMILTON GLASS PRODUCTS, INC.
2000 Chestnut Street; P. O. BOX 317
Vincennes, Indiana 47591


TEMPER TUF

HAMILTON GLASS PRODUCTS
ANSI Z97.1 - 1975
1/4 U SGCC - 57
16 CFR 1201 C II


LOF GLASS
LIBBEY-OWENS-FORD COMPANY
811 Madison Avenue
P. O. Box 799
Toledo, Ohio 43695

 TUF-FLEX® FT 1/4"-U B
TEMPERED SAFETY GLASS
ANSI Z 97.1-1975 SGCC 352
16 CFR 1201-I,II SGCC 847

HEHR INTERNATIONAL, INC.
1103 West Pearl Street
Chesaning, Michigan 48616

 SAFETY
DOT 269
AS3 M491
SOLID TEMPERED
1/25-L
ANSI-Z97.1-1975
16CFR1201-II
SGCC-1062

LEAR SIEGLER, INC.
P. O. Box 1879
Wichita, Kansas 67201

 SAFELITE® SGCC-1360
LAMINATED 3/16 U
ANSI Z97.1-1975
16CFR1201-II

HORDIS BROTHERS, INC.
P. O. Box 368
Warrenton, Missouri 63383

TENTATIVE LABEL

HORDIS BROTHERS
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1379 1/8 U

NORTHWESTERN INDUSTRIES, INC.
2501 West Commodore Way
Seattle, Washington 98199

TEMPERED
SAFETY GLASS

SGCC- 701 1/8 -U
ANSI Z97.1-1975
16CFR1201CII
CGSB-12-GP-I

OHIO PLATE GLASS COMPANY
P. O. Box 671
Lewisburg, Ohio 45338

TEMPERED
SGCC 105
OHIO PLATE
3/16" U 16CFR1201-II
ANSI Z97.1-1975
12 03 HL

SAN JACINTO GLASS COMPANY
900 Broadway
Houston, Texas 77012

Starlite

HORIZONTALLY TEMPERED
ANSI Z97.1-1975
16 CFR 1201 II
SGCC 1202 1/8" U
SAN JACINTO GLASS CO.
HOUSTON TEXAS

PPG INDUSTRIES, INC.
1000 RIDC Plaza
P. O. Box 2811
Pittsburgh, Pennsylvania 15230

ppg HERCULITE K
TEMPERED SAFETY GLASS
16CFR1201 CII
ANSI Z-97.1-1975 1/8" U
SGCC-295 156H 3678

SHAW GLASS COMPANY, INC.
55 Bristol Drive
South Easton, Massachusetts 02375

SOLAR TEMP.
16 CFR 1201 II

ANSI Z 97.1 1975
1/4 U SGCC 1035

PPG INDUSTRIES CANADA, LTD.
1299 20th Street, East
Owen Sound, Ontario, Canada N4K 2C3

PPG HERCULITE K
TEMPERED TREMP
CAN2-12.1 DOT 165
.....
16 CFR 1201 C11
ANSI Z97.1-1975
SGCC-209 5.0mm U
840181

SHEFFIELD PLASTICS, INC.
Salisbury Road
Sheffield, Massachusetts 01257

ACRY-PANE
ANSI Z97.1-1975
16CFR 1201 II
SGCC 173
K2497 .095U

ROTUBA EXTRUDERS, INC.
1401 Park Avenue South
Linden, New Jersey 07036


ROTUBAGLAZ® 16 CFR 1201, I/II
ACRYLIC SAFETY GLAZING
ANSI Z97.1-1975
SGCC-316 .080U

SOUTHERN WHOLESALE GLASS, INC.
3200 Austell Road
Marietta, Georgia 30060


Shg

SOUTHERN TEMP.
ANSI Z97.1-1975
16 CFR 1201-CII
SGCC 1230 3/16" U

SUNGLAS PRODUCTS, INC.
c/o Ford Motor Company Glass Division
300 Renaissance Center; P. O. Box 43343
Detroit, Michigan 48243



TEMP-TECH INDUSTRIES, INC.
6166 South Sayre
Chicago, Illinois 60638



TEMPERED GLASS CORPORATION
6900 Adamo Drive
Tampa, Florida 33619

TEMCO
SGCC-338 .500U
SGCC-834
16 CFR 1201-II
ANSI Z97.1 1975

TEMPGLASS, INC.
Ampoint
291 M Street
Perrysburg, Ohio 43551

TEMPGLASS, INC.
16 CFR 1201 CII
ANSI Z97.1-1975
SGCC 594
3/8\"/>

TEMPGLASS, LTD.
131 Ormont Drive
Weston, Ontario, Canada M9L 2S3



TEMPGLASS LTD.
16 CFR 1201-II
ANSI Z97.1-1975
SGCC 1095-1/4\"/>

TEMPGLASS EASTERN, INC.
Blueridge Industrial Park
P. O. Box 928
Norcross, Georgia 30071

TEMPGLASS
EASTERN
ANSI Z97.1-1975
16 CFR 1201-II
SGCC-979 1/8\"/>

TEMPGLASS SOUTHERN, INC.
1101 Fountain Parkway
Grand Prairie, Texas 75050

TEMPGLASS SOUTHERN
ANSI Z97.1 - 1975
SGCC 1046 1/2\"/>

TEXAS TEMPERED GLASS COMPANY
1331 West Belt Drive North
Houston, Texas 77024

TENTATIVE LABEL

TEXAS TEMPERED
Tempered Safety Glass
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-669 1/2 U

TRACO
Cranberry Industrial Park
P. O. Box 805
Warrendale, Pennsylvania 15095



TRACO VIEW-SAFE
TEMPERED GLASS
ANSI Z97.1-1975
16 CFR 1201 II
SGCC-1308 1/8U

TUF-FLEX GLASS
LIBBEY-OWENS-FORD COMPANY
P. O. Box 799
Toledo, Ohio 43695

TENTATIVE LABEL

TUF-FLEX
Tempered Safety Glass
16 CFR 1201 II
SGCC-862 3/16 U

VIDRIERIAS DE LLODIO, S. A.
c/o Guardian Industries Corp.
43043 West Nine Mile Road
Northville, Michigan 48167



1.8" U SGCC-1211
tempered glass
16 CFR 1201-II
LLODIO - SPAIN

VIRGINIA GLASS PRODUCTS CORPORATION
P. O. Box 5431
Martinsville, Virginia 24115



VIRGINIA MIRROR COMPANY, INC.
P. O. Box 5431
Martinsville, Virginia 24115

VIRGINIA MIRROR COMPANY, INC.
SCRIM-BACKED ANNEALED MIRROR
16 CFR 1201 II
3/16" U SGCC 1307
INDOOR USE ONLY
CLOSET DOOR APPLICATIONS

SGCC APPROVED TESTING LABORATORIES

Bowser-Morner, Inc.
420 Davis Avenue; Box 51
Dayton, Ohio 45401
Attention: Mr. Robert J. Rosencrans
Telephone 513-253-8805

ETL Testing Laboratories, Inc.
5855 P Oakbrook Parkway
Norcross, Georgia 30093
Attention: Mr. Burr Bachler
Telephone 404-446-7294

ETL Testing Laboratories, Inc.
Route 11 Industrial Park
Cortland, New York 13045
Attention: Mr. Claude F. Robb
Telephone 607-753-6711

Inspection and Research Laboratory, Inc.
4749 West State Street; Building H
Ontario, California 91761
Attention: Mr. W. Bradford Smith
Telephone 714-591-1789

Miami Testing Laboratory, Inc.
1640 West 32 Place
Hialeah, Florida 33012
Attention: Mr. James W. Bailey
Telephone 305-822-1141

Southwestern Laboratories
2900 Cullen Street; P. O. Box 1379
Fort Worth, Texas 76101
Attention: Mr. Wayne Tessener
Telephone 817-332-5181

United States Testing Company, Inc.
1415 Park Avenue
Hoboken, New Jersey 07030
Attention: Mr. James E. Fuller
Telephone 201-792-2400

PROCEDURAL GUIDE

SAFETY GLAZING CERTIFICATION COUNCIL CERTIFICATION PROGRAM FOR SAFETY GLAZING MATERIALS USED IN BUILDINGS

FOREWORD

Acceptance of a certified product containing safety glazing materials comes with the conviction that such certification assures a high level of safety and quality and that the integrity of the identifying mark or certification label is being reliably maintained by a competent certifying agency.

The provisions of Federal Standard 16 CFR 1201 provide a sound technical basis for the required high level of safety. With the addition of independent administration plus periodic, routine sampling and product evaluation, a program of product certification is developed in accordance with the accepted American National Standards as contained in American National Standard Z34.1. The Certification Program described here is predicated upon the concept of independent and impartial administration of the certification procedures which are incorporated in the SGCC license agreement.

To insure administration of the Certification Program in a uniform and equitable manner, this Procedural Guide has been prepared for the information and guidance of the licensees.

It should be noted that the SGCC License Agreement is the governing document for operation of the Certification Program. This Procedural Guide, which is not an extension of that document, serves merely to describe the administrative procedure and routine operation of the Certification Program.

GENERAL INFORMATION

THE CERTIFICATION CONCEPT

The SGCC Certification Program is based on the conviction that no standard of safety or quality is good without the continuous adherence of the licensees to that standard.

To buyers, specifiers, code officials and users, the SGCC certification label offers the manufacturer's assurance that his safety glazing material has been produced in conformance to Federal Standard 16 CFR 1201 covering safety glazing materials used in buildings.

These regulations are covered in a separate certified products directory.

WHO CAN BECOME A LICENSEE?

Every manufacturer of safety glazing materials is eligible, on a voluntary basis, to participate.

WHO CONDUCTS THE PROGRAM?

The Safety Glazing Certification Council, a non-profit corporation, is the sponsor of this certification

program. SGCC supervises the certification program under which the administrator periodically checks and reports compliance of the manufacturers of products having the SGCC certification label with the requirements of 16 CFR 1201.

ADMINISTRATION

Certification Services Corporation (CSC), is the independent Administrator of the certification program. CSC maintains the SGCC office of certification and handles the routine day to day business. All transactions are done in the name of SGCC.

HOW CAN YOU BECOME A LICENSEE?

The following must be accomplished before SGCC can certify an item of safety glazing material:

a) The manufacturer signs two copies of the SGCC License Agreement (including notarization of the Affidavit, Appendix A) and sends these to SGCC. SGCC will countersign both copies and return one to the manufacturer.

b) The manufacturer directs the testing laboratory to send to SGCC one copy of a valid test report from an official SGCC recognized testing laboratory indicating full and complete compliance with the specifications, namely 16 CFR 1201. (This is the "initial" or "prototype" testing and the sample is furnished by the manufacturer directly to any one of the SGCC recognized independent commercial testing laboratories which the manufacturer selects.)

c) The manufacturer sends to SGCC the six-month certification fee for each item which is to be certified.

After receipt of all of the above items, SGCC sends to the licensee a notice of product certification which includes a SGCC certification number. This number must be incorporated into the permanent label to be affixed on each piece of certified safety glazing material. The certified item will then be listed in the next published certified products directory.

HOW THE CERTIFICATION PROGRAM WORKS

SGCC recognized independent testing laboratories conduct all tests. All laboratories, whose test reports are utilized by this certification program, shall be approved by the SGCC certification committee. Initial or prototype tests are performed at the testing laboratory selected by the licensee. Routine evaluation samples are tested by the testing laboratory selected by the administrator.

ADMINISTRATOR AUTHORIZES CERTIFICATION

As sole judge of compliance with applicable standards, the administrator authorizes a product which has been approved to be listed in the certified products directory.

Licensees label safety glazing material with the assigned SGCC number.

PRODUCTS LISTED IN CERTIFIED PRODUCTS DIRECTORY

Approved products are listed in the certified products directory, which is published at least every six months. It is sent to door, sash and building products manufacturers, glazing contractors, home builders, architects, regulatory agencies and code-making groups, etc. Directory listings contain the licensee's name, plant location, product description and a copy of the actual label that is permanently marked upon each piece of certified safety glazing material.

The administrator samples certified glazing material from the licensee's inventory once every six months.

An approved testing laboratory determines compliance of these samples with the specifications. Tests are made either at the place of manufacture or at the laboratory selected by the administrator from the approved list. Results of each test are mailed promptly to the licensee by the administrator.

COMPLIANCE SAFEGUARDS

HOW IS COMPLIANCE ASSURED?

Any certified product found in the course of routine sampling and evaluation not to be in compliance with the specifications, is subject to having certification removed. The licensee is given a 30-day grace period in which to demonstrate to the satisfaction of the administrator that his product is in compliance. If he does not, certification is automatically terminated at the end of the 30-day period.

CHALLENGING A CERTIFIED PRODUCT

Complaints of non-compliance from any source will be investigated promptly by SGCC upon receipt of the complaint in writing along with an appropriate surety deposit. A minimum surety deposit of \$1,000 will be required for each complaint of non-compliance. The surety deposit will be assessed at the rate of \$350 per man day plus the reasonable costs of travel and the maintenance entailed in resolving such incidents. Refunds of part or all of the surety deposit will be made when applicable. All costs involved will be paid from the complainant's surety deposit, unless the investigation proves non-compliance, in which case all costs will be borne by the licensee found to be in non-compliance.

WITHDRAWAL OF CERTIFIED PRODUCT

Any product which has been certified may be voluntarily withdrawn from the certification program by the licensee at any time.

COSTS

WHAT DOES THE PROGRAM COST?

The licensee pays all projected fees to SGCC on a six-month basis, in advance. A licensee is invoiced for each item that is certified and listed separately in the certified products directory. The invoice will include the fees for future routine evaluation testing.

Initial certification for each item will be for a period of six months. However, the next invoice to a licensee will have the fees prorated to the nearest whole month in such a manner that participation in the certification program will be on a January 1 to July 1 and July 1 to January 1 basis.

PROGRAM COSTS:

\$610 administrative fee plus \$30 contingency fund fee per six months plus necessary laboratory fees for the first item at a plant for the CPSC program.

\$86 administrative fee plus \$15 contingency fund fee per six months plus necessary laboratory fees for each subsequent item at the same plant for the CPSC program.

\$751 administrative fee plus \$30 contingency fund fee per six months plus necessary laboratory fees for the first item at a plant for the composite program.

\$103 administrative fee plus \$15 contingency fund fee per six months plus necessary laboratory fees for each subsequent item at the same plant for the composite program.

CERTIFICATION PROGRAM DOCUMENTS AND AGREEMENTS

LICENSE AGREEMENT

This agreement, incorporating independent program administration and routine, periodic independent sampling and evaluation, governs the relationship between SGCC and the licensee.

Future amendments or revisions to the license agreement will be recommended by the SGCC certification committee and enacted by the SGCC board of directors.

EFFECTIVE DATE, DURATION AND TERMINATION

The license agreement becomes effective on the date of its execution; has an initial duration of six months (adjustable to a January 1 to July 1 or a July 1 to January 1 basis), and is automatically renewed for successive, additional periods of six months, unless either party gives notice at least sixty days prior to the date of expiration that cancellation is requested or unless revoked by SGCC for causes set forth in the document.

Upon proper execution and acceptance by SGCC the preissued certification number bond informs a licensee of the exact mark of an item to be certified in the future. Thus he can purchase the proper marking equipment before the item is actually certified. If the licensee marks this number upon production prior to actual certification the bond is forfeited to SGCC.

release bond permits the continuation of certification of an item even though the production facilities are shut down. If the licensee does not notify SGCC within one week of the resumption of production the bond is forfeited to SGCC.

ADMINISTRATIVE SERVICE AGREEMENT

This agreement, entered into by SGCC and Certification Services Corporation, governs the relationship between SGCC and CSC, the independent administrator. In general, it provides that the administrator:

- a) samples certified products routinely
- b) has the right to witness any and all testing required by the program
- c) reviews all test reports in order to determine compliance of the certified product with the specifications
- d) inspects and approves all in-plant and test laboratory test facilities for use in this certification program (test laboratories are "recognized" or approved by the SGCC certification committee)
- e) publishes and mails the SGCC certified products directory on or about each January 1 and July 1
- f) handles all routine clerical duties of SGCC with respect to certification matters
- g) acts as SGCC treasurer, invoicing licensees, maintaining a bank account and dispersing funds (fiscal reports are made to the SGCC certification committee)
- h) furnishes all testing except for prototype tests
- i) attends all scheduled meetings of the SGCC certification committee and
- j) in all of its actions acts in the name of SGCC.

PROCEDURAL GUIDE

This guide outlines program procedures in accordance with the provisions of the license agreement and the administrative service agreement, for the guidance of those concerned with the procedural details of the certification program. It covers the steps to be taken in any given procedural situation in the interest of equitable and uniform treatment of licensees and the preservation of the integrity of the certification program.

CERTIFIED PRODUCTS DIRECTORY

This directory is the one document and publication that is normally in the public's eye and contains a listing of the certified safety glazing materials of each licensee.

CERTIFICATION LABEL

This certification mark is permanently affixed to each piece of certified safety glazing material by the licensee. It contains a number that refers to the

listing then provides a complete product description including the company name, plant location, etc.

PROGRAM RESPONSIBILITY

The SGCC board of directors has overall responsibility for the well being and acceptance of the certification program by the industry, building officials and the public. It also bears corporate legal responsibility.

The SGCC certification committee has the responsibility for the general procedure and policy pertaining to operation of the certification program. As a part thereof, it:

- a) establishes certification "guidelines"
- b) determines the applicability of the specifications in a specific situation where a question is raised by a licensee or the administrator
- c) approves test laboratories
- d) determines which of the specifications are to be designated effective for the purposes of product certification and the date or dates on which they become effective
- e) recommends to the SGCC board of directors changes to be made in the license agreement.

COMMUNICATIONS

In all matters concerning the administration and implementation of the SGCC certification program, correspondence may be directed to any of the following:

Mr. Leigh T. Yates, SGCC President
c/o Falconer Glass Industries, Inc.
500 South Work Street
Falconer, New York 14733

Telephone 716-665-6422

Mr. Robert A. Moss, Chairman
SGCC Certification Committee
c/o Hamilton Glass Products, Inc.
2000 Chestnut Street
P. O. Box 317
Vincennes, Indiana 47591

Telephone 812-882-2680

Mr. Robert A. Nance, P. E.
SGCC Administrative Manager
1640 West 32 Place
Hialeah, Florida 33012

Telephone 305-558-1352

CERTIFICATION GUIDELINES AND INTERPRETATIONS

For guidance in certifying safety glazing materials the SGCC certification committee has adopted the following:

GENERAL

- G.1 Participation in the certification program will be on a January 1 to July 1 and July 1 to January 1 basis. Charges will be prorated to the nearest whole month based on the date of approval of certification.
- G.2 Tests for initial compliance of safety glazing materials to 16 CFR 1201 will be accepted from any testing laboratory approved by the SGCC certification committee.
- G.3 None
- G.4 For insulating glass units to be considered safety glazing material, each light in the construction must be of safety glazing material.
- G.5 The SGCC item number when used as part of a permanent label designates the name of the licensee (participant) and also the location of the manufacturing plant since the certified products directory which lists the item number and pertinent data is published twice a year.
- G.6
- a) All test specimens, except for prototype samples, must be marked with the correct SGCC permanent label prior to testing in order to be considered a valid sample. The administrator shall construe the absence of a correct permanent label as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.
- b) The label shall contain the correct SGCC number, the nominal thickness, and reference to the 16 CFR 1201 standard in the following minimum form: 16 CFR 1201 and the category to which it pertains.
- For labeling purposes, a demarcation line shall separate those standards covered by the SGCC number from any other standards the licensee wishes to reference.
- c) The testing laboratory is to advise the administrator of any specimen that does not in fact bear the correct SGCC permanent label and will be instructed by the administrator not to test but hold the sample.
- d) The administrator will inform the licensee of the situation and direct (by letter) the testing laboratory to commence testing no later than 30 days hence. Until that time the testing laboratory is instructed to make these specimens available to the licensee at their convenience (the specimens are to remain at the testing laboratory) in order that the licensee may point out or show them that in fact the SGCC permanent label is correct or agree that in fact the correct SGCC permanent label is not present. In cases of any dispute between the licensee and the testing laboratory the decision of the administrator shall be final. The licensee shall not mark specimens after receipt at the testing laboratory.
- G.7 None
- G.8 After initial compliance with a sample size as stated in the standard, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided in the standard 16 CFR 1201 are exposed to selection for testing.
- G.9 Specimen sizes up to 34 inches by 77 inches shall be valid samples when independently obtained by the administrator for purposes of routine evaluation.
- G.10 In cases where the administrator samples and identifies specimens for routine evaluation on the licensee's premises or requests licensee's samples when none are available at the time of sampling:
- a) The licensee be permitted 6 weeks in which to effect delivery of said specimens to the administrator's designated testing laboratory.
- b) Failure to act as specified above shall be construed by the administrator as failure of the said specimens to comply with the specifications and the administrator shall act as provided for in license agreement A.6.
- G.11 In cases where a routine evaluation sample fails to comply with the specifications:
- a) Written notice and an invoice shall be sent to the licensee by the administrator stating that within 30 days from the date of such notice the licensee must submit a retest sample to the testing laboratory designated by the administrator.
- Certification shall be removed if the sample and payment are not received within the allotted 30 days or if the sample submitted fails to comply with the specifications.
- b) Within 3 months the administrator shall obtain an additional random sample for evaluation (in addition to the routine evaluation sample obtained twice a year). The administrator shall be certain that this additional sample is of recent production.
- c) At the option of the administrator, specimens submitted under a) above shall be either prototype size and pattern or identical to those previously sampled and of recent production.
- d) Certification shall be removed if the additional random sample obtained in b) above fails to comply with the specifications.
- e) All costs related to G.11 are to be borne by the licensee.
- G.12 If a licensee who manufactures a certified product outside the 48 contiguous states feels that in a

particular instance that he will be unable to act as provided for in paragraph a) of SGCC Guideline G.11, he should notify the administrator. The administrator will then contact the chairman of the certification committee for a decision as to what action is to be taken.

G.13

In cases where a certified item is produced infrequently or in small quantities so as to make it difficult for the administrator to obtain routine evaluation samples, the licensee shall notify the administrator at least two weeks in advance of any production of such item.

G.14

The administrator shall remove certification from all of any licensee's products for failure to pay any monies due to SGCC within 30 days of invoice date. (Reference license agreement A.2, A.12 and B.6.)

G.15

In the situation where a licensee desires to recertify a product that previously had certification removed because of failure to comply with the specifications (label and thickness tolerances excepted), the product shall be routinely sampled four times during the first year. The costs involved shall be paid by the licensee.

G.16

The nominal thickness designations in SGCC authorized permanent labels for safety glazing materials may be shown in metric units. The thickness will be expressed in millimeters, limited to two decimal places, and will have the suffix "mm".

G.17

All safety glazing materials that are not symmetrical from surface to surface shall be impacted two specimens on one side and two specimens on the other side.

G.18

Certified and permanently labeled safety glazing materials such as laminated glass, rigid plastic or organic coated glass may be cut into smaller pieces by a distributor or installer after manufacture and it is not practical for each such smaller piece to bear a manufacturer's permanent label when finally installed in a building. When this is the case, then the distributor or installer shall apply a permanent label to each piece, which states his name and certifies that he cut the piece from material that was properly labeled in accordance with the requirements of SGCC.

For the purpose of this guideline, a permanent label is defined as one that will remain permanently legible and would be destroyed in attempts to remove it from the product.

G.19

The semi-annual invoicing date for certification fees shall be April 1 and October 1 of each year and the administrator is instructed to take those steps necessary to remove certification from licensees for failure of payment prior to closing date of the certified products directory.

G.20

For certification purposes a panel of glazing material composed of multiple components (such as leaded glass) may be tested and interpreted as a unit.

G.21

A preissued SGCC certification number shall be issued by the administrator upon receipt of a properly executed license agreement and a properly executed bond form in the amount of \$10,000. The preissued SGCC certification number, if not used by the licensee, will be terminated twelve months from the date of issue. The condition of the bond is such that if the licensee does not label any safety glazing material with the preissued certification number prior to formal certification then the bond shall be void.

G.22

In the case of plastics and organic coated glass certification of a patterned product may be extended to cover other patterns provided:

a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.

b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the test requirements of 16 CFR 1201 for each alternate pattern proposed.

c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification covering patterned products, any such patterns available may be selected by the administrator for routine sampling and testing.

In the case where a routine evaluation sample covered under a blanket certification fails to comply with the specifications the situation requires that that particular product be submitted for the retest sample required by Guideline G.11a and also that that particular product be sampled by the administrator for the additional sample required by Guideline G.11b.

G.23

There may be instances when a production facility is temporarily inoperative. This could be caused by, but not limited to, equipment repair or replacement, labor difficulties, energy or material shortages or economic considerations. As a consequence, samples for routine testing may not be available for long periods. The licensee may desire to retain certification during the shutdown period. This shall be done as follows:

a) Prior to or within 2 weeks after the shutdown, the licensee shall inform the SGCC administrator by certified mail.

b) The SGCC administrator will immediately supply the licensee with test release bond forms for submission by the licensee. A separate bond shall be submitted for each certified product affected.

c) Within 2 weeks after receipt of the bond forms, the licensee shall submit them to the SGCC administrator.

d) During the period covered by the bond the licensee shall retain certification, contingent upon payment of normal certification fees and meeting all other licensee obligations. Bonds will terminate 90 days after acceptance by SGCC but may be renewed by the licensee any number of times. Renewal is an obligation of the licensee and requires all steps listed herein.

e) Within one week after re-activation of the production facility the licensee shall 1) notify the SGCC administrator by certified mail and 2) submit samples from the first weeks production to an SGCC approved laboratory for testing. In cases where more than one certified product is produced with the same equipment, samples of each must be furnished for testing within the first month. These will be considered as the routine samples for retesting for the six months period during which they are submitted.

f) Failure of the licensee to comply with any of the preceding shall be the basis for removal of certification from the affected products.

G.24

When a licensee's production equipment will not produce a size of 34 by 76 inches and the licensee wishes to certify a) a size whose smaller dimension exceeds 34 inches, material shall be tested whose smaller dimension is 34 inches or b) a size whose larger dimension exceeds 76 inches, material shall be tested whose larger dimension is 76 inches.

G.25 None

G.26

Any label that can be removed intact shall not be considered permanent and is not acceptable to SGCC.

G.27

A licensee, by executing a supplementary license agreement, can elect to be in both 16 CFR 1201 and ANSI Z97.1-1975 programs under one SGCC number provided the licensee submits four specimens to be impact tested to ANSI Z97.1-1975 and one specimen to be impact tested to 16 CFR 1201 (all safety glazing materials that are not symmetrical from surface to surface, shall be impacted one specimen on one side and one specimen on the other side for 16 CFR 1201). If any one specimen of the composite sample fails, the entire composite sample will be considered to have failed to comply with both specifications.

G.28

The administrator shall construe noncompliance with thickness tolerances as a failure to comply with the specifications. In such cases of noncompliance, Sections a, c, and e of G.11 shall be followed.

G.29

For the purposes of certification, the thickness requirements of Federal Specification DD-G-451d shall apply.

G.30

For certification purposes, the minimum thickness shall be 0.092 and the maximum thickness shall be 0.108 inches for 0.100 inch glass.

G.31

For certification purposes, the nominal thickness of single strength pattern glass shall be 0.094 inches and thickness tolerances shall be plus 0.047 inches and minus 0.015 inches.

G.32

When testing to category II requirements, the administrator shall select specimens greater than 9 square feet in surface area.

TEMPERED TRANSPARENT GLASS

T.1

Four specimens shall be used for impact testing as detailed in 16 CFR 1201.4(a)(1). Certification of either flat glass or patterned glass will not cover the other except as noted in Guideline T.2. (Flat glass designates ground and polished plate, float and sheet glass.)

T.2

Polished plate glass and the rough plate glass blank from which it is produced will be considered to be of equal nominal thickness. Certification of tempered flat glass will therefore be interpreted as including tempered rough plate blank.

T.3

Certification of regular tempered glass will also cover tinted, heat absorbing and coated glasses of the same nominal thickness. Glasses of the same nominal thickness with a ceramic material applied as a continuous or partial coating to one or more surfaces prior to tempering are also covered.

T.4

In cases where certified glass is normally not available for sampling, the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

T.5

Certification of any nominal thickness of tempered safety plate, float or sheet glass will also cover the other two types. 16 CFR 1201 does not require the permanent label on tempered safety glass to specify which type of glass is used. Nor is it required that the test specimens be identified in this regard.

TEMPERED PATTERN GLASS

TP.1

Four specimens shall be used for impact testing as detailed in 16 CFR 1201.4(a)(1). For the purposes of certification, the nominal thickness of patterned, figured, or rough rolled glass are the common fractions found in DD-G-451d. The permanent label must contain this fraction or a metric or decimal dimension within the tolerance of this thickness as published in DD-G-451d.

The patterns in each thickness will be classified as to the ratio of minimum to maximum thickness as follows:

<u>Pattern depth class</u>	<u>Ratio</u>
Shallow pattern glass	0.90 or above
Medium pattern glass	0.80 through 0.89
Deep pattern glass	0.79 or below

Certification will be by nominal thickness and pattern depth class. Any pattern in a certified thickness and pattern depth class is certified.

New or unlisted patterns must be submitted to the pattern subcommittee for classification and file,

prior to certification. After measurement, the new pattern will be assigned to a pattern depth class. If the licensee has a certified product in that thickness and class, the new pattern may, at the request of the licensee, be included under the same SGCC certification number.

In the case of 5/32 inch tempered pattern glass refer to DD-G-1403b because this thickness is not included in DD-G-451d.

Certification of deep also covers medium and shallow patterns of the same nominal thickness.

Certification of medium also covers shallow patterns of the same nominal thickness.

TP.2

The maximum thickness shall be recorded when measuring the thickness of pattern glass.

TP.3

For tempered pattern glass, one specimen must be weighed and the weight of ten square inches determined from the weight, width and height of that specimen to use for 16 CFR 1201 test purposes.

TP.4

For certification purposes, the nominal thickness of 210 tempered pattern glass shall be 0.210 inches and thickness tolerances shall be plus 0.031 inches and minus 0.016 inches.

TP.5

When medium pattern glass is not available for routine sampling, the licensee submitted specimens must be a medium pattern (a shallow pattern is not acceptable).

TP.6

When deep pattern glass is not available for routine sampling, the licensee submitted specimens must be a deep pattern (shallow or medium patterns are not acceptable).

LAMINATED GLASS

L.1

Four specimens shall be used for impact testing as detailed in 16 CFR 1201.4(a)(1). Certification of regular laminated glass will also cover tinted, heat absorbing and coated glasses, both flat and bent of the same nominal thickness.

L.2

In cases where certified laminated glass is normally not available for sampling the licensee may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise, when production samples are not available the administrator shall notify the licensee to submit prototype size samples to the administrator within six weeks.

L.3

Certification of 7/32 inch laminated glass also covers SS/DS and vice versa.

L.4

When a laminated glass is certified, other laminated glasses having the same thickness or thicknesses of glass and a greater thickness of plastic interlayer

will be considered to be of equal nominal thickness and will be included in the certification.

L.5

Laminated safety glass need not be identified by type of base glass.

L.6

Thickness of the plastic interlayer shall be measured by the SGCC standard method.

L.7

For certification purposes the following thickness tolerances shall be used: Thickness tolerance shall apply only to the overall thickness. The plus tolerance shall be the sum of all the individual plus tolerances of each layer of the laminate. The minus tolerance shall be the sum of all of the individual minus tolerances of each layer of the laminate. Polyurethane interlayer shall have a thickness tolerance of plus or minus 0.015 inches.

The tolerance of the polyvinylbutyral (PVB) shall be based on the nominal thickness of the interlayer with a plus tolerance of 0.002 and a minus tolerance of 0.004 inches.

L.8

When a laminated annealed glass is certified, other laminated glasses having the same thickness or thicknesses of heat strengthened or tempered glass and the same or greater thickness of plastic interlayer of the same chemical composition will be considered to be included in the certification.

L.9

When laminated glass is not available for routine sampling, the licensee submitted specimens must contain the identical thickness plastic interlayer that was contained in the prototype specimens.

PLASTICS - GENERAL

P.1

One piece of at least one square foot area shall be used for testing the hardness and modulus of elasticity. Certification of one tint or color of rigid plastic will also cover other tints, colors, flat configurations or bent and formed configurations.

P.2

For certifying all plastics covering a range of thicknesses, prototype impact tests are required of the minimum thickness and also of the maximum thickness (except that 0.250 inch thickness would be tested if the maximum thickness exceeds 0.250 inches). Only one certification number will be issued and shall be marked upon all thicknesses. Routine evaluation samples are to be selected by the administrator from any of the certified thicknesses.

P.3

The following thickness tolerances shall be used for certification purposes:

Outdoor use plastic materials Class 1. Cast acrylic. (Including continuously cast sheet): As specified in Federal Specification LP-391, latest issue.

Outdoor use plastic materials Class 2. Extruded acrylic: As specified in Federal Specification LP-507, latest issue.

Outdoor use plastic materials Class 3. Extruded polycarbonate: As specified in Military Specification MIL-P-46144, latest issue.

Indoor use plastic materials Class 1: Plus or minus 10 percent of nominal thickness.

P.4

The maximum thickness shall be recorded when measuring the thickness of patterned plastics.

P.5

Certification of either smooth plastic or patterned plastic will not cover the other.

PLASTICS - EXTERIOR USE

PE.1

Sheet plastics for exterior use must comply with 16 CFR 1201.4(e)(2)(ii)(A) accelerated weathering test Table 1 or simulated weathering test. The equipment shall be an apparatus commercially known as a "Weather-Ometer" or its function equivalent incorporating a carbon arc. It shall be operated in accordance with "Standard Recommended Practice for Operating Light-and-Water-Exposure Apparatus (Carbon-Arc Type) for Exposure of Nonmetallic Materials", ASTM G 23069, March 21, 1969, as augmented for plastics (for plastic test specimens only) by "Standard Recommended Practice for Operating Light-and-Water-Exposure Apparatus (Carbon-Arc Type) for Exposure of Plastics", ASTM D 1499-64, August 31, 1964. Specimens shall be mounted and control specimens shall be used in the manner specified in the Standard at section 1201.4(d)(2)(ii)(A) or (B), as appropriate. An appropriate water spray cycle shall be used. The specimens shall be exposed in the Weather-Ometer for a period of time which, according to the manufacturer's estimate, will provide an accumulated ultraviolet irradiation equivalent to the accumulated ultraviolet irradiation of 2,000 plus or minus 1 hours of exposure in a twin enclosed carbon-arc Weather-Ometer. Evaluate the test results by using the test criteria set forth in the Standard at section 1201.4(e)(2)(ii)(A) or (B), as appropriate.

Intensified weathering test. The test equipment shall be the Equatorial Mount with Mirrors for Acceleration with Water, such as that found at the Desert Sunshine Exposure Tests, Inc. near Phoenix, Arizona. It shall be operated in accordance with "Standard Recommended Practice for Operating EMMA (QUA)R - A Fresnel-Concentrator Accelerated Weathering Machine Employing Natural Sunshine as Source", ASTM draft standard dated October 1, 1976. The standard water spray cycle of eight minutes on followed by 52 minutes off shall be used. Mounting of specimens and use of control specimens shall be specified in the Standard at section 1201.4(d)(2)(ii)(A) or (B), as appropriate. The specimens shall be exposed to 375,000 plus or minus 10,000 langley (375 plus or minus 10 kilocalories per square centimeter) of irradiation. Evaluate the test results by using the test criteria set forth in the Standard at section 1201.4(e)(2)(ii)(A) or (B), as appropriate.

Outdoor weather test. The specimens shall be exposed

in outdoor exposure test racks set facing the equator at an angle from the horizontal equal to the latitude of the exposure site. The specimens shall be exposed to 375,000 plus or minus 10,000 langley (375 plus or minus 10 kilocalories per square centimeter) of irradiation. Mounting of specimens and use of control specimens shall be as specified in the Standard at section 1201.4(d)(2)(ii)(A) or (B), as appropriate. Evaluate the test results by using the test criteria set forth in the Standard at section 1201.4(e)(2)(ii)(A) or (B), as appropriate.

PE.2 None

PE.3

For all plastics requiring UV weathering tests an infrared spectrogram shall be obtained of all prototype weathering specimens. An infrared spectrogram shall be obtained of all routine evaluation samples and shall be compared with that of the prototype in lieu of conducting weathering test. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

PE.4

When initial Charpy unnotched specimens do not break, then notched specimens shall be used for both initial and exposed Charpy impact testing. The specimens shall be notched prior to UV exposure and the notched surface shall be exposed to the UV.

PLASTICS - INDOOR USE ONLY

PI.1

Sheet plastics used in indoor applications only, must comply with Table 1 in the standard.

PI.2

The permanent label authorized by SGCC must include "Indoor Use Only".

PI.3

For all indoor plastics requiring aging tests, an infrared spectrogram shall be obtained of all prototype aging specimens. An infrared spectrogram shall be obtained of all routine re-evaluation samples and shall be compared with that of the prototype in lieu of conducting aging tests. The spectral scan shall be made using a minimum film thickness of 0.002 inches or its equivalent.

ORGANIC COATED GLASS

AG.1

Four specimens shall be used for impact testing as detailed in 16 CFR 1201.4(a)(1). Thickness of the applied plastic coating shall be measured by the SGCC standard method.

AG.2

The SGCC authorized permanent label, which complies with Guideline G.26 must be imprinted upon or applied to a surface of the plastic for all plastic coated annealed glasses.

AG.3 None

* * * * *

Copies of the Standard 16 CFR 1201 may be obtained from:

Consumer Products Safety Commission
5401 Westbard Avenue
Bethesda, Maryland 20016

ADDITIONS:

Chamberlain Manufacturing Corporation; Malvern, Arkansas

SGCC-1376	5/32	inch tempered transparent glass	Unlimited size
SGCC-1377	3/16	inch tempered transparent glass	Unlimited size
SGCC-1378	1/4	inch tempered transparent glass	Unlimited size

Elgin Precision Glass Company, Inc.; Elgin, Illinois

SGCC-1369	1/8	inch tempered transparent glass	Unlimited size
SGCC-1371	3/16	inch tempered transparent glass	Unlimited size
SGCC-1372	1/4	inch tempered transparent glass	Unlimited size

Gateway Industries; Rogers, Arkansas

SGCC-1355	1/8	inch tempered transparent glass	Unlimited size
SGCC-1356	3/16	inch tempered transparent glass	Unlimited size
SGCC-1357	1/4	inch tempered transparent glass	Unlimited size
SGCC-1358	1/8	inch tempered pattern glass (s)	Unlimited size
SGCC-1359	5/32	inch tempered pattern glass (s)	Unlimited size

Hordis Brothers, Inc.; Warrenton, Missouri

SGCC-1379	1/8	inch tempered transparent glass	Unlimited size
SGCC-1380	5/32	inch tempered transparent glass	Unlimited size

Lear Siegler, Inc.; Wichita, Kansas

SGCC-1360	3/16	inch laminated transparent glass (0.030)	Unlimited size
-----------	------	--	----------------

Sunglas Products, Inc.; Claremore, Oklahoma

SGCC-1365	5/32	inch tempered transparent glass	Unlimited size
SGCC-1366	3/16	inch tempered transparent glass	Unlimited size
SGCC-1367	1/4	inch tempered transparent glass	Unlimited size
SGCC-1375	3/8	inch tempered transparent glass	Unlimited size

Tempglass, Ltd.; Weston, Ontario, Canada

SGCC-1373	5/32	inch tempered pattern glass (s)	Unlimited size
-----------	------	---------------------------------	----------------

DELETIONS:

Gateway Industries; Rogers, Arkansas

SGCC-1317	1/8	inch tempered transparent glass	Unlimited size
SGCC-1163	3/16	inch tempered transparent glass	Unlimited size
SGCC-1263	1/4	inch tempered transparent glass	Unlimited size
SGCC-1297	1/8	inch tempered pattern glass (s)	Unlimited size
SGCC-1264	5/32	inch tempered pattern glass (s)	Unlimited size
SGCC- 960	3/16	inch tempered pattern glass (d)	Unlimited size

Glass Tempering Service, Inc.; Detroit, Michigan

SGCC-1237	3/16	inch tempered transparent glass	Unlimited size
-----------	------	---------------------------------	----------------

Tempglass Western, Inc.; Fremont, California

SGCC-1234	1/9	inch tempered transparent glass	Unlimited size
-----------	-----	---------------------------------	----------------

Traco (Three Rivers Aluminum Company); Warrendale, Pennsylvania

SGCC-1309	5/32	inch tempered transparent glass	Unlimited size
-----------	------	---------------------------------	----------------

Tuf-flex Glass; Elmhurst, Illinois

SGCC-1207	3/16	inch tempered transparent glass	Unlimited size
SGCC- 868	1/4	inch tempered transparent glass	Unlimited size
SGCC- 869	3/8	inch tempered transparent glass	Unlimited size
SGCC- 870	1/2	inch tempered transparent glass	Unlimited size

Virginia Glass Products Corporation; Martinsville, Virginia

SGCC- 92	7/32	inch tempered pattern glass (s)	Unlimited size
----------	------	---------------------------------	----------------

is of this certified products directory
to individuals making a request on their
letterhead.




safety glazing certification council

1640 west 32 place
hialeah, florida 33012-4510

to

THIRD CLASS MAIL

ADDRESS CORRECTION REQUESTED



NON-PROFIT ORGANIZATION
U.S. POSTAGE
PAID
HIALEAH, FLORIDA
Permit Number 256