

JANUARY 1, 1975



safety glazing certification council

certified products directory  
safety glazing material used in buildings

## TABLE OF CONTENTS

TITLE	PAGE
Program Concept .....	3
Certified Products (by number) .....	4
Certified Products (by plant) .....	6
Certified Products (by product) .....	16
Roster .....	25
Label Requirements .....	26
Participant's and their Typical Labels .....	27
Procedural Guide .....	34
Certification Guidelines .....	40
Meetings of Certification Committee .....	50

Certification in this directory is up-to-date as of January 1, 1975, however products may be certified or certification removed from time to time. Please contact the SGCC office for the latest up-to-date information.

Should you have any questions or comments, or should you wish to receive future copies of this directory (published approximately every six months), please write directly to:

Mrs. Shirley Stafford  
Assistant Secretary  
Safety Glazing Certification Council  
1640 West 32 Place  
Hialeah, Florida 33012  
Phone: 305-558-1352



## PROGRAM CONCEPT

The safety of the public is paramount. Manufacturers of safety glazing products, building code administrators and others responsible for the safety of the public, recognizing the need for a common standard for safety glazing materials, jointly established the Safety Glazing Certification Council (SGCC).

The Safety Glazing Certification Council is a non-profit organization which has among its purposes the establishment of a method of certification and marking for approved safety glazing materials. This organization is operated in compliance with the American National Standard Practice for Certification Procedures, Z34.1-1947 (R1959).

SGCC administers a program for materials as to their conformity with American National Standard Z97.1-1972, an internationally recognized standard for safety glazing for buildings developed by the American National Standards Institute. In essence, this Standard subjects glazing materials to a practical test to determine that they break in a manner unlikely to cause any personal injury, i.e. that they "break safe".

Management and control of the program is vested in a 12-man board of directors, six representing industry and six representing the public interest. The public interest representatives are empowered to veto any action regardless of the number present at a meeting. This insures against industry dominance of SGCC actions.

The program uses independent testing laboratories under the supervision of a qualified administrator, who is a professional engineer. He is unaffiliated with any manufacturer of safety glazing materials, and is hired by and responsible to the Safety Glazing Certification Council. The program is addressed to all types of safety glazing materials, whether transparent or obscure, whether made of plastic, glass or some composite of these or other materials. The presence of a permanent label registered with and authorized by the Safety Glazing Certification Council, and showing SGCC's certification number will indicate that the safety glazing material is in compliance with the "break-safe" characteristic of ANSI Z97.1-1972.

Every manufacturer of safety glazing material is eligible and encouraged to apply for certification. However, his products are not accepted and certified until an independent laboratory test indicates compliance with the standard. Once certified, each product is assigned an SGCC certification number to identify it and the factory at which it is made. Then, at least twice a year SGCC independently selects samples during unannounced visits to the manufacturing plant or randomly from the market place to ensure continued adherence to the standard. Based on these re-evaluation reports SGCC authorizes continued use of the certification label and the product listing published in this directory.

The directory is divided into three basic listings: the first is by numerical sequence of certified product numbers listing the manufacturer holding that number; the second is of manufacturers listed alphabetically by plants and the approved products manufactured at those plants; the third is by products listing all manufacturers and their plants approved for each product. There is also an alphabetical listing by manufacturers illustrating a typical label of that manufacturer. The table of contents lists various procedural and administrative information, as well as information as to where officers and directors may be located.

Information from SGCC concerning a statement of procedures or copies of the minutes are available to manufacturers, public interest groups and individuals upon request.

# CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC- 11 Feather-lite	SGCC- 89 ASG Industries	SGCC-187 Ohio Plate Glass
SGCC- 12 Virginia Glass	SGCC- 90 ASG Industries	SGCC-188 Ohio Plate Glass
SGCC- 13 Virginia Glass	SGCC- 91 ASG Industries	SGCC-189 Taylor Products
SGCC- 14 Virginia Glass	SGCC- 92 Virginia Glass	SGCC-190 Taylor Products
SGCC- 16 S. A. Glaverbel	SGCC- 93 Virginia Glass	SGCC-191 Taylor Products
SGCC- 17 ICP Industries	SGCC- 94 Virginia Glass	SGCC-192 Taylor Products
SGCC- 18 Southern Plastics	SGCC- 95 Virginia Glass	SGCC-194 PPG Industries
SGCC- 19 Libbey-Owens-Ford	SGCC- 97 Guardian Industries	SGCC-195 PPG Industries
SGCC- 24 ASG Industries	SGCC- 98 Guardian Industries	SGCC-196 PPG Industries
SGCC- 26 ASG Industries	SGCC- 99 K-S-H	SGCC-200 PPG Industries
SGCC- 27 ASG Industries	SGCC-102 PPG Industries	SGCC-201 C-E Glass
SGCC- 28 ASG Industries	SGCC-104 Guardian Industries	SGCC-203 Ohio Plate Glass
SGCC- 30 ASG Industries	SGCC-108 C-E Glass	SGCC-204 Armour Laminated
SGCC- 31 ASG Industries	SGCC-110 C-E Glass	SGCC-205 Armour Laminated
SGCC- 33 ASG Industries	SGCC-114 PPG Industries	SGCC-206 Armour Laminated
SGCC- 34 Fourco Glass	SGCC-118 Flex-O-Glass	SGCC-209 Canadian Pittsburgh
SGCC- 35 Fourco Glass	SGCC-120 Rowland Products	SGCC-210 Robeco Products
SGCC- 36 Fourco Glass	SGCC-125 C-E Glass	SGCC-212 K-S-H
SGCC- 37 Vidrierias De Llodio	SGCC-127 Hamilton of Indiana	SGCC-213 Fourco Glass
SGCC- 38 Vidrierias De Llodio	SGCC-128 Hamilton of Indiana	SGCC-217 ASG Industries
SGCC- 39 Guardian Industries	SGCC-129 Hamilton of Indiana	SGCC-219 PPG Industries
SGCC- 40 Guardian Industries	SGCC-131 Guardian Industries	SGCC-220 ASG Industries
SGCC- 41 Guardian Industries	SGCC-132 C-E Glass	SGCC-221 K-S-H
SGCC- 42 Guardian Industries	SGCC-136 K-S-H	SGCC-222 Safelite Industries
SGCC- 43 Guardian Industries	SGCC-137 C-E Glass	SGCC-224 ASG Industries
SGCC- 46 Asahi Glass	SGCC-138 C-E Glass	SGCC-225 Safelite Industries
SGCC- 47 C-E Glass	SGCC-140 Minex-Poland	SGCC-227 Viracon
SGCC- 49 C-E Glass	SGCC-141 ASG Industries	SGCC-228 Viracon
SGCC- 50 C-E Glass	SGCC-143 ASG Industries	SGCC-229 Tuf-flex
SGCC- 51 C-E Glass	SGCC-144 C-E Glass	SGCC-230 Central Glass
SGCC- 53 C-E Glass	SGCC-145 C-E Glass	SGCC-232 Viracon
SGCC- 54 Hamilton of Indiana	SGCC-146 C-E Glass	SGCC-233 Viracon
SGCC- 55 Hamilton of Indiana	SGCC-147 Dearborn Glass	SGCC-237 Safelite Industries
SGCC- 56 Hamilton of Indiana	SGCC-150 Libbey-Owens-Ford	SGCC-238 Ohio Plate Glass
SGCC- 57 Hamilton of Indiana	SGCC-151 Libbey-Owens-Ford	SGCC-245 C-E Glass
SGCC- 58 PPG Industries	SGCC-152 Plaskolite	SGCC-246 C-E Glass
SGCC- 59 PPG Industries	SGCC-153 Rohm & Haas	SGCC-248 PPG Industries
SGCC- 60 PPG Industries	SGCC-154 Rohm & Haas	SGCC-249 PPG Industries
SGCC- 61 PPG Industries	SGCC-157 Chromalloy-Safetee	SGCC-250 PPG Industries
SGCC- 62 PPG Industries	SGCC-160 Guardian Industries	SGCC-251 Canadian Pittsburgh
SGCC- 63 PPG Industries	SGCC-162 Southern Plastics	SGCC-252 Tyre Brothers
SGCC- 64 PPG Industries	SGCC-163 Fourco Glass	SGCC-253 Tyre Brothers
SGCC- 65 PPG Industries	SGCC-164 Fourco Glass	SGCC-254 Tyre Brothers
SGCC- 66 PPG Industries	SGCC-173 Sheffield Plastics	SGCC-255 Tyre Brothers
SGCC- 70 PPG Industries	SGCC-177 Taiwan Glass	SGCC-256 Tyre Brothers
SGCC- 71 PPG Industries	SGCC-178 K-S-H	SGCC-257 Tuf-flex
SGCC- 73 PPG Industries	SGCC-181 Chromalloy-Safetee	SGCC-258 Tuf-flex
SGCC- 74 PPG Industries	SGCC-182 Chromalloy-Safetee	SGCC-259 Paulding Glass
SGCC- 75 PPG Industries	SGCC-183 American Cyanamid	SGCC-260 Paulding Glass
SGCC- 76 C-E Glass	SGCC-184 C-E Glass	SGCC-261 Paulding Glass
SGCC- 78 Guardian Industries	SGCC-185 Ohio Plate Glass	SGCC-263 Guardian Industries
SGCC- 82 Libbey-Owens-Ford	SGCC-186 Ohio Plate Glass	SGCC-264 Guardian Industries
SGCC- 88 Laminated Glass		

# CERTIFIED PRODUCTS - NUMERICAL SEQUENCE

SGCC-265 C-E Glass	SGCC-349 ASG Industries	SGCC-412 C-E Glass
SGCC-266 PPG Industries	SGCC-350 LOF Glass	SGCC-413 C-E Glass
SGCC-267 PPG Industries	SGCC-351 LOF Glass	SGCC-414 C-E Glass
SGCC-269 Tudor Safety	SGCC-352 LOF Glass	SGCC-415 M. L. Burke
SGCC-270 Tuf-flex	SGCC-354 Visador	SGCC-417 C-E Glass
SGCC-272 PPG Industries	SGCC-355 C-E Glass	SGCC-418 K-S-H
SGCC-273 PPG Industries	SGCC-357 Armour Laminated	SGCC-419 C-E Glass
SGCC-274 M. L. Burke	SGCC-358 Armour Laminated	SGCC-420 Gladwin Industries
SGCC-279 Ohio Plate Glass	SGCC-359 Sheffield Plastics	SGCC-421 Tempered Glass
SGCC-286 Vidrierias De Llodio	SGCC-360 C-E Glass	SGCC-424 Societa Italiana Vetro
SGCC-291 Fourco Glass	SGCC-361 C-E Glass	SGCC-425 Guardian Industries
SGCC-292 Fourco Glass	SGCC-362 C-E Glass	SGCC-426 PPG Industries
SGCC-293 Fourco Glass	SGCC-363 Dura Vue	SGCC-427 PPG Industries
SGCC-295 PPG Industries	SGCC-364 Dura Vue	SGCC-428 C-E Glass
SGCC-297 Fourco Glass	SGCC-365 Dura Vue	SGCC-429 PPG Industries
SGCC-298 Tuf-flex	SGCC-370 Taiwan Glass	SGCC-430 PPG Industries
SGCC-300 Guardian Industries	SGCC-371 C-E Glass	SGCC-431 PPG Industries
SGCC-308 Falconer	SGCC-373 LOF Glass	SGCC-432 Visador
SGCC-309 Falconer	SGCC-374 LOF Glass	SGCC-433 Break Safe
SGCC-310 Falconer	SGCC-375 LOF Glass	SGCC-438 C-E Glass
SGCC-311 Falconer	SGCC-378 Chromalloy-Safetee	SGCC-439 Guardian Industries
SGCC-312 Tuf-flex	SGCC-379 Chromalloy-Safetee	SGCC-440 Temp-Safe
SGCC-314 Tuf-flex	SGCC-380 Chromalloy-Safetee	SGCC-441 Temp-Safe
SGCC-315 Tuf-flex	SGCC-381 Chromalloy-Safetee	SGCC-442 K-S-H
SGCC-316 Rotuba Extruders	SGCC-382 PPG Industries	SGCC-443 Guardian Industries
SGCC-318 C-E Glass	SGCC-384 PPG Industries	SGCC-444 Libbey-Owens-Ford
SGCC-319 C-E Glass	SGCC-385 C-E Glass	SGCC-445 Globe-Amerada
SGCC-320 Tuf-flex	SGCC-386 Libbey-Owens-Ford	SGCC-446 PPG Industries
SGCC-321 Tuf-flex	SGCC-387 Pacific Tempered	SGCC-447 Libbey-Owens-Ford
SGCC-322 Tuf-flex	SGCC-388 Pacific Tempered	SGCC-448 Vidrierias De Llodio
SGCC-323 Tuf-flex	SGCC-389 Tuf-flex	SGCC-449 Libbey-Owens-Ford
SGCC-324 Double Seal Glass	SGCC-390 Tuf-flex	SGCC-450 Libbey-Owens-Ford
SGCC-326 Taiwan Glass	SGCC-391 Tuf-flex	SGCC-451 Libbey-Owens-Ford
SGCC-327 Globe-Amerada	SGCC-392 Tuf-flex	SGCC-452 C-E Glass
SGCC-328 Ohio Plate Glass	SGCC-394 C-E Glass	SGCC-453 C-E Glass
SGCC-330 C-E Glass	SGCC-395 ASG Industries	SGCC-454 PPG Industries
SGCC-331 C-E Glass	SGCC-396 Ford Motor Company	SGCC-455 PPG Industries
SGCC-332 C-E Glass	SGCC-397 Ford Motor Company	SGCC-456 PPG Industries
SGCC-333 C-E Glass	SGCC-398 M. L. Burke	SGCC-457 Dura Vue
SGCC-336 C-E Glass	SGCC-399 M. L. Burke	SGCC-458 Guardian Industries
SGCC-337 Tempered Glass	SGCC-400 PPG Industries	SGCC-459 ASG Industries
SGCC-338 Tempered Glass	SGCC-401 PPG Industries	SGCC-460 ASG Industries
SGCC-339 Chromalloy-Safetee	SGCC-402 PPG Industries	SGCC-461 ASG Industries
SGCC-340 Paulding Glass	SGCC-403 PPG Industries	SGCC-462 Guardian Industries
SGCC-341 Ford Motor Company	SGCC-404 PPG Industries	SGCC-463 Viracon
SGCC-342 Ford Motor Company	SGCC-405 PPG Industries	SGCC-464 Libbey-Owens-Ford
SGCC-343 C-E Glass	SGCC-406 Guardian Industries	SGCC-465 Vidrios Securit
SGCC-344 C-E Glass	SGCC-407 C-E Glass	SGCC-466 Vidrios Securit
SGCC-345 C-E Glass	SGCC-408 C-E Glass	SGCC-467 Vidrios Securit
SGCC-346 C-E Glass	SGCC-409 Guardian Industries	SGCC-470 Visador
SGCC-347 Tempered Glass	SGCC-410 C-E Glass	SGCC-471 Guardian Industries
SGCC-348 Tempered Glass	SGCC-411 C-E Glass	SGCC-472 Libbey-Owens-Ford
		SGCC-473 Sierracin Corporation

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

### ASG Industries, Inc.; Greenland, Tennessee

SGCC-224	1/8	inch	tempered transparent glass	Unlimited size
SGCC-220	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 89	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 90	3/8	inch	tempered transparent glass	Unlimited size
SGCC- 91	1/2	inch	tempered transparent glass	Unlimited size
SGCC-459	5/8	inch	tempered transparent glass	Unlimited size
SGCC-143	3/4	inch	tempered transparent glass	Unlimited size

### ASG Industries, Inc., Kingsport, Tennessee

SGCC- 28	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 24	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 30	3/8	inch	tempered transparent glass	Unlimited size
SGCC-141	1/8	inch	tempered pattern glass (Finetex, Aquatex)	Unlimited size
SGCC- 33	3/16	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62, Velvex*)	Unlimited size
SGCC- 31	210	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*, Seashell)	Unlimited size
SGCC- 27	7/32	inch	laminated transparent glass	Unlimited size
SGCC- 26	1/4	inch	laminated transparent glass	Unlimited size
SGCC-349	1/4	inch	polished wire glass (1/2 inch square mesh)	Unlimited size
SGCC-460	1/4	inch	polished wire glass (3/4 inch diamond mesh)	Unlimited size
SGCC-461	1/4	inch	polished wire glass (3/4 inch diamond mesh)	Unlimited size
SGCC-217	1/4	inch	polished wire glass (Pinstripe; 1/2 inch parallel)	Unlimited size
SGCC-395	7/32	inch	pattern wire glass (Pinstripe; 1/2 inch parallel) (Finetex)	Unlimited size

### American Cyanamid Company, Sanford, Maine

SGCC-183	0.080	inch	and greater thicknesses smooth cast acrylic	Unlimited size
----------	-------	------	---	----------------

### Armour Laminated Glass Company, Inc.; Santa Fe Springs, California

SGCC-204	3/16	inch	tempered transparent glass	Unlimited size
SGCC-205	1/4	inch	tempered transparent glass	Unlimited size
SGCC-206	7/32	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	Unlimited size
SGCC-357	1/4	inch	laminated transparent glass (0.030 inch plastic)	Unlimited size
SGCC-358	1/2	inch	laminated transparent glass (0.030 inch plastic)	Unlimited size

### Asahi Glass Company Ltd., Tokyo, Japan

SGCC- 46	3/16	inch	tempered transparent glass	Unlimited size
----------	------	------	----------------------------	----------------

### Break Safe Company; Chicago, Illinois

SGCC-433	single strength annealed glass; 0.002 inch plastic coating; (each edge of film sealed with clear epoxy glue)			Unlimited size
----------	--	--	--	----------------

### M. L. Burke Company; Cornwells Heights, Pennsylvania

SGCC-415	1/8	inch	tempered transparent glass	Unlimited size
SGCC-274	3/16	inch	tempered transparent glass	Unlimited size
SGCC-398	1/4	inch	tempered transparent glass	Unlimited size
SGCC-399	210	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	Unlimited size

# CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

## C-E Glass; Atlanta, Georgia

SGCC-407	3/16	inch	tempered transparent glass	Unlimited size
SGCC-108	1/4	inch	tempered transparent glass	Unlimited size
SGCC-371	3/8	inch	tempered transparent glass	Unlimited size
SGCC-125	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size

## C-E Glass; Bensenville, Illinois

SGCC-438	3/16	inch	tempered transparent glass	Unlimited size
SGCC-318	1/4	inch	tempered transparent glass	Unlimited size
SGCC-319	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size

## C-E Glass; Carson, California

SGCC-453	1/8	inch	tempered transparent glass	Unlimited size
SGCC-410	3/16	inch	tempered transparent glass	Unlimited size
SGCC-411	1/4	inch	tempered transparent glass	Unlimited size
SGCC-412	3/8	inch	tempered transparent glass	Unlimited size
SGCC-413	1/2	inch	tempered transparent glass	Unlimited size
SGCC-452	1/8	inch	tempered pattern glass (Factrolite)	Unlimited size
SGCC-414	3/16	inch	tempered pattern glass (P-516)	Unlimited size

## C-E Glass; Cinnaminson, New Jersey

SGCC-245	3/16	inch	tempered transparent glass	Unlimited size
SGCC-246	1/4	inch	tempered transparent glass	Unlimited size
SGCC-345	3/8	inch	tempered transparent glass	Unlimited size
SGCC-346	1/2	inch	tempered transparent glass	Unlimited size
SGCC-265	210	inch	tempered pattern glass (Spraylite, Flemish*, P-516*)	Unlimited size

## C-E Glass; Houston, Texas

SGCC-110	3/16	inch	tempered transparent glass	Unlimited size
SGCC-137	1/4	inch	tempered transparent glass	Unlimited size
SGCC-138	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516)	Unlimited size

## C-E Glass; Lancaster, Ohio; Quarry Road

SGCC-184	1/8	inch	tempered transparent glass	Unlimited size
SGCC-145	3/16	inch	tempered transparent glass	Unlimited size
SGCC-146	1/4	inch	tempered transparent glass	Unlimited size
SGCC-355	1/8	inch	tempered pattern glass (Spray Lite)	28" by 68"
SGCC-144	210	inch	tempered pattern glass (Spray Lite, Flemish, P-516*)	Unlimited size
SGCC-419	1/4	inch	laminated transparent glass	Unlimited size

## C-E Glass; Lancaster, Ohio; Slocum Street

SGCC-330	3/16	inch	tempered transparent glass	30" by 39"
SGCC-331	7/32	inch	tempered transparent glass	30" by 39"
SGCC-332	1/4	inch	tempered transparent glass	30" by 39"
SGCC-333	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516)	28" by 39"

## C-E Glass; Miami, Florida

SGCC- 76	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 49	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 50	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

### C-E Glass; Pennsauken, New Jersey

SGCC- 51	1/8	inch	tempered transparent glass	Unlimited size
SGCC-362	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 53	1/4	inch	tempered transparent glass	Unlimited size
SGCC-408	1/8	inch	tempered pattern glass (Spray Lite)	Unlimited size
SGCC-132	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size
SGCC-428	7/32	inch	tempered pattern glass (Factrolite)	Unlimited size

### C-E Glass; St. Louis, Missouri

SGCC-417	7/32	inch	pattern wire glass (1/2 inch parallel; Factrolite)	Unlimited size
----------	------	------	--	----------------

### C-E Glass; Tampa, Florida

SGCC-385	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 47	1/4	inch	tempered transparent glass	Unlimited size
SGCC-201	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size

### C-E Glass; Warrenton, Missouri

SGCC-360	1/8	inch	tempered transparent glass	Unlimited size
SGCC-336	3/16	inch	tempered transparent glass	Unlimited size
SGCC-361	1/4	inch	tempered transparent glass	Unlimited size
SGCC-394	1/8	inch	tempered pattern glass (Smooth Rough)	Unlimited size
SGCC-343	210	inch	tempered pattern glass (Spray Lite, Flemish*, P-516*)	Unlimited size
SGCC-344	7/32	inch	tempered pattern glass (P-516)	Unlimited size

### Canadian Pittsburgh Industries, Ltd.; Owen Sound, Ontario

SGCC-251	1/8	inch	tempered transparent glass	Unlimited size
SGCC-209	3/16	inch	tempered transparent glass	Unlimited size

### Central Glass Company, Ltd.; Tokyo, Japan

SGCC-230	1/8	inch	tempered transparent glass	Unlimited size
----------	-----	------	----------------------------	----------------

### Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania

SGCC-339	3/16	inch	tempered transparent glass	Unlimited size
SGCC-157	1/4	inch	tempered transparent glass	Unlimited size
SGCC-181	3/8	inch	tempered transparent glass	Unlimited size
SGCC-182	1/2	inch	tempered transparent glass	Unlimited size
SGCC-378	7/32	inch	laminated transparent glass	Unlimited size
SGCC-379	1/4	inch	laminated transparent glass	Unlimited size
SGCC-380	3/8	inch	laminated transparent glass	Unlimited size
SGCC-381	1/2	inch	laminated transparent glass	Unlimited size

### Dearborn Glass Company; Bedford Park, Illinois

SGCC-147	7/32	inch	laminated transparent glass	Unlimited size
----------	------	------	-----------------------------	----------------

### Double Seal Glass Company, Inc.; Flint, Michigan

SGCC-324	3/16	inch	annealed pattern glass; 0.005 inch plastic coating (Lozenge, Pattern 62)	Unlimited size
----------	------	------	--	----------------



## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

Dura-Vue Industries, Inc.; Chicago, Illinois

SGCC-457	1/4	inch	tempered transparent glass	Unlimited size
SGCC-363	3/8	inch	tempered transparent glass	Unlimited size
SGCC-364	1/2	inch	tempered transparent glass	Unlimited size
SGCC-365	7/32	inch	tempered pattern glass (Velvex)	Unlimited size

Falconer Plate Glass Corporation; Falconer, New York

SGCC-308	1/4	inch	tempered transparent glass	Unlimited size
SGCC-310	3/8	inch	tempered transparent glass	Unlimited size
SGCC-311	1/2	inch	tempered transparent glass	Unlimited size
SGCC-309	7/32	inch	tempered pattern glass (Factrolite)	Unlimited size

Feather-lite Manufacturing Company; Hot Springs, Arkansas

SGCC- 11	3/16	inch	tempered transparent glass	Unlimited size
----------	------	------	----------------------------	----------------

Flex-O-Glass; Dixon, Illinois

SGCC-118	0.080	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
----------	-------	------	--	----------------

Ford Motor Company; Dearborn, Michigan

SGCC-341	1/8	inch	tempered transparent glass	Unlimited size
SGCC-396	5/32	inch	tempered transparent glass (32 ounce)	Unlimited size
SGCC-342	3/16	inch	tempered transparent glass	Unlimited size
SGCC-397	1/4	inch	tempered transparent glass	Unlimited size

Fourco Glass Company; Clarksburg, West Virginia; Adamston Division

SGCC-163	3/16	inch	tempered transparent glass	Unlimited size
SGCC-164	7/32	inch	tempered transparent glass	Unlimited size
SGCC-213	1/4	inch	tempered transparent glass	Unlimited size

Fourco Glass Company; Clarksburg, West Virginia; Rolland Division

SGCC-297	1/8	inch	tempered transparent glass	Unlimited size
SGCC-291	3/16	inch	tempered transparent glass	Unlimited size
SGCC-292	7/32	inch	tempered transparent glass	Unlimited size
SGCC-293	1/4	inch	tempered transparent glass	Unlimited size

Fourco Glass Company; Fort Smith, Arkansas

SGCC- 36	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 35	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 34	1/4	inch	tempered transparent glass	Unlimited size

Gladwin Industries, Inc.; Oakwood, Georgia

SGCC-420	0.090	inch	pattern plastic (Ripple) (Indoor use only)	Unlimited size
----------	-------	------	--	----------------

S. A. Glaverbel; Bruxelles, Belgium

SGCC- 16	3/16	inch	tempered transparent glass	Unlimited size
----------	------	------	----------------------------	----------------

Globe-Amerada Glass Company; Elk Grove Village, Illinois

SGCC-327	0.145	inch	laminated transparent glass	34" by 40"
SGCC-445	7/32	inch	laminated transparent glass	Unlimited size

Guardian Industries Corporation; Carleton, Michigan

SGCC-439	5/32	inch	tempered transparent glass (32 ounce)	Unlimited size
SGCC-406	3/16	inch	tempered transparent glass	Unlimited size
SGCC-131	1/4	inch	tempered transparent glass	Unlimited size
SGCC-160	3/8	inch	tempered transparent glass	Unlimited size
SGCC-263	1/2	inch	tempered transparent glass	Unlimited size

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

Guardian Industries Corporation; Fort Lauderdale, Florida

SGCC- 78	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 39	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 40	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 41	3/8	inch	tempered transparent glass	Unlimited size
SGCC- 42	7/32	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	Unlimited size

Guardian Industries Corporation; Torrance, California

SGCC-409	3/16	inch	tempered transparent glass	Unlimited size
SGCC-425	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 43	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 97	3/8	inch	tempered transparent glass	Unlimited size
SGCC- 98	1/2	inch	tempered transparent glass	Unlimited size
SGCC-264	7/32	inch	tempered pattern glass (Aquatex, Industrex*, Muralex, Pattern 62*, Velvex*)	Unlimited size

Guardian Industries Corporation; Upper Sandusky, Ohio

SGCC-458	7/32	inch	laminated transparent glass	Unlimited size
----------	------	------	-----------------------------	----------------

Guardian Industries Corporation; Webster, Massachusetts

SGCC-300	1/8	inch	tempered transparent glass	Unlimited size
SGCC-443	5/32	inch	tempered transparent glass (32 ounce)	Unlimited size
SGCC-104	3/16	inch	tempered transparent glass	Unlimited size
SGCC-462	1/4	inch	tempered transparent glass	Unlimited size
SGCC-471	3/8	inch	tempered transparent glass	Unlimited size

Hamilton of Indiana, Inc.; Vincennes, Indiana

SGCC- 54	1/8	inch	tempered transparent glass	Unlimited size
SGCC- 56	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 55	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 57	1/4	inch	tempered transparent glass	Unlimited size
SGCC-127	3/8	inch	tempered transparent glass	Unlimited size
SGCC-128	1/2	inch	tempered transparent glass	Unlimited size
SGCC-129	210	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	Unlimited size

ICP Industries, Inc.; Miami, Florida

SGCC- 17	0.090	inch	through 3/16 inch pattern extruded plastic (Indoor use only) (Seaflair)	Unlimited size
----------	-------	------	---	----------------

K-S-H, Inc.; Crestwood, Missouri

SGCC-442	0.080	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
SGCC-418	3/32	inch	through 3/16 inch pattern extruded acrylic (Calypso, Casbah, Lido, Seedy, Slate, Diamond, Roundel, Glacial)	Unlimited size
SGCC- 99	0.100	inch	through 3/16 inch pattern extruded plastic (Indoor use only) (Glacial, Calypso, Roundel)	Unlimited size

K-S-H, Inc.; Fredericksburg, Virginia

SGCC-178	0.100	inch	through 0.130 inch pattern extruded plastic (Indoor use only) (Calypso, Roundel, Glacial, Starlite*)	Unlimited size
----------	-------	------	--	----------------

K-S-H, Inc.; Tustin, California

SGCC-212	0.060	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
SGCC-221	0.100	inch	through 3/16 inch pattern extruded plastic (Indoor use only) (Calypso, Glacial, Starlite*, Roundel)	Unlimited size

# CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

K-S-H, Inc.; Xenia, Ohio

SGCC-136	0.060	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
----------	-------	------	--	----------------

LOF Glass, Inc.; Laurinburg, North Carolina

SGCC-350	1/8	inch	tempered transparent glass	Unlimited size
SGCC-351	3/16	inch	tempered transparent glass	Unlimited size
SGCC-352	1/4	inch	tempered transparent glass	Unlimited size
SGCC-373	5/16	inch	tempered transparent glass	Unlimited size
SGCC-374	3/8	inch	tempered transparent glass	Unlimited size
SGCC-375	1/2	inch	tempered transparent glass	Unlimited size

Laminated Glass Corporation; Detroit, Michigan

SGCC- 88	7/32	inch	laminated transparent glass	Unlimited size
----------	------	------	-----------------------------	----------------

Libbey-Owens-Ford Company; East Toledo, Ohio

SGCC-450	SS/SS		laminated transparent glass	Unlimited size
SGCC-451	SS/DS		laminated transparent glass	Unlimited size
SGCC- 82	1/4	inch	laminated transparent glass	Unlimited size
SGCC-472	1/2	inch	laminated transparent glass	Unlimited size

Libbey-Owens-Ford Company; Rossford, Ohio

SGCC-386	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 19	1/4	inch	tempered transparent glass	Unlimited size
SGCC-464	5/16	inch	tempered transparent glass	Unlimited size
SGCC-449	3/8	inch	tempered transparent glass	Unlimited size
SGCC-150	1/2	inch	tempered transparent glass	Unlimited size
SGCC-447	5/8	inch	tempered transparent glass	Unlimited size
SGCC-151	3/4	inch	tempered transparent glass	Unlimited size
SGCC-444	7/8	inch	tempered transparent glass	Unlimited size

Minex-Poland; Jaroszwiec, Poland

SGCC-140	210	inch	tempered pattern glass (Pattern 100)	Unlimited size
----------	-----	------	--------------------------------------	----------------

Ohio Plate Glass Company; Lewisburg, Ohio

SGCC-187	1/8	inch	tempered transparent glass	Unlimited size
SGCC-185	3/16	inch	tempered transparent glass	Unlimited size
SGCC-279	7/32	inch	tempered transparent glass	Unlimited size
SGCC-186	1/4	inch	tempered transparent glass	Unlimited size
SGCC-203	1/8	inch	tempered pattern glass (Ribbed, Flax*, Flemish*, Industrex*, Lozenge*, Pattern 62*, Roundel*, Velvex*)	Unlimited size
SGCC-188	3/16	inch	tempered pattern glass (Pattern 62, Aquatex*)	Unlimited size
SGCC-328	3/16	inch	tempered pattern glass (Roundel, Lozenge)	34" by 48"
SGCC-238	7/32	inch	tempered pattern glass (Textured Linex, Aquatex, Flemish*, Flutex*, Industrex*, Muralex*, Pattern 62*, Skytex*, Velvex*)	Unlimited size

PPG Industries, Inc.; Baltimore, Maryland

SGCC-454	3/16	inch	tempered transparent glass	Unlimited size
SGCC-455	1/4	inch	tempered transparent glass	Unlimited size
SGCC-456	7/32	inch	tempered pattern glass (Smooth Rough)	Unlimited size

PPG Industries, Inc.; Carlisle, Pennsylvania

SGCC-250	1/8	inch	tempered transparent glass	Unlimited size
SGCC-249	3/16	inch	tempered transparent glass	Unlimited size
SGCC-382	1/4	inch	tempered transparent glass	Unlimited size

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

### PPG Industries, Inc.; Chicago, Illinois

SGCC-266	3/16	inch	tempered transparent glass	Unlimited size
SGCC-267	1/4	inch	tempered transparent glass	Unlimited size
SGCC-272	3/8	inch	tempered transparent glass	Unlimited size
SGCC-273	1/2	inch	tempered transparent glass	Unlimited size

### PPG Industries, Inc.; Creighton, Pennsylvania

SGCC-114	1/4	inch	laminated transparent glass	Unlimited size
----------	-----	------	-----------------------------	----------------

### PPG Industries, Inc.; Crestline, Ohio

SGCC- 60	1/8	inch	tempered transparent glass	Unlimited size
SGCC- 65	3/16	inch	tempered transparent glass	Unlimited size
SGCC-102	1/4	inch	tempered transparent glass	26 3/4" by 72"
SGCC-446	3/16	inch	tempered pattern glass (Roundel, Lozenge)	Unlimited size

### PPG Industries, Inc.; Dallas, Texas

SGCC-400	3/16	inch	tempered transparent glass	Unlimited size
SGCC-401	7/32	inch	tempered transparent glass	Unlimited size
SGCC-402	1/4	inch	tempered transparent glass	Unlimited size
SGCC-405	3/8	inch	tempered transparent glass	Unlimited size
SGCC-403	1/2	inch	tempered transparent glass	Unlimited size
SGCC-404	7/32	inch	tempered pattern glass (Velvex, Aquatex, Industrex*, Muralex*)	Unlimited size

### PPG Industries, Inc.; Ford City, Pennsylvania

SGCC- 61	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 66	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 70	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 74	3/8	inch	tempered transparent glass	Unlimited size
SGCC- 75	1/2	inch	tempered transparent glass	Unlimited size
SGCC-248	3/4	inch	tempered transparent glass	Unlimited size

### PPG Industries, Inc.; Fresno, California

SGCC-295	1/8	inch	tempered transparent glass	Unlimited size
SGCC- 64	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 73	1/4	inch	tempered transparent glass	Unlimited size
SGCC-384	1/8	inch	tempered pattern glass (Flemish)	Unlimited size

### PPG Industries, Inc.; Miami, Florida

SGCC-195	3/16	inch	tempered transparent glass	Unlimited size
SGCC-194	1/4	inch	tempered transparent glass	Unlimited size
SGCC-196	3/8	inch	tempered transparent glass	Unlimited size
SGCC-200	1/2	inch	tempered transparent glass	Unlimited size
SGCC-219	7/32	inch	tempered pattern glass (Smooth Rough, Burlap, Factrolite*, J-3*, P-516)	Unlimited size

### PPG Industries, Inc.; Mt. Vernon, Ohio

SGCC- 58	1/8	inch	tempered transparent glass	Unlimited size
SGCC- 62	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 71	1/4	inch	tempered transparent glass	Unlimited size

### PPG Industries, Inc. Mt. Zion, Illinois

SGCC- 59	1/8	inch	tempered transparent glass	Unlimited size
SGCC- 63	3/16	inch	tempered transparent glass	Unlimited size



# CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

PPG Industries, Inc.; Westboro, Massachusetts

SGCC-427	3/16	inch	tempered transparent glass	Unlimited size
SGCC-426	1/4	inch	tempered transparent glass	Unlimited size
SGCC-429	3/8	inch	tempered transparent glass	Unlimited size
SGCC-430	1/2	inch	tempered transparent glass	Unlimited size
SGCC-431	7/32	inch	tempered pattern glass (Smooth Rough)	Unlimited size

Pacific Tempered Glass Corporation; Wilsonville, Oregon

SGCC-387	3/16	inch	tempered transparent glass	Unlimited size
SGCC-388	1/4	inch	tempered transparent glass	Unlimited size

Paulding Glass Products, Inc.; Paulding, Ohio

SGCC-340	3/16	inch	tempered transparent glass	Unlimited size
SGCC-259	1/4	inch	tempered transparent glass	Unlimited size
SGCC-260	3/8	inch	tempered transparent glass	Unlimited size
SGCC-261	210	inch	tempered pattern glass (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	Unlimited size

Plaskolite, Inc.; Columbus, Ohio

SGCC-152	0.080	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
----------	-------	------	--	----------------

Robeco Products, Inc.; Tainan, Taiwan

SGCC-210	0.080	inch	and greater thicknesses smooth cast acrylic	Unlimited size
----------	-------	------	---	----------------

Rohm and Haas Company; Knoxville, Tennessee

SGCC-153	0.080	inch	and greater thicknesses smooth cast acrylic	Unlimited size
----------	-------	------	---	----------------

Rohm and Haas Company; Louisville, Kentucky

SGCC-154	0.080	inch	through 0.187 inch smooth cast acrylic	Unlimited size
----------	-------	------	--	----------------

Rotuba Extruders, Inc.; Linden, New Jersey

SGCC-316	0.080	inch	and greater thicknesses smooth extruded acrylic	Unlimited size
----------	-------	------	---	----------------

Rowland Products, Inc.; Kensington, Connecticut

SGCC-120	0.090	inch	and greater thicknesses smooth extruded polycarbonate	Unlimited size
----------	-------	------	--	----------------

Safelite Industries; Denver, Colorado

SGCC-222	7/32	inch	laminated transparent glass	Unlimited size
SGCC-237	1/4	inch	laminated transparent glass	Unlimited size

Safelite Industries; Wichita, Kansas

SGCC-225	1/8	inch	tempered transparent glass	Unlimited size
----------	-----	------	----------------------------	----------------

Sheffield Plastics, Inc.; Sheffield, Massachusetts

SGCC-173	0.080	inch	through 0.125 inch smooth extruded acrylic	Unlimited size
SGCC-359	0.060	inch	and greater thicknesses smooth extruded polycarbonate	Unlimited size

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

Sierracin Corporation; Sylmar, California

SGCC-473 3/8 inch laminated transparent glass  
(0.060 inch plastic)

Unlimited size

Societa Italiana Vetro, S.p.A.; San Salvo, Italy

SGCC-424 1/4 inch laminated transparent glass

Unlimited size

Southern Plastics Company; Columbia, South Carolina

SGCC-162 0.080 inch through 0.125 inch smooth extruded acrylic

Unlimited size

SGCC-18 0.080 inch through 0.090 inch pattern extruded plastic  
(Indoor use only) (Cracked Ice, Rip L, Cortina)

Unlimited size

Taiwan Glass Corporation; Taipei, Taiwan

SGCC-177 3/16 inch tempered transparent glass

Unlimited size

SGCC-326 7/32 inch tempered transparent glass

Unlimited size

SGCC-370 3/16 inch tempered pattern glass (Pattern 757, Pattern 727\*,  
Pattern 767\*)

Unlimited size

Taylor Products, Inc.; Payne, Ohio

SGCC-190 3/16 inch tempered transparent glass

Unlimited size

SGCC-192 7/32 inch tempered transparent glass

Unlimited size

SGCC-189 1/4 inch tempered transparent glass

Unlimited size

SGCC-191 210 inch tempered pattern glass (Industrex, Aquatex, Muralex\*,  
Pattern 62\*)

Unlimited size

Tempered Glass Corporation; Tampa, Florida

SGCC-347 3/16 inch tempered transparent glass

Unlimited size

SGCC-337 1/4 inch tempered transparent glass

Unlimited size

SGCC-348 3/8 inch tempered transparent glass

Unlimited size

SGCC-338 1/2 inch tempered transparent glass

Unlimited size

SGCC-421 210 inch tempered pattern glass (Spray Lite, Pattern 62)

Unlimited size

Temp-Safe, Inc.; Edmond, Oklahoma

SGCC-440 3/16 inch tempered transparent glass

Unlimited size

SGCC-441 1/4 inch tempered transparent glass

Unlimited size

Tucor Safety Glass Company, Ltd.; Queenborough, Kent, England

SGCC-269 1/4 inch laminated transparent glass

Unlimited size

Tuf-flex Glass, Inc.; Atlanta, Georgia

SGCC-320 3/16 inch tempered transparent glass

Unlimited size

SGCC-321 1/4 inch tempered transparent glass

Unlimited size

SGCC-322 3/8 inch tempered transparent glass

Unlimited size

SGCC-323 1/2 inch tempered transparent glass

Unlimited size

Tuf-flex Glass, Inc.; Elmhurst, Illinois

SGCC-257 3/16 inch tempered transparent glass

Unlimited size

SGCC-229 1/4 inch tempered transparent glass

Unlimited size

SGCC-258 3/8 inch tempered transparent glass

Unlimited size

SGCC-270 1/2 inch tempered transparent glass

Unlimited size

## CERTIFIED PRODUCTS ALPHABETICAL BY PLANT

FOR LISTING BY PRODUCT TYPE, PLEASE SEE PAGE 16.

### Tuf-flex Glass, Inc.; Irving, Texas

SGCC-389	3/16	inch	tempered transparent glass	Unlimited size
SGCC-390	1/4	inch	tempered transparent glass	Unlimited size
SGCC-391	3/8	inch	tempered transparent glass	Unlimited size
SGCC-392	1/2	inch	tempered transparent glass	Unlimited size

### Tuf-flex Glass, Inc.; Saddle Brook, New Jersey

SGCC-312	3/16	inch	tempered transparent glass	Unlimited size
SGCC-298	1/4	inch	tempered transparent glass	Unlimited size
SGCC-314	3/8	inch	tempered transparent glass	Unlimited size
SGCC-315	1/2	inch	tempered transparent glass	Unlimited size

### Tyre Brothers Glass Company; Los Angeles, California

SGCC-252	3/16	inch	tempered transparent glass	Unlimited size
SGCC-253	1/4	inch	tempered transparent glass	Unlimited size
SGCC-254	3/8	inch	tempered transparent glass	Unlimited size
SGCC-255	1/2	inch	tempered transparent glass	Unlimited size
SGCC-256	7/32	inch	tempered pattern glass (Smooth Rough, Aquatex, Burlap*, Factrolite*, J-3*, P-516)	Unlimited size

### Vidrierias De Llodio, S.A.; Alava, Spain

SGCC-286	1/8	inch	tempered transparent glass	Unlimited size
SGCC-448	5/32	inch	tempered transparent glass (32 ounce)	Unlimited size
SGCC- 38	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 37	7/32	inch	tempered transparent glass	Unlimited size

### Vidrios Securit S.A.; Barranquilla, Colombia

SGCC-465	1/8	inch	tempered transparent glass	Unlimited size
SGCC-466	3/16	inch	tempered transparent glass	Unlimited size
SGCC-467	7/32	inch	tempered transparent glass	Unlimited size

### Viracon, Inc.; Owatonna, Minnesota

SGCC-227	3/16	inch	tempered transparent glass	Unlimited size
SGCC-228	1/4	inch	tempered transparent glass	Unlimited size
SGCC-463	7/32	inch	tempered pattern glass (Aquatex)	Unlimited size
SGCC-233	SS/DS		laminated transparent glass	Unlimited size
SGCC-232	1/4	inch	laminated transparent glass	Unlimited size

### Virginia Glass Products Corporation; Martinsville, Virginia

SGCC- 12	3/16	inch	tempered transparent glass	Unlimited size
SGCC- 13	7/32	inch	tempered transparent glass	Unlimited size
SGCC- 14	1/4	inch	tempered transparent glass	Unlimited size
SGCC- 93	3/8	inch	tempered transparent glass	Unlimited size
SGCC- 94	1/2	inch	tempered transparent glass	Unlimited size
SGCC- 95	3/4	inch	tempered transparent glass	Unlimited size
SGCC- 92	7/32	inch	tempered pattern glass (Velvex, Aquatex*, Industrex, Murallex)	Unlimited size

### Visador Company; Jasper, Texas

SGCC-470	1/8	inch	leaded transparent glass (4.20 by 9.66 inch diamond)	Unlimited size
SGCC-432	1/8	inch	leaded pattern glass (4.20 by 9.66 inch diamond) (Cathedral)	Unlimited size
SGCC-354	3/16	inch	leaded pattern glass (4.20 by 9.66 inch diamond) (Flemish)	Unlimited size

# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTINGS BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## TEMPERED TRANSPARENT GLASS

### 1/8 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee	SGCC-224	Unlimited size
M. L. Burke Company; Cornwells Heights, Pennsylvania	SGCC-415	Unlimited size
C-E Glass; Carson, California	SGCC-453	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road	SGCC-184	Unlimited size
C-E Glass; Pennsauken, New Jersey	SGCC- 51	Unlimited size
C-E Glass; Warrenton, Missouri	SGCC-360	Unlimited size
Canadian Pittsburgh Industries, Ltd.; Owen Sound, Ontario	SGCC-251	Unlimited size
Central Glass Company, Ltd.; Tokyo, Japan	SGCC-230	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC-341	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Rolland Division	SGCC-297	Unlimited size
Guardian Industries Corporation; Webster, Massachusetts	SGCC-300	Unlimited size
Hamilton of Indiana, Inc.; Vincennes, Indiana	SGCC- 54	Unlimited size
LOF Glass, Inc.; Laurinburg, North Carolina	SGCC-350	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-187	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC-250	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 60	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC-295	Unlimited size
PPG Industries, Inc.; Mt. Vernon, Ohio	SGCC- 58	Unlimited size
PPG Industries, Inc.; Mt. Zion, Illinois	SGCC- 59	Unlimited size
Safelite Industries; Wichita, Kansas	SGCC-225	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC-286	Unlimited size
Vidrios Securit, S. A.; Barranquilla, Colombia	SGCC-465	Unlimited size

### 5/32 inch tempered transparent glass (32 ounce)

Ford Motor Company; Dearborn, Michigan	SGCC-396	Unlimited size
Guardian Industries Corporation; Carleton, Michigan	SGCC-439	Unlimited size
Guardian Industries Corporation; Webster, Massachusetts	SGCC 443	Unlimited size
Vidrierias De Llodio, S. A.; Alava, Spain	SGCC-448	Unlimited size

### 3/16 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee	SGCC-220	Unlimited size
ASG Industries, Inc.; Kingsport, Tennessee	SGCC- 28	Unlimited size
Armour Laminated Glass Company, Inc.; Santa Fe Springs, California	SGCC-204	Unlimited size
Asahi Glass Company, Ltd.; Tokyo, Japan	SGCC- 46	Unlimited size
M. L. Burke Company; Cornwells Heights, Pennsylvania	SGCC-274	Unlimited size
C-E Glass; Atlanta, Georgia	SGCC-407	Unlimited size
C-E Glass; Bensenville, Illinois	SGCC-438	Unlimited size
C-E Glass; Carson, California	SGCC-410	Unlimited size
C-E Glass; Cinnaminson, New Jersey	SGCC-245	Unlimited size
C-E Glass; Houston, Texas	SGCC-110	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road	SGCC-145	Unlimited size
C-E Glass; Lancaster, Ohio; Slocum Street	SGCC-330	30" by 39"
C-E Glass; Miami, Florida	SGCC- 76	Unlimited size
C-E Glass; Pennsauken, New Jersey	SGCC-362	Unlimited size
C-E Glass; Tampa, Florida	SGCC-385	Unlimited size
C-E Glass; Warrenton, Missouri	SGCC-336	Unlimited size



## CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

### 3/16 inch tempered transparent glass - continued

Canadian Pittsburgh Industries, Ltd.; Owen Sound, Ontario	SGCC-209	Unlimited size
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-339	Unlimited size
Feather-lite Manufacturing Company; Hot Springs, Arkansas	SGCC- 11	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC-342	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Adamston Division	SGCC-163	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Rolland Division	SGCC-291	Unlimited size
Fourco Glass Company; Fort Smith, Arkansas	SGCC- 36	Unlimited size
S. A. Glaverbel; Bruxelles, Belgium	SGCC- 16	Unlimited size
Guardian Industries Corporation; Carleton, Michigan	SGCC-406	Unlimited size
Guardian Industries Corporation; Fort Lauderdale, Florida	SGCC- 78	Unlimited size
Guardian Industries Corporation; Torrance, California	SGCC-409	Unlimited size
Guardian Industries Corporation; Webster, Massachusetts	SGCC-104	Unlimited size
Hamilton of Indiana, Inc.; Vincennes, Indiana	SGCC- 56	Unlimited size
LOF Glass, Inc.; Laurinburg, North Carolina	SGCC-351	Unlimited size
Libbey-Owens-Ford Company; Rossford, Ohio	SGCC-386	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-185	Unlimited size
PPG Industries, Inc.; Baltimore, Maryland	SGCC-454	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC-249	Unlimited size
PPG Industries, Inc.; Chicago, Illinois	SGCC-266	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC- 65	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-400	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 61	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 64	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC-195	Unlimited size
PPG Industries, Inc.; Mt. Vernon, Ohio	SGCC- 62	Unlimited size
PPG Industries, Inc.; Mt. Zion, Illinois	SGCC- 63	Unlimited size
PPG Industries, Inc.; Westboro, Massachusetts	SGCC-427	Unlimited size
Pacific Tempered Glass Corporation; Wilsonville, Oregon	SGCC-387	Unlimited size
Paulding Glass Products, Inc.; Paulding, Ohio	SGCC-340	Unlimited size
Taiwan Glass Corporation; Taipei, Taiwan	SGCC-177	Unlimited size
Taylor Products, Inc.; Payne, Ohio	SGCC-190	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC-347	Unlimited size
Temp-Safe; Edmond, Oklahoma	SGCC-440	Unlimited size
Tuf-flex Glass, Inc.; Atlanta, Georgia	SGCC-320	Unlimited size
Tuf-flex Glass, Inc.; Elmhurst, Illinois	SGCC-257	Unlimited size
Tuf-flex Glass, Inc.; Irving, Texas	SGCC-389	Unlimited size
Tuf-flex Glass, Inc.; Saddle Brook, New Jersey	SGCC-312	Unlimited size
Tyre Brothers Glass Company; Los Angeles, California	SGCC-252	Unlimited size
Vidrierias De Llodio, S.A. Alava, Spain	SGCC- 38	Unlimited size
Vidrios Securit, S. A.; Barranquilla, Colombia	SGCC-466	Unlimited size
Viracon, Inc.; Owatonna, Minnesota	SGCC-227	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 12	Unlimited size

### 7/32 inch tempered transparent glass

C-E Glass; Lancaster, Ohio; Slocum Street	SGCC-331	30" by 39"
Fourco Glass Company; Clarksburg, West Virginia; Adamston Division	SGCC-164	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Rolland Division	SGCC-292	Unlimited size
Fourco Glass Company; Fort Smith, Arkansas	SGCC- 35	Unlimited size

## CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

### 7/32 inch tempered transparent glass - continued

Guardian Industries Corporation; Fort Lauderdale, Florida	SGCC- 39	Unlimited size
Guardian Industries Corporation; Torrance, California	SGCC-425	Unlimited size
Hamilton of Indiana, Inc.; Vincennes, Indiana	SGCC- 55	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-279	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-401	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 66	Unlimited size
Taiwan Glass Corporation; Taipei, Taiwan	SGCC-326	Unlimited size
Taylor Products Corporation; Payne, Ohio	SGCC-192	Unlimited size
Vidrierias De Llodio, S.A.; Alava, Spain	SGCC- 37	Unlimited size
Vidrios Securit, S. A.; Barranquilla, Colombia	SGCC-467	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 13	Unlimited size

### 1/4 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee	SGCC- 89	Unlimited size
ASG Industries, Inc.; Kingsport, Tennessee	SGCC- 24	Unlimited size
Armour Laminated Glass Company, Inc.; Santa Fe Springs, California	SGCC-205	Unlimited size
M. L. Burke Company; Cornwells Heights, Pennsylvania	SGCC-398	Unlimited size
C-E Glass; Atlanta, Georgia	SGCC-108	Unlimited size
C-E Glass; Bensenville, Illinois	SGCC-318	Unlimited size
C-E Glass; Carson, California	SGCC-411	Unlimited size
C-E Glass; Cinnaminson, New Jersey	SGCC-246	Unlimited size
C-E Glass; Houston, Texas	SGCC-137	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road	SGCC-146	Unlimited size
C-E Glass; Lancaster, Ohio; Slocum Street	SGCC-332	30" by 39"
C-E Glass; Miami, Florida	SGCC- 49	Unlimited size
C-E Glass; Pennsauken, New Jersey	SGCC- 53	Unlimited size
C-E Glass; Tampa, Florida	SGCC- 47	Unlimited size
C-E Glass; Warrenton, Missouri	SGCC-361	Unlimited size
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-157	Unlimited size
Dura Vue Industries, Inc.; Chicago, Illinois	SGCC-457	Unlimited size
Falconer Plate Glass Corporation; Falconer, New York	SGCC-308	Unlimited size
Ford Motor Company; Dearborn, Michigan	SGCC-397	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Adamston Division	SGCC-213	Unlimited size
Fourco Glass Company; Clarksburg, West Virginia; Rolland Division	SGCC-293	Unlimited size
Fourco Glass Company; Fort Smith, Arkansas	SGCC- 34	Unlimited size
Guardian Industries Corporation; Carleton, Michigan	SGCC-131	Unlimited size
Guardian Industries Corporation; Fort Lauderdale, Florida	SGCC- 40	Unlimited size
Guardian Industries Corporation; Torrance, California	SGCC- 43	Unlimited size
Guardian Industries Corporation; Webster, Massachusetts	SGCC-462	Unlimited size
Hamilton of Indiana, Inc.; Vincennes, Indiana	SGCC- 57	Unlimited size
LOF Glass, Inc.; Laurinburg, North Carolina	SGCC-352	Unlimited size
Libbey-Owens-Ford Company; Rossford, Ohio	SGCC- 19	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio	SGCC-186	Unlimited size
PPG Industries, Inc.; Baltimore, Maryland	SGCC-455	Unlimited size
PPG Industries, Inc.; Carlisle, Pennsylvania	SGCC-382	Unlimited size
PPG Industries, Inc.; Chicago, Illinois	SGCC-267	Unlimited size
PPG Industries, Inc.; Crestline, Ohio	SGCC-102	26 3/4" by 72"
PPG Industries, Inc.; Dallas, Texas	SGCC-402	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 70	Unlimited size
PPG Industries, Inc.; Fresno, California	SGCC- 73	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC-194	Unlimited size
PPG Industries, Inc.; Mt. Vernon, Ohio	SGCC- 71	Unlimited size
PPG Industries, Inc.; Westboro, Massachusetts	SGCC-426	Unlimited size

# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## 1/4 inch tempered transparent glass - continued

Pacific Tempered Glass Corporation; Wilsonville, Oregon  
Paulding Glass Products, Inc.; Paulding, Ohio  
Taylor Products, Inc.; Payne, Ohio  
Tempered Glass Corporation; Tampa, Florida  
Temp-Safe; Edmond, Oklahoma  
Tuf-flex Glass, Inc.; Atlanta, Georgia  
Tuf-flex Glass, Inc.; Elmhurst, Illinois  
Tuf-flex Glass, Inc.; Irving, Texas  
Tuf-flex Glass Inc.; Saddle Brook, New Jersey  
Tyre Brothers Glass Company; Los Angeles, California  
Viracon, Inc.; Owatonna, Minnesota  
Virginia Glass Products Corporation; Martinsville, Virginia

SGCC-388 Unlimited size  
SGCC-259 Unlimited size  
SGCC-189 Unlimited size  
SGCC-337 Unlimited size  
SGCC-441 Unlimited size  
SGCC-321 Unlimited size  
SGCC-229 Unlimited size  
SGCC-390 Unlimited size  
SGCC-298 Unlimited size  
SGCC-253 Unlimited size  
SGCC-228 Unlimited size  
SGCC- 14 Unlimited size

## 5/16 inch tempered transparent glass

LOF Glass, Inc.; Laurinburg, North Carolina  
Libbey-Owens-Ford Company; Rossford, Ohio

SGCC-373 Unlimited size  
SGCC-464 Unlimited size

## 3/8 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee  
ASG Industries, Inc.; Kingsport, Tennessee  
C-E Glass; Atlanta, Georgia  
C-E Glass; Carson, California  
C-E Glass; Cinna-minson, New Jersey  
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania  
Dura Vue Industries, Inc.; Chicago, Illinois  
Falconer Plate Glass Corporation; Falconer, New York  
Guardian Industries Corporation; Carleton, Michigan  
Guardian Industries Corporation; Fort Lauderdale, Florida  
Guardian Industries Corporation; Torrance, California  
Guardian Industries Corporation; Webster, Massachusetts  
Hamilton of Indiana, Inc.; Vincennes, Indiana  
LOF Glass, Inc.; Laurinburg, North Carolina  
Libbey-Owens-Ford Company; Rossford, Ohio  
PPG Industries, Inc.; Chicago, Illinois  
PPG Industries, Inc.; Dallas, Texas  
PPG Industries, Inc.; Ford City, Pennsylvania  
PPG Industries, Inc.; Miami, Florida  
PPG Industries, Inc.; Westboro, Massachusetts  
Paulding Glass Products, Inc.; Paulding, Ohio  
Tempered Glass Corporation; Tampa, Florida  
Tuf-flex Glass, Inc.; Atlanta, Georgia  
Tuf-flex Glass, Inc.; Elmhurst, Illinois  
Tuf-flex Glass, Inc.; Irving, Texas  
Tuf-flex Glass, Inc.; Saddle Brook, New Jersey  
Tyre Brothers Glass Company; Los Angeles, California  
Virginia Glass Products Corporation; Martinsville, Virginia

SGCC- 90 Unlimited size  
SGCC- 30 Unlimited size  
SGCC-371 Unlimited size  
SGCC-412 Unlimited size  
SGCC-345 Unlimited size  
SGCC-181 Unlimited size  
SGCC-363 Unlimited size  
SGCC-310 Unlimited size  
SGCC-160 Unlimited size  
SGCC- 41 Unlimited size  
SGCC- 97 Unlimited size  
SGCC-471 Unlimited size  
SGCC-127 Unlimited size  
SGCC-374 Unlimited size  
SGCC-449 Unlimited size  
SGCC-272 Unlimited size  
SGCC-405 Unlimited size  
SGCC- 74 Unlimited size  
SGCC-196 Unlimited size  
SGCC-429 Unlimited size  
SGCC-260 Unlimited size  
SGCC-348 Unlimited size  
SGCC-322 Unlimited size  
SGCC-258 Unlimited size  
SGCC-391 Unlimited size  
SGCC-314 Unlimited size  
SGCC-254 Unlimited size  
SGCC- 93 Unlimited size

## 1/2 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee  
C-E Glass; Carson, California  
C-E Glass; Cinna-minson, New Jersey  
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania  
Dura Vue Industries, Inc.; Chicago, Illinois  
Falconer Plate Glass Corporation; Falconer, New York  
Guardian Industries Corporation; Carleton, Michigan  
Guardian Industries Corporation; Torrance, California

SGCC- 91 Unlimited size  
SGCC-413 Unlimited size  
SGCC-346 Unlimited size  
SGCC-182 Unlimited size  
SGCC-364 Unlimited size  
SGCC-311 Unlimited size  
SGCC-263 Unlimited size  
SGCC- 98 Unlimited size

# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## 1/2 inch tempered transparent glass - continued

Hamilton of Indiana, Inc.; Vincennes, Indiana	SGCC-128	Unlimited size
LOF Glass, Inc.; Laurinburg, North Carolina	SGCC-375	Unlimited size
Libbey-Owens-Ford Company; Rossford, Ohio	SGCC-150	Unlimited size
PPG Industries, Inc.; Chicago, Illinois	SGCC-273	Unlimited size
PPG Industries, Inc.; Dallas, Texas	SGCC-403	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC- 75	Unlimited size
PPG Industries, Inc.; Miami, Florida	SGCC-200	Unlimited size
PPG Industries, Inc.; Westboro, Massachusetts	SGCC-430	Unlimited size
Tempered Glass Corporation; Tampa, Florida	SGCC-338	Unlimited size
Tuf-flex Glass, Inc.; Atlanta, Georgia	SGCC-323	Unlimited size
Tuf-flex Glass, Inc.; Elmhurst, Illinois	SGCC-270	Unlimited size
Tuf-flex Glass, Inc.; Irving, Texas	SGCC-392	Unlimited size
Tuf-flex Glass, Inc.; Saddle Brook, New Jersey	SGCC-315	Unlimited size
Tyre Brothers Glass Company; Los Angeles, California	SGCC-255	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 94	Unlimited size

## 5/8 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee	SGCC-459	Unlimited size
Libbey-Owens-Ford Company; Rossford, Ohio	SGCC-447	Unlimited size

## 3/4 inch tempered transparent glass

ASG Industries, Inc.; Greenland, Tennessee	SGCC-143	Unlimited size
Libbey-Owens-Ford Company; Rossford, Ohio	SGCC-151	Unlimited size
PPG Industries, Inc.; Ford City, Pennsylvania	SGCC-248	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia	SGCC- 95	Unlimited size

## 7/8 inch tempered transparent glass

Libbey-Owens-Ford Company; Rossford, Ohio	SGCC-444	Unlimited size
---	----------	----------------

## TEMPERED PATTERN GLASS

### 1/8 inch tempered pattern glass

ASG Industries, Inc.; Kingsport, Tennessee (Finetex, Aquatex)	SGCC-141	Unlimited size
C-E Glass; Carson, California (Factrolite)	SGCC-452	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road (Spray Lite)	SGCC-355	28" by 68"
C-E Glass; Pennsauken, New Jersey (Spray Lite)	SGCC-408	Unlimited size
C-E Glass; Warrenton, Missouri (Smooth Rough)	SGCC-394	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio (Ribbed, Flax*, Flemish*, Industrex*, Lozenge*, Pattern 62*, Roundel*, Velvex*)	SGCC-203	Unlimited size
PPG Industries, Inc.; Fresno, California (Flemish)	SGCC-384	Unlimited size

### 3/16 inch tempered pattern glass

ASG Industries, Inc.; Kingsport, Tennessee (Aquatex, Industrex*, Muralex*, Pattern 62, Velvex*)	SGCC- 33	Unlimited size
C-E Glass; Carson, California (P-516)	SGCC-414	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio (Pattern 62, Aquatex*)	SGCC-188	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio (Roundel, Lozenge)	SGCC-328	34" by 48"
PPG Industries, Inc.; Crestline, Ohio (Roundel, Lozenge)	SGCC-446	Unlimited size
Taiwan Glass Company; Taipei, Taiwan (Pattern 757, Pattern 727*, Pattern 767*)	SGCC-370	Unlimited size



# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## 210 inch tempered pattern glass

ASG Industries, Inc.; Kingsport, Tennessee (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*, Seashell)	SGCC- 31	Unlimited size
M. L. Burke Company; Cornwells Heights, Pennsylvania (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC-399	Unlimited size
C-E Glass; Atlanta, Georgia (Spray Lite, Flemish*, P-516*)	SGCC-125	Unlimited size
C-E Glass; Bensenville, Illinois (Spray Lite, Flemish*, P-516*)	SGCC-319	Unlimited size
C-E Glass; Cinaminson, New Jersey (Spray Lite, Flemish*, P-516*)	SGCC-265	Unlimited size
C-E Glass; Houston, Texas (Spray Lite, Flemish*, P-516)	SGCC-138	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road (Spray Lite, Flemish, P-516*)	SGCC-144	Unlimited size
C-E Glass; Lancaster, Ohio; Slocum Street (Spray Lite, Flemish*, P-516)	SGCC-333	28" by 39"
C-E Glass; Miami, Florida (Spray Lite, Flemish*, P-516*)	SGCC- 50	Unlimited size
C-E Glass; Pennsauken, New Jersey (Spray Lite, Flemish*, P-516*)	SGCC-132	Unlimited size
C-E Glass; Tampa, Florida (Spray Lite, Flemish*, P-516*)	SGCC-201	Unlimited size
C-E Glass; Warrenton, Missouri (Spray Lite, Flemish*, P-516*)	SGCC-343	Unlimited size
Hamilton of Indiana, Inc.; Vincennes, Indiana (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC-129	Unlimited size
Minex-Poland; Jaroszwieci, Poland (Pattern 100)	SGCC-140	Unlimited size
Paulding Glass Products, Inc.; Paulding, Ohio (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC-261	Unlimited size
Taylor Products, Inc.; Payne, Ohio (Industrex, Aquatex, Muralex*, Pattern 62*)	SGCC-191	Unlimited size
Tempered Glass Corporation; Tampa, Florida (Spray Lite, Pattern 62)	SGCC-421	Unlimited size

## 7/32 inch tempered pattern glass

Armour Laminated Glass Company, Inc.; Santa Fe Springs, California (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC-206	Unlimited size
C-E Glass; Pennsauken, New Jersey (Factrolite)	SGCC-428	Unlimited size
C-E Glass; Warrenton, Missouri (P-516)	SGCC-344	Unlimited size
Dura Vue Industries, Inc.; Chicago, Illinois (Velvex)	SGCC-365	Unlimited size
Falconer Plate Glass Corporation; Falconer, New York (Factrolite)	SGCC-309	Unlimited size
Guardian Industries Corporation; Fort Lauderdale, Florida (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC- 42	Unlimited size
Guardian Industries Corporation; Torrance, California (Aquatex, Industrex*, Muralex*, Pattern 62*, Velvex*)	SGCC-264	Unlimited size
Ohio Plate Glass Company; Lewisburg, Ohio (Textured Linex, Aquatex, Flemish*, Flutex*, Industrex*, Muralex*, Pattern 62*, Skytex*, Velvex*)	SGCC-238	Unlimited size
PPG Industries, Inc.; Baltimore, Maryland (Smooth Rough)	SGCC-456	Unlimited size
PPG Industries, Inc.; Dallas, Texas (Velvex, Aquatex, Industrex*, Muralex*)	SGCC-404	Unlimited size
PPG Industries, Inc.; Miami, Florida (Smooth Rough, Burlap, Factrolite*, J-3*, P-516)	SGCC-219	Unlimited size
PPG Industries, Inc.; Westboro, Massachusetts (Smooth Rough)	SGCC-431	Unlimited size
Tyre Brothers Glass Company; Los Angeles, California (Smooth Rough, Aquatex, Burlap*, Factrolite*, J-3*, P-516)	SGCC-256	Unlimited size
Viracon, Inc.; Owatonna, Minnesota (Aquatex)	SGCC-463	Unlimited size
Virginia Glass Products Corporation; Martinsville, Virginia (Velvex, Aquatex*, Industrex, Muralex)	SGCC- 92	Unlimited size

# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## LAMINATED TRANSPARENT GLASS

### 0.145 inch laminated transparent glass

Globe-Amerada Glass Company; Elk Grove Village, Illinois	SGCC-327	34" by 40"
--	----------	------------

### SS/SS laminated transparent glass

Libbey-Owens-Ford Company; East Toledo, Ohio	SGCC-450	Unlimited size
--	----------	----------------

### SS/DS laminated transparent glass

Libbey-Owens-Ford Company; East Toledo, Ohio	SGCC-451	Unlimited size
Viracon, Inc.; Owatonna, Minnesota	SGCC-233	Unlimited size

### 7/32 inch laminated transparent glass

ASG Industries, Inc.; Kingsport, Tennessee	SGCC- 27	Unlimited size
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-378	Unlimited size
Dearborn Glass Company; Bedford Park, Illinois	SGCC-147	Unlimited size
Globe-Amerada Glass Company; Elk Grove Village, Illinois	SGCC-445	Unlimited size
Guardian Industries Corporation; Upper Sandusky, Ohio	SGCC-458	Unlimited size
Laminated Glass Corporation; Detroit, Michigan	SGCC- 88	Unlimited size
Safelite Industries; Denver, Colorado	SGCC-222	Unlimited size

### 1/4 inch laminated transparent glass

ASG Industries, Inc.; Kingsport, Tennessee	SGCC- 26	Unlimited size
Armour Laminated Glass Company, Inc.; Santa Fe Springs, California (0.030 inch plastic)	SGCC-357	Unlimited size
C-E Glass; Lancaster, Ohio; Quarry Road	SGCC-419	Unlimited size
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-379	Unlimited size
Libbey-Owens-Ford Company; East Toledo, Ohio	SGCC- 82	Unlimited size
PPG Industries, Inc.; Creighton, Pennsylvania	SGCC-114	Unlimited size
Safelite Industries; Denver, Colorado	SGCC-237	Unlimited size
Societa Italiana Vetro, S.p.A.; San Salvo, Italy	SGCC-424	Unlimited size
Tudor Safety Glass Company, Ltd.; Queenborough, Kent, England	SGCC-269	Unlimited size
Viracon, Inc.; Owatonna, Minnesota	SGCC-232	Unlimited size

### 3/8 inch laminated transparent glass

Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-380	Unlimited size
Sierracin Corporation; Sylmar, California (0.060 inch plastic)	SGCC-473	Unlimited size

### 1/2 inch laminated transparent glass

Armour Laminated Glass Company, Inc.; Santa Fe Springs, California (0.030 inch plastic)	SGCC-358	Unlimited size
Chromalloy-Safetee Glass Division; King of Prussia, Pennsylvania	SGCC-381	Unlimited size
Libbey-Owens-Ford Company; East Toledo, Ohio	SGCC-472	Unlimited size

## CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

### TRANSPARENT WIRE GLASS

#### 1/4 inch polished wire glass

ASG Industries, Inc.; Kingsport, Tennessee (1/2 inch square mesh)	SGCC-349	Unlimited size
ASG Industries, Inc.; Kingsport, Tennessee (3/4 inch diamond mesh)	SGCC-460	Unlimited size
ASG Industries, Inc.; Kingsport, Tennessee (3/4 inch diamond mesh)	SGCC-461	Unlimited size
ASG Industries, Inc.; Kingsport, Tennessee (Pinstripe, 1/2 inch parallel)	SGCC-217	Unlimited size

### PATTERN WIRE GLASS

#### 7/32 inch pattern wire glass

ASG Industries, Inc.; Kingsport, Tennessee (Pinstripe; 1/2 inch parallel) (Finetex)	SGCC-395	Unlimited size
C-E Glass; St. Louis, Missouri (1/2 inch parallel) (Factrolite)	SGCC-417	Unlimited size

### SAFETY PLASTIC SHEET

#### 0.060 inch and greater thicknesses polycarbonate

Sheffield Plastics, Inc.; Sheffield, Massachusetts (extruded; smooth)	SGCC-359	Unlimited size
---	----------	----------------

#### 0.060 inch through 0.125 inch acrylic

K-S-H, Inc.; Tustin, California (extruded; smooth)	SGCC-212	Unlimited size
K-S-H, Inc.; Xenia, Ohio (extruded; smooth)	SGCC-136	Unlimited size

#### 0.080 inch and greater thicknesses acrylic

American Cyanamid Company; Sanford, Maine (cast; smooth)	SGCC-183	Unlimited size
Robeco Products, Inc.; Tainan, Taiwan (cast; smooth)	SGCC-210	Unlimited size
Rohm and Haas Company; Knoxville, Tennessee (cast; smooth)	SGCC-153	Unlimited size
Rotuba Extruders, Inc.; Linden, New Jersey (extruded; smooth)	SGCC-316	Unlimited size

#### 0.080 inch through 0.187 inch acrylic

Rohm and Haas Company; Louisville, Kentucky (cast; smooth)	SGCC-154	Unlimited size
--	----------	----------------

#### 0.080 inch through 0.125 inch acrylic

Flex-O-Glass, Inc.; Dixon, Illinois (extruded; smooth)	SGCC-118	Unlimited size
K-S-H, Inc.; Crestwood, Missouri (extruded; smooth)	SGCC-442	Unlimited size
Plaskolite, Inc.; Columbus, Ohio (extruded; smooth)	SGCC-152	Unlimited size
Sheffield Plastics, Inc.; Sheffield, Massachusetts (extruded; smooth)	SGCC-173	Unlimited size
Southern Plastics Company; Columbia, South Carolina (extruded; smooth)	SGCC-162	Unlimited size

#### 0.090 inch and greater thicknesses polycarbonate

Rowland Products, Inc.; Kensington, Connecticut (extruded; smooth)	SGCC-120	Unlimited size
--	----------	----------------

#### 3/32 inch through 3/16 inch acrylic

K-S-H, Inc.; Crestwood, Missouri (extruded; pattern) (Calypso, Casbah, Lido, Seedy, Slate, Diamond, Roundel, Glacial)	SGCC-418	Unlimited size
---	----------	----------------

# CERTIFIED PRODUCTS BY PRODUCT TYPE

FOR LISTING BY MANUFACTURING PLANT, PLEASE SEE PAGE 6.

## PLASTIC COATED GLASS

Single strength annealed glass; 0.002 inch plastic coating  
(each edge of film sealed with clear epoxy glue)

Break-Safe Company; Chicago, Illinois

SGCC-433 Unlimited size

3/16 inch annealed pattern glass; 0.005 inch plastic coating

Double Seal Glass Company, Inc.; Flint, Michigan (Lozenge,  
Pattern 62)

SGCC-324 Unlimited size

## LEADED GLASS

1/8 inch annealed transparent glass

Visador Company; Jasper, Texas (4.20 by 9.66 inch diamond)

SGCC-470 Unlimited size

1/8 inch annealed pattern glass

Visador Company; Jasper, Texas (Cathedral; 4.20 by 9.66 inch diamond) SGCC-432 Unlimited size

3/16 inch annealed pattern glass

Visador Company; Jasper, Texas (Flemish; 4.20 by 9.66 inch diamond) SGCC-354 Unlimited size

## SAFETY PLASTIC SHEET FOR INDOOR USE ONLY

COMPLIES ONLY WITH "BREAK SAFE CHARACTERISTICS" OF ANSI Z97.1-1972 (MUST NOT BE MARKED WITH ANSI Z97.1-1972)

0.090 inch through 3/16 inch plastic

ICP Industries, Inc.; Miami, Florida (pattern, extruded;  
indoor use only) (Seaflair)

SGCC- 17 Unlimited size

0.090 inch plastic

Gladwin Industries, Inc.; Oakwood, Georgia  
(pattern; extruded; indoor use only) (Ripple)

SGCC-420 Unlimited size

0.080 inch through 3/16 inch plastic

Southern Plastics Company; Columbia, South Carolina  
(pattern; extruded; indoor use only) (Cracked Ice,  
Rip L, Cortina)

SGCC- 18 Unlimited size

0.100 inch through 3/16 inch plastic

K-S-H, Inc.; Crestwood, Missouri (pattern; extruded; indoor use  
only) (Glacial, Calipso, Roundel)

SGCC- 99 Unlimited size

K-S-H, Inc.; Tustin, California (pattern; extruded; indoor use  
only) (Calipso, Glacial, Starlite\*, Roundel)

SGCC-221 Unlimited size

0.100 inch through 0.130 inch plastic

K-S-H, Inc. Fredericksburg, Virginia (pattern; extruded; indoor  
use only) (Calypso, Glacial, Roundel, Starlite\*)

SGCC-178 Unlimited size



# RUSTER

September 1974

## BOARD OF DIRECTORS

## SGCC OFFICERS

### Representing Public Interest

Phil Dykstra, National Safety Council  
Richard C. Elstner, Wiss, Janney and Elstner  
Thomas Hollander, Evans, Ivory and Evans  
Frederick J. McGarry, Mass. Institute of Tech.  
Lynford K. Snell, Federal Housing Administration

### Representing Industry

Norman Nitschke, Glasstech, Inc.  
Thomas C. Carson, ASG Industries  
Orville L. Pierson, Rohm and Haas  
Caryl E. Twitchell, Three M Company  
Donald J. Vild, L-O-F Co., LOF Glass

Norman Nitschke, President, Chairman  
Orville L. Pierson, Vice President  
Donald J. Vild, Vice President  
Richard C. Elstner, Secretary  
Thomas C. Carson, Treasurer

### SGCC CERTIFICATION COMMITTEE

Robert L. Brown, Chairman  
Homer H. Goldsberry, Vice Chairman

### Participants with certified items:

Participant	Primary Member	First Alternate	Second Alternate
ASG Industries	Thomas C. Carson	A. H. Agett	W. H. Beazell
American Cyanamid	H. Patrick Toner	C. S. Hermann	John Lindsay
Armour Laminated	M. H. Russell		
Asahi	Paul F. Burnham, Jr.	Edward Sobczyk	
M.L. Burke Company	Maurice L. Burke	Gennaro J. Catalano	
C-E Glass	Frank L. McGeary	James Smith	
Canadian Pittsburgh	J. M. Peeters	F. T. Barker	Richard T. McGuire
Central Glass	Yoshiaki Ishida	Tohru Ohhara	
Chromalloy-Safetee	Earle D. Moiles	Ernest Pescatore	
Dearborn Glass	Joseph W. Falls	Herman R. Paulick	
Double Seal Glass	E. C. Mogford, Jr.		
Dura Vue	A. Bienenfeld	Marvin Rothman	D. Crowell
Falconer Plate Glass	Richard E. Turner	John Sundlov	
Feather-lite	Avery C. Fried		
Flex-O-Glass	Harold G. Warp	Delbert Christensen	
Ford Motor Company	Richard L. Morrison	E. L. Henrickson	
Fourco Glass Company	John Linder	Frank James	
General Electric	Glen A. Cesario		
Gladwin Industries	Bradford L. Nicholson		
S. A. Glaverbel	Jack A. Veerman		
Globe-Amerada	Richard R. Miller	J. V. Snyder	
Guardian	Pieter Knorr	Robert Hayes	George Nelson
Hamilton of Indiana	Gary L. Tate	Ronald Purdue	
K-S-H, Inc.	William W. Korn	L. James Horvath	
Laminated Glass	Martin W. Lerner	F. J. Diemer	Robert P. Lerner
LOF Glass	Donald J. Vild	Gale R. Heise	John C. Morgan
Libbey-Owens-Ford	Donald J. Vild	Gale R. Heise	John C. Morgan
Minex-Poland	Maurice L. Burke		
Ohio Plate Glass	W. Gene Gilbert	James C. Clark	
PPG Industries	Richard T. McGuire	Frederick S. Deans	Robert W. McKinley
Pacific Tempered	P. C. Lin		
Paulding Glass	George Rhonehouse, Sr.	George Rhonehouse, Jr.	Donald E. Rhonehouse
Plaskolite	Homer H. Goldsberry	Robert Yeoman	Harley Thomas
Rohm and Haas	Orville L. Pierson	A. J. Bartosic	T. C. Tjader
Rotuba Extruders	Eugene E. Drood	Albert Bell	
Rowland Products	Richard E. Ostop		
Safelite	David R. Jones	Homer Lewis	
Sheffield Plastics	Thomas Kradel	Bernard W. Brooks	
Southern Plastics	D. W. Weber	L. Drozeski, Jr.	William H. Schneider
T-O-W Industries	H. L. Wright	Richard Malmgren	
Tempered Glass	Paul F. Tumey	Richard E. Elvin	Jerry Bienenfeld
Temp-Safe, Inc.	Lewis E. Hunt, Jr.		
Tudor Safety Glass	Peter Fineman	Geoffrey Barrett	
Tuf-flex Glass	Bernard Nathan	Joseph O. Kramer	Donald J. Vild
Viracon	Harold Landsman	W. F. Grafton	
Virginia Glass	Robert L. Brown	Brooks R. Leavitt	A. P. Stillman
Visador	James Seale	Gerald L. Reynolds	
Windsor	Bob Holland	S. A. Watson	Dave Nickel

### Members from those without certified products:

Du Pont	George L. Graf, Jr.	Robert B. Rector	
Mobay	J.M. Rich	L. Gable	
Three M Company	Caryl E. Twitchell	Louis F. Masonick	G. A. Berger

### Members by virtue of being a director:

National Safety Council	Phil Dykstra
Wiss, Janney and Elstner	Richard C. Elstner
Evans, Ivory and Evans	Thomas Hollander
Mass. Inst. of Technology	Frederick J. McGarry
Federal Housing Administration	Lynford K. Snell
Glasstech, Inc.	Norman Nitschke
ASG Industries	Thomas C. Carson
Rohm and Haas	Orville L. Pierson
Three M Company	Caryl E. Twitchell
L-O-F Company; LOF Glass	Donald J. Vild

SGCC Certification Program Administrator:

Robert A. Hance, CSC, Administrator  
Carl R. Walden, CSC, Assistant Administrator

Auditor:

Joseph B. Press, CPA

Legal Counsel:

Samuel Steen, Esquire

January 1, 1975; SGCC 25

## SGCC LABEL REQUIREMENTS

The SGCC certification label must be permanently marked on each piece of safety glazing material or else it is not certified by SGCC. The typical labels reproduced in this certified products directory are the same size that you will find them on each piece of safety glazing material.

The permanent label must contain ANSI Z97.1-1972 except for safety plastic sheet for indoor use only (which does not comply with the U.V. requirements of ANSI Z97.1-1972) in which case the label must include the wording "for indoor use only".

The permanent label must contain identification of the plant in which the product was made and the name or trade mark of the participant. (The SGCC number does this by reference to this certified products directory.)

The permanent label must be affixed to certified products only at the time and place of manufacture.

The permanent label must be affixed only to safety glazing materials of the participants' own manufacture, which has been certified by SGCC.

The permanent label must not be sold, transferred or otherwise disposed of in any manner other than being affixed to the participants certified production.

The permanent label must not be affixed to any product from which certification has been withdrawn or which is produced with a process basically different from the one used when certification was obtained.

The permanent label must have SGCC authorization and acceptance prior to use.

\* \* \* \* \*

### **ANSI Z97.1-1972 Performance Specifications and Methods of Test for Safety Glazing Material Used in Buildings**

The purpose of Z97.1-1972 is to prescribe the functional properties of safety glazing materials so that they can be used in any place in buildings for which they possess the requisite characteristics. Intended to serve as a convenient reference for building officials, this new and important document is designed to provide a basis for standards that may be incorporated in federal, state, and local regulations.

**ANSI Z97.1-1972  
may be  
obtained at \$3.50  
per copy from  
the American National  
Standards Institute**

**AMERICAN NATIONAL STANDARDS INSTITUTE  
1430 BROADWAY  
NEW YORK, NEW YORK 10018**



Enclosed is my payment of . . . . . Please send . . . . . ANSI Z97.1-1972.

Name \_\_\_\_\_


Organization \_\_\_\_\_ Title \_\_\_\_\_

Street \_\_\_\_\_


City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

ASG Industries, Inc.  
P.O. Box 88  
Kingsport, Tennessee 37662

TRU-TEMP  
TEMPERED  
SAFETY GLASS  
ANSI Z97.1 1972  
3/16U SGGC 220

  
SGCC-183 .100U  
ANSI Z97.1-1972

TEMPERED SAFETY GLASS  
[A<sub>L</sub>G] SGCC 204  
3/16 U  
ANSI Z 97.1-1972


 ·TEMPERLITE·  
 ASAHI GLASS  
 TEMPERED SAFETY GLASS  
 ANSI Z97-1-1972  
 SGCC46 187-U

ANSI Z97.1-1972

**BREAK-SAFE<sup>TM</sup>**

**SAFETY GLASS**

.002 ON SS-U

SGCC-433

MLB TEMP  
SAFETY TEMPERED  
GLASS  
ANSI-Z97.1-1972  
SGCC-274 3/16U

January 1, 1975; SGCC 27

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

C-E Glass  
825 Hylton Road  
Pennsauken, New Jersey 08110

ARM-R-CLAD  
®  
E E GLASS PAB  
ANSI Z97.1-1972 1B7U  
SG CC 362

Canadian Pittsburgh Industries, Ltd.  
1299 20th Street, East  
Owen Sound, Ontario

CPI  
HERCULITE® K  
TEMPERED SAFETY GLASS  
CGSB 12-GP-1B AUG. 1971  
ANSI Z97.1 - 1972  
SGCC-209 3/16" U 841272

Central Glass Company, Ltd.  
One World Trade Center  
Suite 3947  
New York, New York 10048

TEMPERED SAFETY GLASS  
TENPALEX  
CENTRAL  
ANSI Z97.1-1972 1/8-U  
SGCC-230

Chromalloy-Safetee Glass Division  
250 King Manor Drive  
King of Prussia, Pennsylvania 19406

TEMPERCRON  
3/16" U  
SAFETEE GLASS  
BY  
CHROMALLOY™  
ANSI-Z-97.1-1972  
SGCC-339 2-74

Dearborn Glass Company  
6600 South Harlem Avenue  
Bedford Park, Illinois 60501

LAMINATED  
SAFETY GLASS  
D.G.C.  
-218 U  
A.N.S.I. 297.1-1972  
SGCC-147

Double Seal Glass Company, Inc.  
610 South Dexter Street  
Flint, Michigan 48506

DOUBLE SEAL PLASTIC  
SAFE-T-GLASS  
ANSI Z97.1 - 1972  
SGCC-324 3/16 U

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

Dura Vue Industries, Inc.  
1515 West 35 Street  
Chicago, Illinois 60609

Tentative label  
DURA VUE  
Tempered  
Safety Glass  
ANSI Z97.1-1972  
SGCC-457 1/4U

Falconer Plate Glass Corporation  
500 South Wall Street  
Falconer, New York 14733

**FALCONER**  
TEMPERED  
**◀ DURASAFE ▶**  
SAFETY GLASS  
SGCC-308 1/4" U  
ANSI Z97.1-1972

Feather-lite Manufacturing Company  
1210 East Maple Road  
Troy, Michigan 48084

FEATHER-LITE  
**SAFETY**  
**PANE**  
TEMPERED SAFETY GLASS  
ANSI Z 97.1-1972  
SGCC-II 3/16 U 064

Flex-O-Glass, Inc.  
1100 North Cicero Avenue  
Chicago, Illinois 60651

*Warp's*  
FLEX - O - GLAZE T.M.  
SGCC - 118  
ACRYLIC SAFETY GLAZING  
ANSI Z97.1 - 1972 100 U  
WARP BROS CHGO 60651

Ford Motor Company; Glass Division  
1 Parklane Boulevard  
Dearborn, Michigan 48126

  
FORD TEMPERED  
SAFETY GLASS  
ANSI Z97.1-1972  
SGCC 341 1/8 U  
4E

Fourco Glass Company  
P.O. Box 4147; Station B  
Fort Worth, Arkansas 72901

**FOURCO**  
*Cleartemp*  
SAFETY  
HEAT TEMPERED  
GLASS 3/16 U  
ANSI Z97.1-1972  
SGCC-36

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

Gladwin Industries, Inc.  
Route 1; Box 370 A  
Oakwood, Georgia 30566




S. A. Glaverbel  
c/o Veerman International Company  
950 Third Avenue  
New York, New York 10022

**Glaverbel**  
GR - tempered  $\frac{3}{16}$ "  
ANSI Z97.1-1972 188 U  
SGCC-16

Globe-Amerada Glass Company  
2001 Greenleaf Avenue  
Elk Grove Village, Illinois 60007

**LAMINATED SAFETY GLASS**



ANSI Z97.1-1972

Guardian Industries Corporation  
43043 West Nine Mile Road  
Northville, Michigan 48167



Hamilton of Indiana, Inc.  
2000 Chestnut Street  
Vincennes, Indiana 47591

**TEMPER-TUF**  
HAMILTON OF INDIANA  
ANSI Z97.1-1972 1/8U SGCC-54  
TEMPERED SAFETY GLASS

ICP Industries, Inc.  
7411 N.E. Third Avenue  
Miami, Florida 33138

ICP MIAMI FLORIDA  
POLYSTYRENE SAFETY GLAZING  
FOR INDOOR USE ONLY  
SGCC - 17 090U

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

K-S-H, Inc.  
10091 Manchester Road  
St. Louis, Missouri 63122

ANSI Z97.1-1972  
KSH, INC. ACRYLIC  
.060 U  
SGCC 136

LOF Glass, Inc.  
P.O. Box 830  
Laurinburg, North Carolina 28352.



Laminated Glass Corporation  
9797 Erwin Avenue  
Detroit, Michigan 48213



Libbey-Owens-Ford Company  
811 Madison Avenue  
Toledo, Ohio 43624



Minex-Poland  
c/o M. L. Burke Company  
33204 Western Avenue  
Union City, California 94587

**TEMPERED SAFETY GLASS**  
MINEX  
ANSI Z97.1-1972  
SGCC-140 .210 U

Ohio Plate Glass Company  
Box 671  
Lewisburg, Ohio 45338





EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

PPG Industries, Inc.  
1000 RIDC Plaza  
P.O. Box 2811  
Pittsburgh, Pennsylvania 15230

**ppg** HERCULITE K  
ANSI Z-97.1-1972 3/16"-U  
TEMPERED SAFETY GLASS  
SGCC-62 11372

Pacific Tempered Glass Corporation  
P.O. Box 307  
10500 Ridder Road  
Wilsonville, Oregon 97070

**PTG** SAF-T-LITE  
TEMPERED SAFETY GLASS  
ANSI Z97.1-1972 1/4U  
SGCC 388

Paulding Glass Products, Inc.  
West Caroline Street  
Paulding, Ohio 45879

**Paulding**  
TEMPERED  
SAFETY GLASS  
ANSI Z97.1-1972  
SGCC-261.210-U

Plaskolite, Inc.  
1770 Joyce Avenue  
Columbus, Ohio 43219

**plaskolite**  
ACRYLIC SAFETY GLAZING  
ANSI Z 97.1-1972  
SGCC-152  
.100U

Robeco Products, Inc.  
51 Madison Avenue  
New York, New York 10010

ACRYPOLY  
CAST ACRYLIC  
SAFETY GLAZING  
ANSI Z97.-1972  
SGCC-210 080 U

Rohm and Haas Company  
Independence Mall West  
Philadelphia, Pennsylvania 19105

PLEXIGLAS® R & H CO.  
ACRYLIC SAFETY GLAZING  
ANSI Z97.1-1966/72 .080U  
SGCC-154

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL


Rotuba Extruders, Inc.  
1401 Park Avenue South  
Linden, New Jersey 07036

ROTUBAGLAZ®  
ACRYLIC SAFETY GLAZING  
ANSI Z97.1-1972  
SGCC-316 .080U

Rowland Products, Inc.  
Fairview Lane  
Kensington, Connecticut 06037

ROWLEX®  
POLYCARBONATE SAFETY GLAZING  
ANSI Z97.1-1972 .090U  
SGCC-120

Safelite Industries  
P.O. Box 1879  
Wichita, Kansas 67201

SOLID TEMPERED  
SAFE LITE  
  
ANSI Z97.1-1972  
1/8 U SGCC-225

Sheffield Plastics, Inc.  
Salisbury Road  
Sheffield, Massachusetts 01257

ACRY-PANE  
ACRYLIC SAFETY GLAZING  
ANSI Z97.1-1972 .080U  
SGCC-173

Sierracin Corporation  
12780 San Fernando Road  
Sylmar, California 91342

Tentative label  
SIERRACIN  
Laminated Safety Glass  
ANSI Z97.1-1972  
SGCC-473 3/8U

Societa Italiana Vetro S.p.A.  
c/o Greenbaum, Wolff and Ernst  
437 Madison Avenue  
New York, New York 10022

~~SIVSCREEN~~  
~~SIVSCREEN~~  
LAMINATED SAFETY GLASS  
ANSI Z 97.1 - 1972 250 U  
SGCC 424

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL

Southern Plastics Company  
P.O. Drawer 39  
Columbia, South Carolina 29202

SOPLASCO  
ACRYLIC SAFETY GLAZING  
ANSI Z97.1-1972  
SGCC-162 .080U

Taiwan Glass Corporation  
10500 Ridder Road  
Wilsonville, Oregon 97070



T G C TEMPERLITE  
ANSI Z97.1-1972 3/16 U  
SGCC-177

Taylor Products, Inc.  
Laura Avenue  
Payne, Ohio 45880



ANSI Z97.1-1972  
SGCC-190 3/16-U

Tempered Glass Corporation  
6900 Adamo Drive  
Tampa, Florida 33619

TEMPERED  
GLASS CORP.  
SGCC-347 .188U  
ANSI Z97.1 1972  
TEMPERED

Temp-Safe, Inc.  
3000 South Kelly  
Edmond, Oklahoma 73034

TEMP-SAFE  
TEMPERED  
SAFETY GLASS  
ANSI Z97.1-1972  
SGCC-440-3/16 U

Tudor Safety Glass Company, Limited  
Vinylex Works  
Queenborough, Kent, England

VINYLEX  
LAMINATED  
ANSI Z97.1 1972  
SGCC 269 250 U

EXAMPLE OF PARTICIPANT'S TYPICAL LABEL


Tuf-flex Glass, Inc.  
2735 Washington Avenue  
Vincennes, Indiana 47591

Tuf-flex Glass Inc.  
TEMPERED SAFETY GLASS  
1/4"-U ANSI Z97.1-1972  
SGCC-229

Tyre Brothers Glass Company  
3008 South San Pedro  
Los Angeles, California 90051



Vidrierias De Llodio, S.A.  
c/o Seaply Glass Company  
271 North Avenue  
New Rochelle, New York 10802



Vidrios Securit S.A  
A. A. 437  
Barranquilla, Colombia

Tentative label  
SECURIT  
VIS  
Tempered  
ANSI Z97.1-1972  
SGCC-467 7/32U

Viracon, Inc.  
800 Park Drive  
Owatonna, Minnesota 55060

VIRAICON  
TEMPERED GLASS  
ANSI Z97.1-1972  
SGCC-227 188-U

Virginia Glass Products Corporation  
P.O. Box 5431  
Martinsville, Virginia 24112



Visador Company  
940 Visador Road  
Jasper, Texas 75951

Safe-T-Leaded  
ANSI Z 97.1 - 1972  
SGCC 354 3/16 U  
Visador

PROCEDURAL GUIDE  
SAFETY GLAZING CERTIFICATION COUNCIL  
CERTIFICATION PROGRAM FOR  
SAFETY GLAZING MATERIALS USED IN BUILDINGS

## FORWARD

Acceptance of a certified product containing safety glazing materials comes with the conviction that such certification assures a high level of safety and quality and that the integrity of the identifying mark or certification label is being reliably maintained by a competent certifying agency.

The provisions of American National Standard Z97.1 provide a sound technical basis for the required high level of safety. With the addition of independent administration plus periodic routine sampling and product evaluation, a program of product certification is developed in accordance with the accepted American National Standards as contained in American National Standard Z34.1. The Certification Program described here is predicated upon the concept of independent and impartial administration of the certification procedures which are incorporated in the SGCC license agreement.

To insure administration of the Certification Program in a uniform and equitable manner, this Procedural Guide has been prepared for the information and guidance of the participants.

It should be noted that the *SGCC License Agreement* is the governing document for operation of the Certification Program. This Procedural Guide, which is *not* an extension of that document, serves merely to describe the administrative procedure and routine operation of the Certification Program.

## GENERAL INFORMATION

### *The Certification Concept*

The SGCC Certification Program is based on the conviction that no standard of safety or quality is good without the *continuous adherence of the participants* to that standard.

To buyers, specifiers, code officials and users, the SGCC certification label offers the manufacturer's *Assurance* that his safety glazing material has been *produced in conformance* to American National Standard Z97.1 covering safety glazing materials used in buildings.

Many state laws, municipal ordinances and building codes require that all glazing installed in certain pre-defined *hazardous* locations comply with the ANSI standard. This standard, promulgated by the American National Standards Institute, *requires* certification in accordance with ANSI Z34.1 prior to labeling safety glazing materials as conforming to ANSI Z97.1.

### *Who Can Participate?*

Every manufacturer of safety glazing materials is eligible, *on a voluntary basis*, to participate.

### *Who Conducts the Program?*

The Safety Glazing Certification Council, a non-profit corporation, is the sponsor of this certification program. SGCC supervises the certification program under which the Administrator periodically checks and reports compliance of the manufacturers of products having the SGCC certification label with the requirements of ANSI Z97.1.

### *Administration*

Certification Services Corporation (CSC), is the independent *Administrator* of the Certification Program. CSC maintains the SGCC Office of Certification and handles the routine day to day business. All transactions are done in the name of SGCC.

### *How Can You Become a Participant?*

The following must be accomplished before SGCC can certify an item of safety glazing material:

a] The manufacturer signs two copies of the SGCC License Agreement (including notarization of the Affidavit, Appendix A) and sends these to SGCC. SGCC will countersign both copies and return one to the manufacturer.

b] The manufacturer sends to SGCC one copy of a valid test report from an official SGCC-recognized prototype testing laboratory indicating full and complete compliance with the Specifications, namely ANSI Z97.1. (This is the "initial" or "prototype" testing and the sample is furnished by the manufacturer directly to any one of the SGCC-recognized independent commercial prototype testing laboratories, which the manufacturer selects.)

c] The manufacturer sends to SGCC the six-month certification fee *for each item which is to be certified*.

d] The manufacturer sends to SGCC a *black on white* copy of his proposed permanent label.

After receipt of *all* of the above four items, SGCC sends to the participant a Notice of Product Certification which includes a SGCC Certification Number. This number *must* be incorporated into the permanent label to be affixed on each piece of certified safety glazing material. The certified item will then be listed in the next published Certified Products Directory.

## HOW THE CERTIFICATION PROGRAM WORKS

The *American National Standards Institute* sets safety standards and safety glazing materials *must meet or exceed* applicable ANSI standards before they can be certified by SGCC. Specifications for safety glazing materials used in buildings are developed and reviewed at least every five years by ANSI.

*SGCC-Recognized Independent Prototype Testing Laboratories* conduct all tests. All laboratories, whose test reports are utilized by this Certification Program, shall be approved by the SGCC Certification Committee. Initial or prototype tests are performed at the testing laboratory selected by the participant. Routine evaluation samples are tested by the testing laboratory selected by the Administrator.

#### *Administrator Authorizes Certification*

As sole judge of compliance with applicable standards, the Administrator authorizes a product which has been approved to be listed in the Certified Products Directory.

*Participants Label Safety Glazing Material* within the limits of the product size tested. If 34 by 76 inches is the initial or prototype test size, then certification is extended to all sizes and the label contains a letter U, designating such unlimited size. The letter L, contained within the label, denotes that certification is limited to the width and length of the initial or prototype test size.

#### *Products Listed in Certified Products Directory*

Approved products are listed in the Certified Products Directory, which is published at least every six months. It is sent to door, sash and building products manufacturers, glazing contractors, home builders, architects, regulatory agencies and code-making groups, etc. Directory listings contain the participants name, plant location, product description and a copy of the actual label that is *permanently* marked upon each piece of certified safety glazing material.

The *Administrator Samples Certified Glazing Material* from the participant's inventory once every six months.

An *Approved Testing Laboratory Determines Compliance* of these samples with the Specifications. Tests are made either at the place of manufacture or at the laboratory selected by the Administrator from the approved list. Results of each test are mailed promptly to the participant by the Administrator.

### COMPLIANCE SAFEGUARDS

#### *How is Compliance Assured?*

Any certified product found in the course of routine sampling and evaluation not to be in compliance with the Specifications, is subject to having certification removed. The participant is given a 30-day grace period in which to demonstrate to the satisfaction of the Administrator that his product is in compliance. If he does not, certification is *automatically terminated* at the end of the 30-day period.

#### *Challenging a Certified Product.*

Complaints of non-compliance from any source will be investigated promptly by SGCC upon receipt of the complaint in writing along with an appropriate surety deposit. A minimum surety deposit of \$1,000 will be required for each complaint of non-compliance. The surety deposit will be



assessed at the rate of \$150 per man day *plus* the reasonable costs of travel and the maintenance entailed in resolving such incidents. Refunds of part or all of the surety deposit will be made when applicable. All costs involved will be paid from the complainant's surety deposit, *unless* the investigation proves non-compliance, *in which case all costs will be borne by the participant found to be in non-compliance.*

#### *Withdrawal of Certified Product*

Any product which has been certified may be voluntarily withdrawn from the Certification Program by the participant at any time.

### COSTS

#### *What Does The Program Cost?*

The participant pays all projected fees to SGCC on a six-month basis, in advance. A participant is invoiced for each item that is certified and listed separately in the Certified Products Directory. The invoice will include the fees for future routine evaluation testing.

Initial certification for each item will be for a period of six months. However, the next invoice to a participant will have the fees prorated to the nearest whole month in such a manner that participation in the Certification Program will be on a January 1 to July 1 and July 1 to January 1 basis.

#### *Program Costs:*

\$468.25 per six months for the first product at a plant.

\$138.25 per six months for each additional product at the same plant.

## CERTIFICATION PROGRAM DOCUMENTS AND AGREEMENTS

#### *Licensee Agreement*

This agreement, incorporating independent program administration and routine, periodic, independent sampling and evaluation, governs the relationship between SGCC and the participant.

*Future Amendments or Revisions* to the License Agreement will be recommended by the SGCC Certification Committee and enacted by the SGCC Board of Directors.

#### *Effective Date, Duration and Termination*

The License Agreement becomes effective on the date of its execution; has an initial duration of six months (adjustable to a January 1 to July 1 or a July 1 to January 1 basis), and is automatically renewed for successive, additional periods of six months, unless either party gives notice at least

sixty days prior to date of expiration that cancellation is requested or unless revoked by SGCC for causes set forth in the document.

Upon proper execution and acceptance by SGCC the *Preissued Certification Number Bond* informs a participant of the exact mark of an item to be certified in the future. Thus he can purchase the proper marking equipment before the item is actually certified. If the participant marks this number upon production prior to actual certification the bond is forfeited to SGCC.

Upon proper execution and acceptance by SGCC the *Test Release Bond* permits the continuation of certification of an item even though the production facilities are shut down. If the participant does not notify SGCC within one week of the resumption of production the bond is forfeited to SGCC.

#### *Administrative Service Agreement.*

This agreement, entered into by SGCC and Certification Services Corporation, governs the relationship between SGCC and CSC, the independent Administrator. In general, it provides that the Administrator:

- a) samples certified products routinely
- b) has the right to witness any and all testing
- c) reviews all test reports in order to determine compliance of the certified product with the Specifications
- d) inspects and approves all in-plant and Test Laboratory test facilities for use in this Certification Program (Test Laboratories are "recognized" or approved by the SGCC Certification Committee)
- e) publishes and mails the SGCC Certified Products Directory on or about each January 1 and July 1
- f) handles all routine clerical duties of SGCC with respect to certification matters
- g) acts as SGCC treasurer, invoicing participants, maintaining a bank account and dispersing funds (fiscal reports are made to the SGCC Certification Committee)
- h) furnishes all testing except for prototype tests
- i) attends all scheduled meetings of the SGCC Certification Committee and
- j) in all of its actions acts in the name of SGCC.

#### *Procedural Guide*

This guide outlines program procedures in accordance with the provisions of the License Agreement and the Administration Service Agreement, for the guidance of those concerned with the

procedural details of the Certification Program's operation. It covers the steps to be taken in any given procedural situation in the interest of equitable and uniform treatment of participants and the preservation of the integrity of the Certification Program.

#### *Certified Products Directory*

This directory is the one document and publication that is normally in the public's eye and contains a listing of the certified safety glazing materials of each participant.

#### *Certification Label*

This Certification Mark is permanently affixed to each piece of certified safety glazing material by the participant. It contains a code that refers to the listing in the Certified Products Directory. The listing then provides a complete product description including the company name, plant location, etc.

### PROGRAM RESPONSIBILITY

The *SGCC Board of Directors* has overall responsibility for the well being and acceptance of the Certification Program by the industry, building officials and the public. It also bears legal corporate responsibility.

The *SGCC Certification Committee* has the responsibility for the general procedure and policy pertaining to operation of the Certification Program. As a part thereof, it:

- a] establishes certification "guidelines"
- b] determines the applicability of the Specifications in a specific situation where a question is raised by a participant or the Administrator
- c] approves Test Laboratories
- d] determines which of the Specifications are to be designated effective for the purposes of product certification and the date or dates on which they become effective
- e] recommends to the SGCC Board of Directors changes to be made in the License Agreement.

#### *Communications*

##### *SGCC Board of Directors*

*Mr. Norman C. Nitschke, Chairman*  
*Glasstech, Inc.*  
*801 Front Street*  
*Toledo, Ohio 43605*  
*Phone: 419-693-0696*

##### *SGCC*

*Mrs. Shirley Stafford*  
*Assistant Secretary*  
*1640 West 32 Place*  
*Hialeah, Florida 33012*  
*Phone: 305-558-1352*

##### *SGCC Certification Committee*

*Mr. Robert L. Brown, Chairman*  
*Virginia Glass Products Corporation*  
*P.O. Box 5431*  
*Martinsville, Virginia 24112*  
*Phone: 703-956-3131*

##### *SGCC*

*Mr. Robert A. Nance, P.E.*  
*Administrator of Certification*  
*1640 West 32 Place*  
*Hialeah, Florida 33012*  
*Phone: 305-558-1352*

## CERTIFICATION GUIDELINES AND INTERPRETATIONS

For guidance in certifying safety glazing materials the SGCC Certification Committee has adopted the following:

### GENERAL

- G.1 Participation in the certification program will be on a January 1 to July 1 and July 1 to January 1 basis. Charges will be prorated to the nearest whole month based on the date of approval of certification.
- G.2 Tests for initial compliance of safety glazing with ANSI Z97.1 will be accepted from Approved Engineering Test Laboratories, Bowser-Morner Testing Laboratories, Inc., British Standards Institution, Electrical Testing Laboratories, Inc., Institut National Du Verre, Miami Testing Laboratory, Inc., Patzig Testing Laboratories Company, Inc., Twin-ing Laboratories of Southern California, Inc. or other testing laboratory subsequently approved by the SGCC Certification Committee.
- G.3 Paragraph (1) Section 4.1.3 of ANSI Z97.1-1972 is intended to apply to laminated, wire and plastic coated glasses only. Paragraph (2) is intended to apply to tempered glass only. Paragraph (3) is intended to apply to plastics only. Paragraph (4) is intended to apply to any safety glazing material.
- G.4 Sealed insulated glass can not be certified per se, but each layer can be a certified item.
- G.5 The SGCC item number when used as part of an authorized permanent label designates the name of the licensee (participant) and also the location of the manufacturing plant since the Certified Products Directory which lists the item number and pertinent data is published twice a year.
- G.6 All test specimens, except for prototype samples, must be marked with an SGCC authorized permanent label prior to testing in order to be considered a valid sample. The administrator shall construe the absence of an authorized label as failure of the said specimen to comply with the Specifications.
- G.7 Initial certification of all items shall be temporary and is limited to three months, pending authorization by SGCC of the actual permanent label. Certification shall be removed from items for which SGCC does not receive a black on white copy of the permanent label within three months.
- G.8 After initial compliance with a sample size as stated in Table 1, testing of other sizes which represent the sizes manufactured may be allowed, provided however that all sizes produced up to the size provided by Table 1, ANSI Z97.1-1972 are exposed to selection for testing.
- G.9 Specimen sizes up to 34 inches by 77 inches shall be valid samples when independently obtained by the administrator for purposes of routine evaluation.
- G.10 In cases where the administrator samples and identifies specimens for routine evaluation on the participant's premises or requests participant's samples when none are available at the time of sampling:

G.10 (Continued)

- a) The participant be permitted 6 weeks in which to effect delivery of said specimens to the administrator's designated testing laboratory.
  - b) Failure to act as specified above shall be construed by the administrator as failure of the said specimens to comply with the Specifications and the administrator shall act as provided for in License Agreement A.6.
- G.11 In cases where routine evaluation samples fail to comply with the Specifications:
- a) Written notice is sent to the participant by the administrator that within 30 days participant must submit samples to the administrator. Written notice of removal of certification is issued to the participant by the administrator if the samples are not received within the allotted 30 days or if the samples submitted fail to comply with the Specifications.
  - b) Within 3 months the administrator shall obtain an additional random sample for evaluation (in addition to the routine evaluation sample obtained at least twice a year). The costs involved shall be paid by the participant.
  - c) The administrator shall be certain that the sample obtained in b) above is of recent production.
  - d) Certification shall be removed if the additional random sample obtained in b) above fails to comply with the Specifications.
- G.12 If a participant who manufactures a certified product outside the 48 contiguous States feels that in a particular instance that he will be unable to act as provided for in paragraph b) of SGCC Guideline G.11, he should notify the administrator. The administrator will then contact the Chairman of the Certification Committee for a decision as to what action is to be taken.
- G.13 In cases where a certified item is produced infrequently or in small quantities so as to make it difficult for the administrator to obtain routine evaluation samples, the participant shall notify the administrator at least two weeks in advance of any production of such item.
- G.14 The administrator shall remove certification from all of any participants products for failure to pay any monies due to SGCC within 30 days of invoice date. (Reference License Agreement A.2, A.12 and B.6).
- G.15 In the situation where a participant desires to recertify a product that previously had certification removed because of failure to comply with the Specifications, the product shall be routinely sampled four times during the first year. The costs involved shall be paid by the participant.
- G.16 The nominal thickness designations in SGCC authorized permanent labels for safety glazing materials may be shown in metric units. The thickness will be expressed in millimeters, limited to two decimal places, and will have the suffix "mm".

- G.17 All safety glazing materials that are not symmetrical from surface to surface, shall be impacted two specimens on one side and two specimens on the other side.
- G.18 Any type of safety glazing material that is laminated, including those with a sprayed on plastic coating and those with an applied sheet plastic material, must comply with the requirements of paragraph 4.2 of the ANSI Z97.1-1972 (boil test).
- G.19 Certified and permanently labeled safety glazing materials such as laminated glass, wire glass or rigid plastic may be cut into smaller pieces by a distributor or installer after manufacture and it is not practical for each such smaller piece to bear a manufacturers' permanent label when finally installed in a building. When this is the case, then the distributor or installer shall apply a permanent label to each piece, which states his name and certifies that he cut the piece from material that was properly labeled in accordance with the requirements of SGCC.

For the purpose of this guideline, a permanent label is defined as one that will remain permanently legible and would be destroyed in attempts to remove it from the product.

- G.20 The semi-annual invoicing date for certification fees shall be April 1 and October 1 of each year and the administrator is instructed to take those steps necessary to remove certification from participants for failure of payment prior to closing date of the certified products directory.
- G.21 For certification purposes a panel of glazing material composed of multiple components (such as leaded glass) may be tested and interpreted as a unit.
- G.22 A preissued SGCC certification number shall be issued by the administrator upon receipt of a properly executed license agreement and a properly executed bond form in the amount of \$10,000. The condition of the bond is such that if the participant does not label any safety glazing material with the preissued certification number prior to formal certification then the bond shall be void.
- G.23 In the case of patterned tempered glass, wire glass, plastics and plastic coated annealed glass, certification of patterned product may be extended to cover other patterns provided:
- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
  - b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1972 for each alternate pattern proposed.
  - c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification covering patterned products, any such patterns available may be selected by the administrator for routine sampling and testing.

In the case where a routine evaluation sample covered under a blanket certification fails to comply with the specifications, the situation requires that that particular product be submitted for the retest sample required by Guideline G.11a and also that that particular product be sampled by the administrator for the additional sample required by Guideline G.11b.

- G.24 There may be instances when a production facility is temporarily inoperative. This could be caused by, but not limited to, equipment repair or replacement, labor difficulties, energy or material shortages or economic considerations. As a consequence, samples for routine testing may not be available for long periods. The participant may desire to retain certification during the shutdown period. This shall be done as follows:
1. Prior to or within 2 weeks, after the shutdown the participant shall inform the SGCC administrator by registered mail.
  2. The SGCC administrator will immediately supply the participant with test release bond forms for submission by the participant.
  3. Within 2 weeks after receipt of the bond forms, the participant shall submit them to the SGCC administrator. A separate bond shall be submitted for each certified product affected.
  4. During the period covered by the bond the participant shall retain certification, contingent upon payment of normal certification fees and meeting all other participant obligations. Bonds will terminate 90 days after application but may be renewed by the participant any number of times. Renewal is an obligation of the participant and requires all steps listed herein.
  5. Within one week after re-activation of the production facility the participant shall 1) notify the SGCC administrator by registered mail and 2) submit samples from the first weeks production to an SGCC approved laboratory for testing. In cases where more than one certified product is produced with the same equipment samples of each must be furnished for testing within the first month. These will be considered as the routine samples for retesting for the six months period during which they are submitted.
  6. Failure by the participant to comply with any of the proceeding shall be the basis for removal of certification from the affected products.
- G.25 When a participant's production equipment will not produce a size of 34 by 76 inches and the participant wished to certify a) a size whose smaller dimension exceeds 34 inches, material shall be tested whose smaller dimension is 34 inches or b) a size whose larger dimension exceeds 76 inches, material shall be tested whose larger dimension is 76 inches.
- G.26 When a participant specifically and voluntarily desires to use an SGCC authorized permanent label on their product that denotes compliance with both ANSI Z97.1-1966 and ANSI Z97.1-1972 that they notify SGCC in writing of the certified item that they desire to so mark. The SGCC will at the request of a participant conduct compliance tests to ANSI Z97.1-1966 and ANSI Z97.1-1972. A single set of four test specimens will be impacted to determine impact test requirements of both codes. Upon successful completion of compliance tests the safety glazing materials are permanently labeled and listed in the SGCC certified products directory as having met the requirements of both 1966 and 1972 versions of the ANSI Z97.1 code. Any costs involved shall be paid by the participant.
- G.27 Any label that can be removed intact shall not be considered permanent and is not acceptable to SGCC.



## TEMPERED TRANSPARENT GLASS

- T.1 Certification of either flat glass or patterned glass will not cover the other except as noted in guideline T.2. (Flat glass designates ground and polished plate, float and sheet glass.)
- T.2 Polished plate glass and the rough plate glass blank from which it is produced will be considered to be of equal nominal thickness. Certification of tempered flat glass will therefore be interpreted as including tempered rough plate blank.
- T.3 Certification of regular tempered glass will also cover tinted, heat absorbing and coated glasses of the same nominal thickness.
- T.4 In cases where certified tempered glass is normally not available for sampling the participant may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise when production samples are not available the administrator shall notify the participant to submit prototype size samples to the administrator within six weeks.
- T.5 Certification of any nominal thickness of tempered safety plate, float or sheet glass will also cover the other two types. ANSI Z97.1 does not require the permanent label on tempered safety glass to specify which type of glass is used nor is it required that the test specimens be identified in this regard.

Since the minimum allowable thickness in Federal Specifications DD-G-451c is different for plate/float and sheet glass of equal nominal thickness, SGCC may not in all cases be able to certify the glass tested meets this specification. When this situation arises, the participant upon the request of SGCC must furnish a statement indicating all plate/float and sheet of his manufacture meet the thickness requirements of Federal Specification DD-G-451c.

- T.6 For certification purposes the nominal thickness of 32 ounce tempered transparent glass shall be 4 mm and thickness tolerance shall be 3.8 mm (0.150 inches) minimum and 4.2 mm (0.165 inches) maximum.

## TEMPERED PATTERN GLASS

- TP.1 For certification purposes the nominal thickness of 210 tempered pattern glass shall be 0.210 inches and thickness tolerances shall be plus 0.031 inches and minus 0.016 inches.
- TP.2 The maximum thickness shall be recorded when measuring the thickness of pattern glass.
- TP.3 For tempered pattern glass, one specimen must be weighed and the weight of ten square inches determined from the weight, width and height of that specimen to use for ANSI Z97.1-1972 test purposes.

## LAMINATED GLASS

- L.1 Certification of regular laminated glass will also cover tinted, heat absorbing and coated glasses of the same nominal thickness.
- L.2 In cases where certified laminated glass is normally not available for sampling the participant may make an overrun (of four lights of prototype size that are to be marked with the date of production) when the item is in normal production and these will be accepted by the administrator if other samples are not available. Otherwise when production samples are not available the administrator shall notify the participant to submit prototype size samples to the administrator within six weeks.
- L.3 Certification of 7/32 inch laminated glass also covers SS/DS and vice versa.
- L.4 When a laminated glass is certified, other laminated glasses having the same thickness or thicknesses of glass and a greater thickness of plastic interlayer will be considered to be of equal nominal thickness and to be included in the certification.
- L.5 Laminated safety glass need not be identified by type of base glass.
- L.6 Thickness of the plastic interlayer shall be measured by the SGCC standard method.

## WIRE GLASS

- W.1 Certification of one polished wire glass may be applied to other polished wire glasses, provided:
  - a) The glass thickness of the candidate glass is nominally equal to the thickness of the glass that is certified.
  - b) The wire diameter in the candidate glass is at least as great as the wire diameter in the glass that is certified.
  - c) The spacing of the wires in the candidate glass is no greater than the spacing of the wires in the glass that is certified.
  - d) The Certification Committee has been presented with a copy of the results of a test indicating that compliance of the candidate glass with the requirements of Z97.1-1972 impact testing has been made.

After admission under the blanket certification covering wired glasses, all wire glasses so certified must be exposed to random sampling at each examination although only one will probably be selected for testing.

## PLASTICS — GENERAL

- P.1 Certification of one tint or color of rigid plastic will also cover other tints or colors of the same nominal thickness.
- P.2 For certifying all plastics covering a range of thicknesses prototype impact tests are required of the minimum thickness and also of the maximum thickness (except that 0.250 inch thickness would be tested if the maximum thickness exceeds 0.250 inches). Only one certification number will be issued and shall be marked upon all thicknesses. Routine re-evaluation samples are to be selected by the administrator from any of the certified thicknesses.

P.3 The following thickness tolerances shall be used for certification purposes:

Outdoor use class 1	Cast acrylic (including continuously cast sheet)	As specified in ASTM D-702 latest issue
Outdoor use class 2	Extruded acrylic	Plus or minus 5 percent of nominal thickness
Outdoor use class 3	Extruded polycarbonate	Plus or minus 5 percent of nominal thickness on middle 90 percent of width; plus or minus 10 percent of nominal thickness on remaining width (edges)
Indoor use class 1		plus or minus 5 percent of nominal thickness

P.4 The maximum thickness shall be recorded when measuring the thickness of patterned plastics.

P.5 Certification of either smooth plastic or patterned plastic will not cover the other.

#### Interim Guideline

P.6 SGCC shall use as an interim guideline a chamois skin cover in lieu of the required terry cloth on the impactor as an aid in interpretation of break patterns of plastics. Occurrence of less than four perforations of the chamois skin shall indicate satisfactory compliance of the test (Section 4.1 of ANSI Z97.1-1972). This guideline to be used no later than December 31, 1974.

#### PLASTICS — EXTERIOR USE

PE.1 Sheet plastics for exterior use must comply with paragraph 4.3 of the ANSI Z97.1-1972 (UV Weathering).

PE.2 Certification of plastics for exterior use shall be permitted prior to completion of ANSI Z97.1-1972 Weathering Tests (paragraph 4.3) provided that a considered expert opinion states that the infrared spectrogram indicates that the plastic is an acrylic or UV inhibited polycarbonate of proven weatherability. Certification shall be removed if compliance with the weathering test is not demonstrated within six months of the certification date.

PE.3 For all plastics requiring UV weathering tests an infrared spectrogram shall be obtained of all prototype weathering specimens. An infrared spectrogram shall be obtained of all routine re-evaluation samples and shall be compared with that of the prototype in lieu of conducting weathering tests.

PE.4 When initial charpy unnotched specimens do not break, then notched specimens shall be used for both initial and exposed charpy impact testing. The specimens shall be notched prior to UV exposure and the notched surface shall be exposed to the UV.

## PLASTICS — INDOOR USE ONLY

- PI.1 Sheet plastics for indoor use only do not have to comply with paragraph 4.3 of ANSI Z97.1-1972 (UV weathering).
- PI.2 The permanent label authorized by SGCC must include "for indoor use only".

### LEADED PATTERNED ANNEALED GLASS

- LG.1 Certification of one leaded patterned glass (annealed) may be extended to cover other patterns (on the glass surface) provided:
- a) The nominal thickness of the proposed alternate and all aspects other than pattern are the same as the certified product.
  - b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1972 for each alternate pattern proposed.
  - c) The certification committee is provided with a 6 by 6 inch sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.
  - d) After admission under blanket certification covering leaded patterned annealed glass, any such patterns available may be selected by the administrator for routine testing.
- LG.2 Certification of one diamond shaped leaded patterned (annealed) glass may be extended to cover other sizes of diamonds provided:
- a) All aspects of the product except diamond size is the same as the certified product.
  - b) The administrator of the certification program is provided with a copy of a prototype test from an approved laboratory, showing satisfactory compliance with the impact requirements of ANSI Z97.1-1972 for each alternate size diamond proposed.
  - c) The certification committee is provided with a 6 by 6 inch or a proper and representative sample of each proposed alternate for its record and file. This must be sent to the administrator of the certification program.

After admission under blanket certification, any such size diamond available may be selected by the administrator for routine testing.

- LG.3 For leaded diamond patterned annealed glass the tolerance for diagonal came center dimensions shall be plus or minus 10 percent.

Prototype sample must have diagonal came center dimensions at the upper limit of the dimensional tolerance. Diamond size listed in the Certified Products Directory shall be nominal dimensions.

Prototype diamond dimension equals 1.10 times nominal diamond dimension.

### PLASTIC COATED ANNEALED GLASS

- AG.1 Thickness of the applied plastic coating shall be measured by the SGCC standard method.
- AG.2 The SGCC authorized permanent label must be permanently imprinted upon either surface of the plastic for all plastic coated annealed glasses.

## MEETINGS OF CERTIFICATION COMMITTEE

THE CERTIFICATION COMMITTEE OF THE SAFETY GLAZING CERTIFICATION COUNCIL  
MET ON FEBRUARY 28 AND MARCH 1; JUNE 5 AND 6; AND SEPTEMBER 16, 17 AND  
18, DURING 1974. INTERESTED PERSONS MAY OBTAIN MINUTES OF THESE  
MEETINGS BY WRITING TO THE SAFETY GLAZING CERTIFICATION COUNCIL.

\* \* \* \* \*

### SGCC APPROVED TESTING LABORATORIES

Approved Engineering Test Laboratories; 1431 Potrero Avenue; South  
El Monte, California 91733

Attention: Mr. Joseph E. Hawkins; Telephone (213) 283-8465

Bowser-Morner Testing Laboratories, Inc.; 420 Davis Avenue; P.O. Box 51;  
Dayton, Ohio 45401

Attention: Mr. Jack Delaney; Telephone (513) 253-8805

British Standards Institution; Maylands Avenue; Hemel Hempstead;  
Herts, England

Attention: Mr. Alan Attryde

Electrical Testing Laboratories, Inc.; 2 East End Avenue; New York,  
New York 10021

Attention: Mr. Claude Robb; Telephone (212) 288-2600

Electrical Testing Laboratories, Inc.; 1960 Will Ross Court; Chamblee,  
Georgia 30341

Attention: Mr. Harry Fry; Telephone (404) 458-7763

Instut National Du Verre; Boulevard Defontaine, 10; B-6000 Charleroi;  
Belgium

Attention: Mr. Pierre Gilard

Miami Testing Laboratory, Inc.; 1640 West 32 Place; Hialeah, Florida  
33012

Attention: Mr. James W. Bailey; Telephone (305) 822-1141


Patzig Testing Laboratories, Inc.; 2215 Ingersoll Avenue; Des Moines,  
Iowa 50312

Attention: Mr. Edward H. Rubin; Telephone (213) 426-3355




safety glazing certification council

1640 west 32 place  
hialeah, florida 33012



THIRD CLASS MAIL

to



ADDRESS CORRECTION REQUESTED

future editions of this certified products directory  
will be sent to individuals making a request on their  
corporate letterhead.