



NEW LICENSEE APPLICATION AND PRE-ISSUED NUMBER FORM [SD-06]

For **New Licensees Only**, please fill out page 1, sections I. Manufacture and II. Contact(s) information. If you would also like to request a pre-issued certification number(s) bond or wish to verify what your options are for certification and what to send in for prototype testing, please fill out the 'Optional' section below (page 2 for III. Tempered Glass products and/or page 3 for IV. Laminated Glass products).

If you are an **existing Licensee** seeking a pre-issued certification number(s) bond, or verification on what your options are for certification and what to send in for prototype testing, please fill out the I. Manufacture information and the pre-issued certification number bond section below (page 2 for III. Tempered Glass products and/or page 3 for IV. Laminated Glass products).

I. Manufacturer Information			
Manufacturer:		Plant Location:	
Address:			
City:	State:	Zip:	Country:
II. Contacts			
Primary Contact:		Title:	
Telephone:		E-mail:	
Secondary/Plant Contact:		Title:	
<i>(point of contact for SGCC Audits)</i>			
Telephone:		E-mail:	
Billing Contact:			
<i>(point of contact for Invoices/Accounts Payable)</i>			
Telephone:		E-mail:	

Please return to:
Email: SGCC@amscert.com



OPTIONAL: Pre-Issued Certification Number(s) Bond Only

The indicated fabricating company is making application for certification of the below noted safety glazing product(s) and has submitted or is about to submit for testing and approval as an SGCC certified safety glazing product, according to the procedures required by the SGCC Program.

Improper use of the SGCC Mark/Label is addressed in paragraph C.9 of the SGCC License Agreement and shall not be permitted. Misuse of the SGCC Mark/Label may result in revocation of authorization to use the mark/label on all products, financial penalties, legal action or all of the above.

The use of the pre-issued certification number by the fabricator shall be conclusively presumed to be unauthorized if the item to which such pre-issued number has been assigned is not actually certified by SGCC within twelve months.

Do you want the lab to send a copy of the report to SGCC for certification? [] YES [] NO

(*Note: if you do not check "yes", the laboratory will NOT forward a copy of the test report to SGCC and you are responsible for providing the test report to SGCC for certification.)

Key*:

- TTG - Tempered Transparent Glass
TPG - Tempered Patterned Glass
LTG - Laminated Transparent Glass
(.015) (.030) (.060) - Thickness examples of interlayers (inch)
(s) (m) (d) - Pattern depth classes (Shallow, Medium, Deep)
ANSI Class A Drop Height - 48" drop height
ANSI Class B Drop Height - 18" drop height

Standards:

- COMP Certification - Composite certification to BOTH ANSI Z97.1-2015 & CPSC 16 CFR 1201 Standards
COMP+CAN - Composite certification plus CAN CGSB 12.1 (Canadian) Certification

*See Certified Products Key in latest SGCC Certified Products Directory (CPD) for complete list

If Interlayer manufacturer and interlayer brand name are not on the SGCC approved interlayer list (see http://www.sgcc.org/Information.aspx), please contact SGCC before continuing. Prior to certification, SGCC must receive passing test reports, signed License Agreement and payment of all applicable fees.

Table with 6 columns: SGCC Number, Overall Thickness of Glass, Type of Glass, Product attributes, Standard for Certification, Drop Height Class. Includes 5 rows for product listing.

Signature: _____ Date: _____

Please return to:
SGCC, PO Box 730, 205 West Main Street, Sackets Harbor, NY 13685
Email: SGCC@amscert.com



IV. Laminated Product(s) Request:

1. What do you wish to fabricate? Complete the questions below and return this form to SGCC@amscert.com for review. Following SGCC's review SGCC will let you know your options for certification, and what to send in for testing.

A. Interlayer Category + type + thickness

*Note: for each Generic Code you must complete an additional Laminated Product form. Only 1 generic code per sheet.

List each product separately

Table with 4 columns: Generic Code, Supplier (choose a drop-down option), Interlayer Brand (choose a drop-down option), Interlayer Thickness. Rows include: (b) Poly Vinyl Butral, (lu) Liquid Resin - UV Cure, (f) Fluorinated Ethylene Propylene, (lc) Liquid Resin-Multi Component, (ev) Ethylene-Vinyl Acetate, (ev) & (p) Polyethylene Terephthalate, (ip) Ionoplast, (el) Epoxy-Liquid Crystal Polymer & (p), (u) Polyurethane, (su) Solid resin UV cure.

B. Overall Nominal Thickness (= 2 or more lites of glass + interlayer between the lites)

*Note: choose what thickness you wish to fabricate

S = Standard (<0.292 inches)
Table with 2 columns: Thickness, Tolerance Range. Rows: 3 mm (1/8"), 4 mm (5/32"), 5 mm (3/16"), 6 mm (1/4").

H = Heavy (0.292 inches and greater)
Table with 2 columns: Thickness, Tolerance Range. Rows: 8 mm (5/16"), 10 mm (3/8"), 12 mm (1/2"), 16 mm (5/8").

C. Choose your base glass heat treating:

- A = annealed (covers A, HS, & T)
HS = heat strength (covers HS & T)
T = tempered (covers T only)

D. Testing for Certification (check one): COMP / COMP+CAN

E. Drop Height Class (check one): A = 48" / B = 18"

Signature: _____ Date: _____

Please return to:
SGCC, PO Box 730, 205 West Main Street, Sackets Harbor, NY 13685
Email: SGCC@amscert.com